

- alkyl, hydroxy C₁-C₆ alkyl, C₁-C₆ haloalkyl, -(C₁-C₆ alkyl)-C(O)NH₂, -(C₁-C₆ alkyl)-C(O)NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-NH₂, -(C₁-C₆ alkyl)-NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl)phenyl, -(C₁-C₆ alkyl)pyridyl, -C(O)furanyl, (C₁-C₆ alkyl)-tetrahydrofuran, wherein the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C₁-C₄ alkyl, hydroxy, C₁-C₄ alkoxy, halogen, or
- R₃₁, R₃₂ and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered heteroaryl ring, each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C₁-C₆ alkoxy, hydroxy, hydroxy C₁-C₆ alkyl, C₁-C₄ alkoxy C₁-C₆ alkyl, -C(O)NH₂, -C(O)NH-(C₁-C₆ alkyl)-phenyl;
- R₃₃ at each occurrence is independently, H, NH₂, NH(C₁-C₆ alkyl), N(C₁-C₆ alkyl)(C₁-C₆ alkyl), N(C₁-C₆ alkyl)(phenyl);
- R₃₅ is phenyl, C₃-C₈ cycloalkyl, -S-phenyl, benzodioxole, thienyl, C₁-C₆ alkyl, furanyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C₁-C₄ alkyl, C₁-C₄ alkoxy, OH, hydroxy C₁-C₆ alkyl, halogen, halo C₁-C₆ alkyl, halo C₁-C₆ alkoxy, -O-(C₁-C₆ alkyl)-phenyl, -CO₂-(C₁-C₆ alkyl), -(C₁-C₄ alkyl)-(C₅-C₆ cycloalkyl);
- R₄₂ is H, C₁-C₆ alkyl, benzyl, -NHC(O)-(C₁-C₆ alkyl), or -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups,
- R₅₅ is cyclohexyl; cyclopentyl; azepanone; phenyl; piperidinyl; -SO₂-phenyl; pyrrolidinyl; or 4,5,6,7-tetrahydrothiazolo[5,4-c]pyridine; wherein each is optionally

substituted with $-C(O)NH_2$; $-C(O)NH(C_1-C_6 \text{ alkyl})$; $-C(O)N(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$; $C_1-C_6 \text{ alkoxycarbonyl}$; $-O-(C_1-C_6 \text{ alkyl})-C(O)NR_{31}R_{32}$; $-(C_1-C_6 \text{ alkyl})\text{-phenyl}$; 4,5-dihydro-2H-pyridazin-3-one; $C_5-C_6 \text{ cycloalkyl}$ which is optionally substituted with one CN group, phenyloxy wherein the phenyl group is optionally substituted with $-NHC(O)C_1-C_6 \text{ alkyl}$, $-N(C_1-C_6 \text{ alkyl})-C(O)C_1-C_6 \text{ alkyl}$, wherein R_{31} , R_{32} and the nitrogen to which they are attached form a pyrrolidine, piperidine, piperazine, morpholine, or thiamorpholine ring, wherein each ring is unsubstituted or substituted with 1, 2, or 3 groups that are independently OH, $C_1-C_6 \text{ alkyl}$, $C_1-C_6 \text{ alkoxy}$, $-(C_1-C_6 \text{ alkyl})\text{-imidazole}$ wherein the imidazole is optionally substituted with 1 or 2 $C_1-C_4 \text{ alkyl}$ groups, or hydroxy ($C_1-C_6 \text{ alkyl}$) wherein the alkyl group is optionally substituted with 1 phenyl ring,

or

R_{42} , R_{55} and the nitrogen to which they are attached form a tetrahydroisoquinolinyl, dihydroisoquinolinyl, or isoquinolinyl group which is optionally substituted by 1, 2, 3, or 4 groups that are independently halogen, $C_1-C_4 \text{ alkyl}$, $C_1-C_4 \text{ alkoxy}$, CN, OH, and phenyl, wherein the phenyl is optionally substituted with halogen, hydroxyl, $C_1-C_4 \text{ alkoxy}$, and $C_1-C_4 \text{ alkyl}$.

25

33. A compound according to claim 32 wherein R_{30} is selected from the group consisting of phenyl, pyrrolidinonyl, pyridyl, piperidinyl, furyl, cyclopropyl, and thienyl, wherein each of the above is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently selected from the group consisting of $C_1-C_{10} \text{ alkyl}$, hydroxy, hydroxy $C_1-C_{10} \text{ alkyl}$, $C_1-C_6 \text{ alkoxy}$, $-NR_{31}-SO_2-(C_1-C_6 \text{ alkyl})$, $-SO_2-NH(C_1-C_6 \text{ alkyl})$, $-SO_2-N(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$, halogen, $-NHC(O)NH_2$,

-N(C₁-C₆ alkyl)C(O)NH₂, -N(C₁-C₆ alkyl)C(O)NH(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -SO₂NR₃₁R₃₂, -C(O)-NR₃₁R₃₂, -NR₃₁R₃₂, -C₂-C₄ alkynyl-phenyl, -O-C₃-C₆ cycloalkyl, -O-(C₁-C₆ alkyl)-R₃₃,
5 benzo[1,2,5]oxadiazole, -C(O)-(C₁-C₆ alkyl;
wherein R₃₁ and R₃₂ at each occurrence are independently selected from the group consisting of hydrogen, C₁-C₆ alkyl, hydroxy C₁-C₆ alkyl, C₁-C₆ haloalkyl, -(C₁-C₆ alkyl)-C(O)NH₂, -(C₁-C₆ alkyl)-C(O)NH(C₁-C₆ alkyl), -
10 (C₁-C₆ alkyl)-C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-NH₂, -(C₁-C₆ alkyl)-NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-N(C₁-C₆ alkyl)(C₁-C₆ alkyl), benzyl, and -C(O)furanyl, wherein
the phenyl and pyridyl groups are unsubstituted or
15 substituted with 1, 2, or 3, groups that are independently C₁-C₄ alkyl, hydroxy, C₁-C₄ alkoxy, or halogen, or
R₃₁, R₃₂ and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered
20 heteroaryl ring, each of which is optionally substituted with C₁-C₆ alkoxy, hydroxy, hydroxy C₁-C₆ alkyl, C₁-C₄ alkoxy C₁-C₆ alkyl, or -C(O)NH₂;
R₃₅ is phenyl, C₃-C₆ cycloalkyl, or -S-phenyl, each of which is unsubstituted or substituted with 1, 2, or 3 groups that
25 are independently C₁-C₄ alkyl, C₁-C₄ alkoxy, CF₃, OCF₃, halogen, -Obenzyl, -CO₂-(C₁-C₆ alkyl), -(C₁-C₄ alkyl)-(C₅-C₆ cycloalkyl);
R₄₂ is H, C₁-C₆ alkyl, benzyl, -NHC(O)-(C₁-C₆ alkyl), or -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1
30 or 2 alkyl groups,
R₅₅ is cyclohexyl; azepanone; phenyl; piperidinyl; -SO₂-phenyl; pyrrolidinyl; or 4,5,6,7-tetrahydro-thiazolo[5,4-c]pyridine; wherein each is optionally substituted with -C(O)NH₂; C₁-C₆ alkoxycarbonyl; -O-(C₁-C₆ alkyl)-C(O)NR₃₁R₃₂;

-(C₁-C₆ alkyl)-phenyl; 4,5-dihydro-2H-pyridazin-3-one; cyclopentyl which is optionally substituted with one CN group, phenyloxy wherein the phenyl group is optionally substituted with -NHC(O)C₁-C₆ alkyl, wherein

5 R₃₁, R₃₂ and the nitrogen to which they are attached form a pyrrolidine, piperidine, piperazine, or morpholine ring, wherein each ring is unsubstituted or substituted with 1, 2, or 3 groups that are independently OH, -(C₁-C₆ alkyl)-imidazole wherein
10 the imidazole is optionally substituted with 1 or 2 C₁-C₄ alkyl groups, or hydroxy (C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1 phenyl ring,

or

15 R₄₂, R₅₅ and the nitrogen to which they are attached form a tetrahydroisoquinolinyl, group which is optionally substituted by 1, 2, 3, or 4 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, CN, OH, and phenyl, wherein the phenyl is optionally substituted with halogen,
20 hydroxyl, C₁-C₄ alkoxy, and C₁-C₄ alkyl.

34. A compound according to claim 33 wherein

R₃₀ is selected from the group consisting of phenyl, pyridyl, or piperidinyl wherein each of the above is unsubstituted
25 or substituted with 1, 2, 3, 4, or 5 groups that are independently selected from the group consisting of C₁-C₁₀ alkyl, hydroxy, hydroxy C₁-C₁₀ alkyl C₁-C₆ alkoxy, halogen, -SO₂NR₃₁R₃₂, -C(O) -NR₃₁R₃₂, -NR₃₁R₃₂, -O-C₃-C₆ cycloalkyl, -C(O)-(C₁-C₆ alkyl);

30 wherein R₃₁ and R₃₂ at each occurrence are independently selected from the group consisting of hydrogen, C₁-C₆ alkyl, hydroxy C₁-C₆ alkyl, -(C₁-C₆ alkyl)-NH₂, -(C₁-C₆ alkyl)-NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-N(C₁-C₆

alkyl)(C₁-C₆ alkyl), benzyl, and -C(O)furanyl,
wherein


the phenyl group is unsubstituted or substituted with
1, 2, or 3, groups that are independently C₁-C₄

5 alkyl, hydroxy, C₁-C₄ alkoxy, or halogen, or

R₃₁, R₃₂ and the nitrogen to which they are attached form a
pyrrolidinyl, piperidinyl, morpholinyl, pyridinyl, or
pyrimidinyl ring, each of which is optionally
substituted with C₁-C₆ alkoxy, hydroxy, hydroxy C₁-C₆
10 alkyl, C₁-C₄ alkoxy C₁-C₆ alkyl, or -C(O)NH₂;

R₃₅ is phenyl, cyclohexyl, cyclopentyl, or -S-phenyl, each of
which is unsubstituted or substituted with 1, 2, or 3
groups that are independently C₁-C₄ alkyl, C₁-C₄ alkoxy,
CF₃, OCF₃, halogen, -Obenzyl, -CO₂-(C₁-C₆ alkyl), -(C₁-C₄
15 alkyl)-(C₅-C₆ cycloalkyl).

35. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

20 R₃₅ is phenyl, C₃-C₈ cycloalkyl, -S-phenyl, benzodioxole,
thienyl, C₁-C₆ alkyl, furanyl, each of which is
unsubstituted or substituted with 1, 2, 3, 4, or 5 groups
that are independently C₁-C₄ alkyl, C₁-C₄ alkoxy, OH,
hydroxy C₁-C₆ alkyl, halogen, halo C₁-C₆ alkyl, halo C₁-C₆
25 alkoxy, -O-(C₁-C₆ alkyl)-phenyl, -CO₂-(C₁-C₆ alkyl), -(C₁-C₄
alkyl)-(C₅-C₆ cycloalkyl);

R₄₀ is phenyl, -phenyl-pyridine, biphenyl, -phenyl-
benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-
pyrimidinyl, -phenyl-isooxazolyl, -C(O)-pyridyl, -(C₁-C₄
30 alkyl)-O-C(O)NH-phenyl, -(C₁-C₄ alkyl)-O-C(O)N(C₁-C₆
alkyl)-phenyl, -(C₁-C₄ alkyl)-phenyl, -(C₁-C₄ alkyl)-SO₂NH₂,
-(C₁-C₄ alkyl)-SO₂NH(C₁-C₆ alkyl), -(C₁-C₄ alkyl)-SO₂N(C₁-C₆

- alkyl)(C₁-C₆ alkyl), CN, -(C₁-C₄ alkyl)-(C₃-C₇ cycloalkyl),
 -(C₁-C₄ alkyl)-C(O)O-(C₁-C₄ alkyl, -(C₁-C₄ alkyl)-R₃₃, C₁-C₈
 alkyl, -(C₁-C₄ alkyl)-NHC(O)-(C₁-C₄ alkyl), -C(O)NH₂,
 wherein each of the above rings is unsubstituted or
 5 substituted with 1, 2, 3, 4, or 5 groups that are
 independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, halo (C₁-
 C₄ alkyl), -O-(C₁-C₄ alkyl)-phenyl wherein the phenyl is
 optionally substituted with 1 or 2 halogens, -CHO, -NHSO₂-
 (C₁-C₄ alkyl), -N(C₁-C₄ alkyl)SO₂-(C₁-C₄ alkyl) wherein the
 10 alkyl is optionally substituted with 1, 2, or 3 halogens,
 R₄₂ is H, C₁-C₆ alkyl optionally substituted with OH; benzyl; -
 NHC(O)-(C₁-C₆ alkyl); -NHC(O)-phenyl wherein the phenyl is
 optionally substituted with 1 or 2 alkyl groups; -CO₂-(C₁-
 C₆ alkyl); -CO₂-(benzyl); or -C(O)-(C₁-C₆ alkyl);
 15 R₅₂ is H, phenyl, -NHC(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), -
 N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), OH, C₁-
 C₆ alkyl, C₁-C₆ alkoxy, mono or di(C₁-C₆ alkyl)amino,
 -NHC(O)-(C₁-C₆ alkyl) wherein the alkyl group is
 optionally substituted with a phenyl, -N(C₁-C₆ alkyl)C(O)-
 20 (C₁-C₆ alkyl) wherein the alkyl groups are each optionally
 substituted with a phenyl, -(CH₂)₀₋₄-SO₂-(C₁-C₁₀ alkyl), -
 NHCO₂-benzyl, or -NH₂, and
 R₆₀ is -L-V-R₆₅, C₁-C₈ alkyl, or hydroxy C₁-C₈ alkyl, wherein the
 alkyl or hydroxyalkyl groups are optionally substituted with 1
 25 or 2 L-V-R₆₅ groups, wherein
 L is absent, -C(O)-, -CO₂-, -C(O)NH-, -C(O)N(C₁-C₆ alkyl)-,
 -NHC(O)-, -N(C₁-C₆ alkyl)-C(O)-, -(CH₂)₀₋₄-SO₂-(CH₂)₀₋₄-
 , -(CH₂)₀₋₄-O-(CH₂)₀₋₄-, -(CH₂)₀₋₄-S-(CH₂)₀₋₄-, -NHC(O)NH-
 , -N(C₁-C₆ alkyl)C(O)NH-, -N(C₁-C₆ alkyl)C(O)N(C₁-C₆
 30 alkyl)-, -NHC(O)N(C₁-C₆ alkyl)-, -NH-, -N(benzyl)-,
 -N(phenyl)-, -(CH₂)₀₋₄-NHSO₂-(CH₂)₀₋₄-, -N(C₁-C₆
 alkyl)SO₂-, -SO₂NH-, -SO₂N(C₁-C₆ alkyl)-, or C₂-C₆
 alkenyl; or

V is absent, $-(CH_2)_{0-4}-C(O)NH-$, $-(CH_2)_{0-4}-C(O)N(C_1-C_6 \text{ alkyl})-$, cyclopropyl optionally substituted with 1 or 2 C_1-C_4 alkyl groups, $=NH$, $=NOH$, $=N$ -alkoxy, C_1-C_8 alkyl optionally substituted with 1 or 2 OH; or

5 $-CH(\text{phenyl})-$ wherein the phenyl is optionally substituted with 1, 2, 3, 4, or 5 groups that are independently halogen or OH; cyclopentyl; cyclohexyl; or $-CH(\text{phenyl})-$;

R_{65} is cyclohexyl; cyclopentyl; phenyl; $-(C_1-C_6 \text{ alkyl})-$ phenyl; NH_2 ; mono or di(C_1-C_{10} alkyl)amino wherein the alkyl group or groups are optionally substituted with 1 or 2 groups that are independently cyclopropyl, phenyl or OH; oxadiazolyl; triazolopyrimidinyl; triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl;

10 pyrimidinyl; pyridyl; pyridyl N-oxide; $-(C_1-C_6 \text{ alkyl})$ -pyridyl; piperazinyl; phthalazinyl; tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C_3-C_6 cycloalkyl- C_1-C_6 alkyl; $-(C_1-C_4 \text{ alkyl})-SO_2-(C_1-C_4 \text{ alkyl})$; $-SO_2-(C_1-C_6 \text{ alkyl})$; benzothiazolyl; hexahydro-

15 isoindole-1,3-dionyl; benzimidazolyl; benzoxazolyl; [1,2,4]triazolo[1,5-a]pyrimidinyl; [1,2,4]triazolo[4,3-a]pyrimidinyl, thiazolyl; thiadiazolyl; imidazo[1,2-a]pyridine; 3-aza-bicyclo[3.2.2]nonane; pyrrolidinonyl; diazepanyl;

20 benzo[1,2,5]thiadiazolyl; $-NHSO_2-(4\text{-methylphenyl})$; [1,2,4]triazolo[4,3-b]pyridazinyl, benzopyrrolidinonyl; morpholinyl; thiomorpholinyl; thiomorpholinyl S-oxide; thiomorpholinyl S,S-dioxide; 2,3-dihydro-benzo[b]thiophene 1,1-dioxide;

25 pyrrolidinyl; [1,2,4]oxadiazole; C_1-C_{10} alkyl; isoxazolyl; 2,3-dihydro-1H-indolyl; quinazolinonyl; quinazolinyl; piperidyl; $-CO_2-(C_1-C_6 \text{ alkyl})$; dibenzofuranyl; dihydroindolinonyl;

30 triazolobenzimidazolyl; benzotriazolyl;

5 tetrahydrobenzofuranonyl; benzofuranyl;
dihydrobenzofuranyl, tetrahydrofuranyl; furanyl;
oxazolopyridinyl; tetrahydrobenzothienyl;
dihydropurinyl dione; indolyl; thienyl; imidazolyl;
10 cyclohexanonyl; naphthyl; tetrahydrothienyl S,S-
dioxide; chromanyl; isoindolinonyl;
[1,2,4]triazolo[4,3-a]pyrimidinyl; -phenyl-
oxazolidinonyl; 3-oxo-2,3-dihydroimidazo[2,1-
b][1,3]thiazolyl; dihydrothiazolyl; benzodioxinyl;
15 2,3 dihydrobenzimidazolidinonyl;
tetrahydrocyclopenta[b]chromenonyl; 1-H-
benzo[g]indazolyl; 4,5-dihydronaphtho[2,1-
d]isoxazolyl; tetraazolo[1,5-b]pyridazinyl; pyrrolyl;
dihydropyrazolidinonyl; -NHSO₂NH₂; -N(C₁-C₆
20 alkyl)SO₂NH₂; -N(C₁-C₆ alkyl)SO₂NH(C₁-C₆ alkyl); -N(C₁-
C₆ alkyl)SO₂N(C₁-C₆ alkyl) (C₁-C₆ alkyl); -NHSO₂NH(C₁-C₆
alkyl); -NHSO₂N(C₁-C₆ alkyl) (C₁-C₆ alkyl);
tetrahydrobenzothienyl; imidazolidinyl dione;
diazepanonyl; or dihydroanthracenyl dione; wherein
25 each of the above is optionally substituted with 1,
2, 3, 4, or 5 groups that are independently
C₁-C₆ alkyl, CF₃, halogen, phenyl, -(C₁-C₄ alkyl)-
phenyl, -C(O)phenyl, pyrrolidine-dione, C₁-C₆
alkoxy, -C(O)-furan, -C(O)NH₂, -C(O)NH(C₁-C₆
30 alkyl), -C(O)N(C₁-C₆ alkyl) (C₁-C₆
alkyl), cyclopropyl, -(CH₂)₀₋₄-cyclopentyl,
benzoxazolyl, pyridine, -NHC(O)-(C₁-C₆ alkyl),
-N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl), -C(O)C₁-C₆
alkyl, -CO₂H, -NHSO₂-(C₁-C₈ alkyl), -N(C₁-C₆
alkyl)SO₂-(C₁-C₈ alkyl), (C₁-C₆ alkoxy), OH,
oxazolyl, (C₁-C₆ thioalkoxy), or CN.

36. A compound according to claim 35 wherein

- R₃₅ is phenyl, cyclohexyl, -S-phenyl, or benzodioxole, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently methyl, ethyl, methoxy, ethoxy, OH, halogen, CF₃, OCF₃, -Obenzyl, -CO₂-(C₁-C₆ alkyl), -(C₁-C₄ alkyl)-(C₅-C₆ cycloalkyl);
- R₄₀ is phenyl, -phenyl-pyridine, biphenyl, -(C₁-C₄ alkyl)-SO₂NH₂, -(C₁-C₄ alkyl)-SO₂NH(C₁-C₆ alkyl), -(C₁-C₄ alkyl)-SO₂N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₄ alkyl)-(cyclopentyl), -(C₁-C₄ alkyl)-C(O)O-(C₁-C₄ alkyl, C₁-C₈ alkyl, -(C₁-C₄ alkyl)-NHC(O)-(C₁-C₄ alkyl), -C(O)NH₂, wherein each of the above rings is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, halo (C₁-C₄ alkyl), -Obenzyl wherein the phenyl is optionally substituted with 1 or 2 halogens,
- R₄₂ is H, C₁-C₆ alkyl, or benzyl;
- R₅₂ is H, -NHC(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), -N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), OH, C₁-C₄ alkyl, and
- R₆₀ is -L-V-R₆₅, C₁-C₈ alkyl, or hydroxy C₁-C₈ alkyl, wherein the alkyl or hydroxyalkyl groups are optionally substituted with 1 or 2 L-V-R₆₅ groups, wherein
- L is absent, -C(O)-, -CO₂-, -C(O)NH-, -C(O)N(C₁-C₆ alkyl)-, -NHC(O)-, -N(C₁-C₆ alkyl)-C(O)-, -SO₂-, -(CH₂)₀₋₄-O-(CH₂)₀₋₄-, -(CH₂)₀₋₄-S-(CH₂)₀₋₄-, -NHC(O)NH-, -N(C₁-C₆ alkyl)C(O)NH-, -N(C₁-C₆ alkyl)C(O)N(C₁-C₆ alkyl)-, -NHC(O)N(C₁-C₆ alkyl)-, -NH-, -N(benzyl)-, -(CH₂)₀₋₄-NHSO₂-(CH₂)₀₋₄-, -N(C₁-C₆ alkyl)SO₂-, -SO₂NH-, -SO₂N(C₁-C₆ alkyl)-, and
- V is absent, -C(O)NH-, -C(O)N(C₁-C₆ alkyl)-, cyclopropyl,
- R₆₅ is cyclohexyl; cyclopentyl; phenyl; -(C₁-C₆ alkyl)-phenyl; NH₂; mono or di(C₁-C₆ alkyl)amino wherein the alkyl group or groups are optionally substituted with 1 or 2 groups that are independently cyclopropyl, phenyl or OH; oxadiazolyl; triazolopyrimidinyl;

triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl;
 pyrimidinyl; pyridyl; pyridyl N-oxide; -(C₁-C₆
 alkyl)-pyridyl; piperazinyl; phthalazinyl;
 tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C₃-C₆
 5 cycloalkyl-C₁-C₆ alkyl; -(C₁-C₄ alkyl)-SO₂-(C₁-C₄
 alkyl)-; benzothiazole; hexahydro-isoindole-1,3-
 dionyl; benzimidazolyl; benzoxazolyl;
 [1,2,4]triazolo[1,5-a]pyrimidinyl; thiazolyl;
 thiadiazolyl; imidazo[1,2-a]pyridine; C₁-C₆ alkyl; 3-
 10 aza-bicyclo[3.2.2]nonane; pyrrolidinonyl; diazepanyl;
 benzo[1,2,5]thiadiazolyl; -NHSO₂-(4-methylphenyl);
 [1,2,4]triazolo[4,3-b]pyridazinyl,
 benzopyrrolidinonyl; thiomorpholinyl S-oxide; 2,3-
 dihydro-benzo[b]thiophene 1,1-dioxide; pyrrolidinyl;
 15 [1,2,4]oxadiazole; C₁-C₁₀ alkyl; isoxazolyl; 2,3-
 dihydro-1H-indolyl; wherein each of the above is
 optionally substituted with 1, 2, 3, 4, or 5 groups
 that are independently
 C₁-C₆ alkyl, CF₃, halogen, phenyl, -(C₁-C₄ alkyl)-phenyl,
 20 -C(O)phenyl, pyrrolidine-dione, C₁-C₆ alkoxy, -C(O)-
 furan, -C(O)NH₂, -C(O)NH(C₁-C₆ alkyl), -C(O)N(C₁-C₆
 alkyl)(C₁-C₆ alkyl), cyclopropyl, benzoxazole,
 pyridine, -NHC(O)-(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)C(O)-
 (C₁-C₆ alkyl), -C(O)C₁-C₆ alkyl.

25

37. A compound according to claim 36 wherein
 R₃₅ is phenyl, cyclohexyl, -S-phenyl, benzodioxole, furanyl, or
 thienyl, each of which is unsubstituted or substituted
 with 1, 2, 3, 4, or 5 groups that are independently
 30 methyl, ethyl, methoxy, ethoxy, OH, halogen, CF₃, OCF₃, -
 Obenzyl, -CO₂-(C₁-C₄ alkyl), -(C₁-C₂ alkyl)-(C₅-C₆
 cycloalkyl);
 R₄₀ is phenyl, -(C₁-C₄ alkyl)-SO₂NH₂, -(C₁-C₄ alkyl)-SO₂NH(C₁-C₆
 alkyl), -(C₁-C₄ alkyl)-SO₂N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-

C₄ alkyl)-(cyclopentyl), C₁-C₈ alkyl, -(C₁-C₄ alkyl)-NHC(O)-(C₁-C₄ alkyl), -C(O)NH₂, wherein each of the above rings is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, halo (C₁-C₄ alkyl), -Obenzyl wherein the phenyl is optionally substituted with 1 or 2 halogens,

R₄₂ is H, C₁-C₆ alkyl, or benzyl;

R₅₂ is H, -NHC(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), -N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), OH, C₁-C₄ alkyl, and

R₆₀ is -L-R₆₅, or C₁-C₆ alkyl optionally substituted with 1 or 2 L-R₆₅ groups, wherein

L is absent, -C(O)-, -C(O)NH-, -C(O)N(C₁-C₆ alkyl)-, -NHC(O)-, -N(C₁-C₆ alkyl)-C(O)-, -SO₂-, -(CH₂)₀₋₄-O-, (CH₂)₀₋₄-, -S-, -NHC(O)NH-, -NH-, -N(benzyl)-, -(CH₂)₀₋₄-NHSO₂-(CH₂)₀₋₄-, -N(C₁-C₆ alkyl)SO₂-, -SO₂NH-, -SO₂N(C₁-C₆ alkyl)-.

38. A compound according to claim 32 wherein R₃₅ is phenyl; halophenyl, dihalophenyl; trihalophenyl; tetrahalophenyl; pentahalophenyl; phenyl substituted with one halogen and one benzyloxygroup; phenyl substituted with one halogen and one alkyl group; benzyloxyphenyl; cyclohexyl; (C₁-C₄ alkoxy)carbonylphenyl; (C₁-C₄ alkoxy)phenyl; -S-phenyl, or benzodioxole;

R₄₀ is phenyl, or -(C₁-C₄ alkyl)-SO₂NH₂, wherein each of the above is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, methyl, ethyl, methoxy, ethoxy, or -Obenzyl wherein the phenyl is optionally substituted with 1 or 2 halogens,

R₄₂ is H.

39. A compound according to claim 38 wherein

R₃₅ is a halophenyl, dihalophenyl, trihalophenyl, phenyl substituted with one halogen and one benzyloxygroup; phenyl substituted with one halogen and one alkyl group; benzyloxyphenyl, or (C₁-C₄ alkoxy)phenyl.

5

40. A compound according to claim 3 wherein

R₃₀ is pyridyl or pyrimidyl wherein each is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently selected from the group consisting of

10 C₁-C₁₀ alkyl optionally substituted with 1 phenyl or 1 CN; OH, hydroxy C₁-C₁₀ alkyl optionally substituted with phenyl or (C₁-C₄ alkyl)phenyl, C₁-C₆ alkoxy optionally substituted with 1 or 2 groups that are independently hydroxy or phenyl; haloalkyl, haloalkoxy, (CH₂)₀₋₃

15 ⁴C(O)NR₃₁R₃₂, -NR₃₁-SO₂-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1, 2, or 3 groups that are independently halogen or R₃₃, -SO₂-NH(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently

20 halogen, OH, alkoxy, or R₃₃; -(C₁-C₆ alkyl)-SO₂-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH, C₁-C₄ alkoxy, or R₃₃; -SO₂-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted

25 with 1 or 2 groups that are independently OH or C₁-C₄ alkoxy, -SO₂-N(C₁-C₆ alkyl)(C₁-C₆ alkyl) wherein each alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH or R₃₃; -SO₂-NH(C₁-C₆ alkyl)-phenyl wherein the phenyl is

30 optionally substituted with 1 or 2 groups that are independently C₁-C₄ alkoxy or halogen, -(C₁-C₆ alkyl)-O-phenyl, -(C₁-C₆ alkyl)-O-(C₁-C₆ alkyl)-phenyl, triazolidine-3,5-dione, halogen, -NHC(O)NH₂, -NHC(O)NH(C₁-C₆ alkyl), -NHC(O)N(C₁-C₆ alkyl)(C₁-C₆

alkyl), -N(C₁-C₆ alkyl)C(O)NH₂, -N(C₁-C₆
 alkyl)C(O)NH(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)C(O)N(C₁-C₆
 alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl) thienyl, -(C₁-C₆
 alkyl) furanyl, -S-(C₁-C₆ alkyl) phenyl, -SO₂NR₃₁R₃₂, -
 5 C(O)-NR₃₁R₃₂, -NR₃₁R₃₂, dithiane, -NHC(S)NH₂,
 -NHC(S)NH(C₁-C₆ alkyl), -NHC(S)N(C₁-C₆ alkyl)(C₁-C₆
 alkyl), -CO₂(C₁-C₆ alkyl), tetrahydropyran, phenyl
 optionally substituted with 1 or 2 groups that are
 independently F, Cl or Br; pyridine, -C₂-C₄ alkynyl-
 10 phenyl, -O-C₃-C₈ cycloalkyl, -O-(C₁-C₆ alkyl)-R₃₃;
 pyrrole optionally substituted with one or two methyl
 groups; 2,3-dihydro-benzofuran;
 benzo[1,2,5]oxadiazole, -C(O)-(C₁-C₁₀ alkyl) wherein
 the alkyl group is optionally substituted with NH₂,
 15 N(C₁-C₆ alkyl), or N(C₁-C₆ alkyl)(C₁-C₆ alkyl); -
 C(O)NH-phenyl, -C(O)N(C₁-C₆ alkyl)-phenyl, 4,4-
 dimethyl-4,5-dihydro-oxazole, -(C₁-C₆ alkyl)-S-
 pyridine, -(C₁-C₆ alkyl)-SO₂-pyridine, -(C₁-C₆
 thioalkoxy)-pyridine, thiazole optionally substituted
 20 with 1 or 2 methyl groups, pyrazole, -S-(C₁-C₆ alkyl)
 wherein the alkyl group is optionally substituted
 with 1 or 2 groups that are independently CN or OH;
 indole, (C₁-C₆ thioalkoxy)-(C₁-C₆ alkyl), C₂-C₈
 alkynyl, -(CH₂)₀₋₄-SO₂-(C₁-C₁₀ alkyl) wherein the alkyl
 25 group is optionally substituted with OH; -
 NHC(O)NH(C₃-C₈ cycloalkyl), -N(C₁-C₆ alkyl)C(O)NH(C₃-C₈
 cycloalkyl), -N(C₁-C₆ alkyl)C(O)N(C₁-C₆ alkyl)(C₃-C₈
 cycloalkyl), -NHC(O)N(C₁-C₆ alkyl)(C₃-C₈ cycloalkyl),
 -(C₁-C₆ alkoxy)-(C₁-C₆ thioalkoxy); -CO₂-(C₁-C₆ alkyl)
 30 wherein the alkyl group is optionally substituted
 with phenyl; -C(O)-furan; and imidazolyl;
 wherein R₃₁ and R₃₂ at each occurrence are independently
 selected from the group consisting of hydrogen, C₁-C₈
 alkyl, C₂-C₈ alkenyl, hydroxy C₁-C₆ alkyl, C₁-C₆

haloalkyl, C₁-C₆ alkoxy C₁-C₆ alkyl, -(CH₂)₀₋₄-SO₂-(C₁-C₆ alkyl) wherein the alkyl is optionally substituted with 1, 2, 3 or 4 independently selected halogen atoms; -(CH₂)₀₋₄-SO₂-imidazolyl, -(C₁-C₆ alkyl)-C(O)NH₂, -(C₁-C₆ alkyl)-C(O)NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-NH₂, -(C₁-C₆ alkyl)-NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl)phenyl, -(C₁-C₆ alkyl)pyridyl, -C(O)furanyl, (C₁-C₆ alkyl)-tetrahydrofuran, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, -CO₂-(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-furanyl, -(CH₂)₀₋₄-SO₂-thienyl, -pyrrolidinyl-benzyl, -(C₁-C₆ thioalkoxy)-(C₁-C₆ alkyl), -C(O)-(C₁-C₆ alkyl), (C₁-C₆ alkoxy), -(C₂-C₆ alkenyloxy), -(C₁-C₆ alkyl)-CO₂-(C₁-C₆ alkyl), and -C(O)-piperidinyl optionally substituted with C₁-C₆ alkyl; wherein the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C₁-C₄ alkyl, hydroxy, C₁-C₄ alkoxy, halogen, or

R₃₁, R₃₂ and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered heteroaryl ring, each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C₁-C₆ alkoxy, hydroxy, hydroxy C₁-C₆ alkyl, C₁-C₄ alkoxy C₁-C₆ alkyl, -C(O)NH₂, -C(O)NH-(C₁-C₆ alkyl)-phenyl; and

R₃₃ at each occurrence is independently, H, NH₂, NH(C₁-C₆ alkyl), N(C₁-C₆ alkyl)(C₁-C₆ alkyl), N(C₁-C₆ alkyl)(phenyl), N(C₁-C₆ alkyl)(benzyl);.

41. A compound according to claim 40 wherein R₃₅ is phenyl; halophenyl, dihalophenyl; trihalophenyl; tetrahalophenyl; pentahalophenyl; phenyl substituted with

one halogen and one benzyloxy group; phenyl substituted with one halogen and one alkyl group; benzyloxyphenyl; cyclohexyl; (C₁-C₄ alkoxy)carbonylphenyl; (C₁-C₄ alkoxy)phenyl; -S-phenyl, or benzodioxole.

5

42. A compound according to claim 41 wherein R₄₀ is phenyl, -phenyl-pyridine, biphenyl, -phenyl-

benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-pyrimidinyl, -phenyl-isoxazolyl, -(C₁-C₄ alkyl)-O-C(O)NH-phenyl, -(C₁-C₄ alkyl)-O-C(O)N(C₁-C₆ alkyl)-phenyl, -(C₁-C₄ alkyl)-SO₂NH₂, CN, -(C₁-C₄ alkyl)-(C₃-C₆ cycloalkyl), -(C₁-C₄ alkyl)-C(O)O-(C₁-C₄ alkyl), -(C₁-C₄ alkyl)-R₃₃, C₁-C₈ alkyl, pyridyl, or pyrimidyl, wherein each of the above is unsubstituted or substituted with 1, 2, or 3 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, CF₃, -O-(C₁-C₄ alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, or -NHSO₂-(C₁-C₄ alkyl).

20

43. A compound according to claim 42 wherein

R₃₀ is pyridyl or pyrimidyl wherein each of the above is unsubstituted or substituted with 1, 2, or 3 groups that are independently selected from the group consisting of -SO₂NR₃₁R₃₂, -C(O)-NR₃₁R₃₂, -NR₃₁R₃₂, C₁-C₄ alkyl, halogen, C₁-

25 C₄ alkoxy,

C₆ alkyl), -(C₁-C₆ alkyl)-NH₂, -(C₁-C₆ alkyl)-NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl)phenyl, and -(C₁-C₆ alkyl)pyridyl, wherein

30

R₃₁ and R₃₂ at each occurrence are independently selected from the group consisting of hydrogen, C₁-C₆ alkyl, C₂-C₆ alkenyl, hydroxy C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₁-C₆ alkoxy C₁-C₆ alkyl, -(CH₂)₀₋₄-SO₂-(C₁-C₆ alkyl)-, (C₁-C₆ alkyl)-C(O)NH₂, -(C₁-C₆ alkyl)-C(O)NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl),

-(C₁-C₆ alkyl)-NH₂, -(C₁-C₆ alkyl)-NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl)phenyl, -(C₁-C₆ alkyl)pyridyl, -C(O)furanyl, (C₁-C₆ alkyl)-tetrahydrofuran, or

5 R₃₁, R₃₂ and the nitrogen to which they are attached form a pyrrolidinyl, piperidinyl, piperazinyl, pyridyl, or pyrimidyl ring each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C₁-C₆ alkoxy,
10 hydroxy, hydroxy C₁-C₆ alkyl, C₁-C₄ alkoxy C₁-C₆ alkyl, -C(O)NH₂, -C(O)NH-(C₁-C₆ alkyl)-phenyl.

44. A compound according to claim 43 wherein
R₄₀ is phenyl, pyridyl, or pyrimidyl, wherein each of the above
15 is unsubstituted or substituted with 1, 2, or 3 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, CF₃, -O-(C₁-C₄ alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, or -NHSO₂-(C₁-C₄ alkyl).

20

45. A compound according to claim 44 wherein
R₃₅ is phenyl; halophenyl, or dihalophenyl.


46. A compound according to claim 45 wherein
25 R₃₀ is pyridyl which is unsubstituted or substituted with 1 or 2 groups that are independently selected from the group consisting of
C₁-C₄ alkyl, -C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -C(O)NH₂,
-C(O)N(C₂-C₆ alkenyl)(C₃-C₈ cycloalkyl), -C(O)NH(C₃-C₈
30 cycloalkyl), -C(O)NH(C₁-C₆ alkyl), C(O)-(pyrrolidine) optionally substituted with 1 or two groups that are independently alkoxyalkyl or hydroxy, halogen, -C(O)N(C₁-C₆ hydroxyalkyl)(C₁-C₆ alkyl), -C(O)NH(alkoxyalkyl),

-C(O)N(alkoxyalkyl)(alkoxyalkyl), -C(O)N(C₁-C₆ alkyl)
 (alkoxyalkyl), -C(O)N(C₁-C₆ hydroxyalkyl)(alkyl),
 -NHSO₂CF₃, -N(C₁-C₆ alkyl)-SO₂-thienyl, -N(C₁-C₆
 hydroxyalkyl)SO₂-(C₁-C₆ alkyl), -NHC(O)C₁-C₄ alkyl,
 5 oxazolyl optionally substituted with 1 or 2 methyl
 groups, thiazolyl optionally substituted with 1 or 2
 methyl groups, pyrazolyl optionally substituted with
 1 or 2 methyl groups, imidazolyl optionally
 10 substituted with 1 or 2 methyl groups, isoxazolyl
 optionally substituted with 1 or 2 methyl groups,
 pyrimidinyl optionally substituted with 1 or 2 methyl
 or halogen groups, -NHSO₂CH₃, -NHSO₂-imidazolyl
 wherein the imidazole ring is optionally substituted
 with 1 or 2 methyl groups, -N(C₁-C₆ alkyl)SO₂(C₁-C₆
 15 alkyl), -SO₂NH-C₁-C₆ hydroxyalkyl, -SO₂NH-C₁-C₆ alkyl-
 NH(C₁-C₄ alkyl), -SO₂-piperazinyl optionally
 substituted with 1 or 2 methyl groups, -SO₂-
 pyrrolidine optionally substituted with 1 or 2 methyl
 groups, -SO₂-piperidine optionally substituted with 1
 20 or 2 C₁-C₄ alkyl groups, -SO₂N(C₁-C₄ hydroxyalkyl)(C₁-
 C₄ hydroxyalkyl), -SO₂NH₂, -SO₂N(C₁-C₆ alkyl)(C₁-C₆
 alkyl), C₂-C₆ alkynyl, -SO₂-(C₁-C₆ hydroxyalkyl), -
 SO₂NH(C₁-C₆ hydroxyalkyl), -SO₂N(C₁-C₆ alkyl)(C₁-C₆
 hydroxyalkyl), -(C₁-C₄ alkyl)-SO₂-(C₁-C₄ alkyl), or -
 25 C(O)-(C₁-C₁₀ alkyl).

47. A compound according to claim 46 wherein
 R₃₀ is pyridyl which is unsubstituted or substituted with at
 least one group which is -SO₂NH-propyl-OH, -SO₂NH-ethyl-
 30 OH, -SO₂NH-ethyl-OCH₃, -SO₂NH-CH(CH₃)₂-CH₂OH, -SO₂NH-
 (CH₂CH(OH)CH₃), -SO₂NH-ethyl-NH(CH₃), -SO₂NH(-CH₂CH₂OH)₂,
 -SO₂NHCH(CH₃)CH₂OH, -SO₂N(CH₃)₂, -SO₂NH(CH₂CH(OH)CH₃), -SO₂-
 pyrrolidine, -SO₂-(2,6-dimethylpiperidine), -SO₂-(2-
 propylpiperidine), -SO₂-(hydroxypropyl), -C(O)-(2-

methoxymethylpyrrolidine), -C(O)-(2-methylpyrrolidine),
 -C(O)-(2,6-dimethylpyrrolidine), -C(O)-(2-
 hydroxymethylpyrrolidine), -C(O)N(methyl)(ethyl),
 -C(O)N(methyl)(propyl), -C(O)N(methyl)(butyl),
 5 -C(O)N(propyl)(butyl), -C(O)N(allyl)(cyclopentyl),
 -C(O)N(allyl)(cyclohexyl), -C(O)N(methyl)(methyl),
 -C(O)N(ethyl)(ethyl), -C(O)N(butyl)(butyl),
 -C(O)N(isopropyl)(isopropyl), -C(O)N(propyl)(propyl),
 -C(O)N(methyl)(cyclohexyl), -C(O)N(ethyl)(cyclohexyl),
 10 -C(O)NH(cyclobutyl), -C(O)NH(cyclopentyl),
 -C(O)N(CH₃)(cyclopentyl), -C(O)NH(2-methylcyclohexyl),
 -C(O)NH(pentyl), -C(O)N(pentyl)(pentyl),
 -C(O)NH(isopentyl), -C(O)NH(ethoxyethyl),
 -C(O)N(CH₃)(methoxyethyl), -C(O)N(propyl)(methoxyethyl),
 15 -C(O)N(methoxyethyl)(methoxyethyl),
 -C(O)N(ethoxyethyl)(ethoxyethyl),
 -C(O)N(ethyl)(methoxyethyl), -C(O)N(propyl)(hydroxyethyl),
 -C(O)N(hydroxyethyl)(ethyl), ethynyl, methyl, bromo,
 -N(CH₃)SO₂(CH₃), -N(CH₃)SO₂-thienyl, -
 20 N(hydroxypropyl)SO₂CH₃, -(CH₂)-SO₂-(CH₃), or -C(O)-
 CH(CH₃)CH₂CH₂CH₃.

48. A compound of the formula wherein



25 or a pharmaceutically acceptable salt thereof, wherein
 X₁₀ is -O-, -S-, -NH-, -N(C₁-C₆ alkyl)-, -N(phenyl)-, -
 N(benzyl)-, -N(CO₂-C₁-C₆ alkyl)-; -N(CO₂-C₁-C₆ alkyl-
 phenyl)-, or haloalkyl;
 R₃₅ is phenyl, C₃-C₈ cycloalkyl, -S-phenyl, benzodioxole,
 30 thienyl, C₁-C₆ alkyl, furanyl, each of which is
 unsubstituted or substituted with 1, 2, 3, 4, or 5 groups
 that are independently C₁-C₄ alkyl, C₁-C₄ alkoxy, OH,

hydroxy C₁-C₆ alkyl, halogen, halo C₁-C₆ alkyl, halo C₁-C₆ alkoxy, -O-(C₁-C₆ alkyl)-phenyl, -CO₂-(C₁-C₆ alkyl), -(C₁-C₄ alkyl)-(C₅-C₆ cycloalkyl);

R₄₀ is phenyl, -phenyl-pyridine, biphenyl, -phenyl-

5 benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-pyrimidinyl, -phenyl-isooxazolyl, -C(O)-pyridyl, -(C₁-C₄ alkyl)-O-C(O)NH-phenyl, -(C₁-C₄ alkyl)-O-C(O)N(C₁-C₆ alkyl)-phenyl, -(C₁-C₄ alkyl)-phenyl, -(C₁-C₄ alkyl)-SO₂NH₂,
 10 -(C₁-C₄ alkyl)-SO₂NH(C₁-C₆ alkyl), -(C₁-C₄ alkyl)-SO₂N(C₁-C₆ alkyl)(C₁-C₆ alkyl), CN, -(C₁-C₄ alkyl)-(C₃-C₇ cycloalkyl),
 -(C₁-C₄ alkyl)-C(O)O-(C₁-C₄ alkyl, -(C₁-C₄ alkyl)-R₃₃, C₁-C₈ alkyl, -(C₁-C₄ alkyl)-NHC(O)-(C₁-C₄ alkyl), -C(O)NH₂,

wherein each of the above rings is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are

15 independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, halo (C₁-C₄ alkyl), -O-(C₁-C₄ alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 halogens, -CHO, -NHSO₂-(C₁-C₄ alkyl), -N(C₁-C₄ alkyl)SO₂-(C₁-C₄ alkyl) wherein the alkyl is optionally substituted with 1, 2, or 3 halogens,

20 R₄₂ is H, C₁-C₆ alkyl, benzyl, -NHC(O)-(C₁-C₆ alkyl), or -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups;

R₅₂ is H, phenyl, -NHC(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), -N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), OH, C₁-
 25 C₆ alkyl, mono or di(C₁-C₆ alkyl)amino, -NHC(O)-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with a phenyl, -N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl) wherein the alkyl groups are each optionally substituted with a phenyl, -(CH₂)₀₋₄-SO₂-(C₁-C₁₀ alkyl), -NHCO₂-benzyl, or -NH₂,
 30 and


R₆₀ is -L-V-R₆₅, C₁-C₈ alkyl, or hydroxy C₁-C₈ alkyl, wherein the alkyl or hydroxyalkyl groups are optionally substituted with 1 or 2 L-V-R₆₅ groups, wherein

- L is absent, -C(O)-, -CO₂-, -C(O)NH-, -C(O)N(C₁-C₆ alkyl)-, -NHC(O)-, -N(C₁-C₆ alkyl)-C(O)-, -(CH₂)₀₋₄-SO₂-(CH₂)₀₋₄-, -(CH₂)₀₋₄-O-(CH₂)₀₋₄-, -(CH₂)₀₋₄-S-(CH₂)₀₋₄-, -NHC(O)NH-, -N(C₁-C₆ alkyl)C(O)NH-, -N(C₁-C₆ alkyl)C(O)N(C₁-C₆ alkyl)-, -NHC(O)N(C₁-C₆ alkyl)-, -NH-, -N(benzyl)-, -N(phenyl)-, -(CH₂)₀₋₄-NH₂SO₂-(CH₂)₀₋₄-, -N(C₁-C₆ alkyl)SO₂-, -SO₂NH-, -SO₂N(C₁-C₆ alkyl)-, or
 5 V is absent, -(CH₂)₀₋₄-C(O)NH-, -(CH₂)₀₋₄-C(O)N(C₁-C₆ alkyl)-, cyclopropyl optionally substituted with 1 or 2 C₁-C₄ alkyl groups, =NH, =NOH, =N-alkoxy, C₃-C₈ alkyl optionally substituted with 1 or 2 OH, or -CH(phenyl)- wherein the phenyl is optionally substituted with 1, 2, 3, 4, or 5 groups that are halogen or OH;
 10 R₆₅ is cyclohexyl; cyclopentyl; phenyl; -(C₁-C₆ alkyl)-phenyl; NH₂; mono or di(C₁-C₁₀ alkyl)amino wherein the alkyl group or groups are optionally substituted with 1 or 2 groups that are independently cyclopropyl, phenyl or OH; oxadiazolyl; triazolopyrimidinyl; triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl; pyrimidinyl; pyridyl; pyridyl N-oxide; -(C₁-C₆ alkyl)-pyridyl; piperazinyl; phthalazinyl; tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C₃-C₆ cycloalkyl-C₁-C₆ alkyl; -(C₁-C₄ alkyl)-SO₂-(C₁-C₄ alkyl)-; benzothiazole; hexahydro-isoindole-1,3-dionyl; benzimidazolyl; benzoxazolyl; [1,2,4]triazolo[1,5-a]pyrimidinyl; thiazolyl; thiadiazolyl; imidazo[1,2-a]pyridine; C₁-C₆ alkyl; 3-aza-bicyclo[3.2.2]nonane; pyrrolidinonyl; diazepanyl; benzo[1,2,5]thiadiazolyl; -NH₂SO₂-(4-methylphenyl); [1,2,4]triazolo[4,3-b]pyridazinyl, benzopyrrolidinonyl; morpholinyl; thiomorpholinyl; thiomorpholinyl S-oxide; thiomorpholinyl S,S-dioxide; 2,3-dihydro-benzo[b]thiophene 1,1-dioxide;

pyrrolidinyl; [1,2,4]oxadiazole; C₁-C₁₀ alkyl;
isoxazolyl; 2,3-dihydro-1H-indolyl; quinazolinonyl,
quinazolinyl, piperidyl, C₁-C₆ alkoxy, -O-(C₁-C₆
alkyl)-phenyl, or C₂-C₆ alkynyl;

- 5 wherein each of the above is optionally substituted
with 1, 2, 3, 4, or 5 groups that are
independently C₁-C₆ alkyl, CF₃, halogen, phenyl,
-(C₁-C₄ alkyl)-phenyl, -C(O)phenyl, pyrrolidine-
dione, C₁-C₆ alkoxy, -C(O)-furan, -C(O)NH₂, -
10 C(O)NH(C₁-C₆ alkyl), -C(O)N(C₁-C₆ alkyl)(C₁-C₆
alkyl), cyclopropyl, -(CH₂)₀₋₄-cyclopentyl,
benzoxazolyl, pyridine, -NHC(O)-(C₁-C₆ alkyl),
-N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl), -C(O)C₁-C₆
alkyl, -CO₂H, -NHSO₂-(C₁-C₈ alkyl), -N(C₁-C₆
15 alkyl)SO₂-(C₁-C₈ alkyl), -CO₂-(C₁-C₆ alkyl).

49. A compound of the formula wherein



- 20 or a pharmaceutically acceptable salt thereof, wherein
X₁₀ is -O-, -S-, -NH-, -N(C₁-C₆ alkyl);
R₃₅ is phenyl, C₃-C₈ cycloalkyl, -S-phenyl, benzodioxole,
thienyl, C₁-C₆ alkyl, furanyl, each of which is
unsubstituted or substituted with 1, 2, 3, 4, or 5 groups
25 that are independently C₁-C₄ alkyl, C₁-C₄ alkoxy, OH,
hydroxy C₁-C₆ alkyl, halogen, halo C₁-C₆ alkyl, halo C₁-C₆
alkoxy, -O-(C₁-C₆ alkyl)-phenyl, -CO₂-(C₁-C₆ alkyl), -(C₁-C₄
alkyl)-(C₅-C₆ cycloalkyl);
R₄₀ is phenyl, -phenyl-pyridine, biphenyl, -phenyl-
30 benzothienyl, -phenyl-thienyl, -phenyl-furanyl, -phenyl-
pyrimidinyl, -phenyl-isooxazolyl, -C(O)-pyridyl, -(C₁-C₄
alkyl)-O-C(O)NH-phenyl, -(C₁-C₄ alkyl)-O-C(O)N(C₁-C₆

alkyl)-phenyl, -(C₁-C₄ alkyl)-phenyl, -(C₁-C₄ alkyl)-SO₂NH₂,
 -(C₁-C₄ alkyl)-SO₂NH(C₁-C₆ alkyl), -(C₁-C₄ alkyl)-SO₂N(C₁-C₆
 alkyl)(C₁-C₆ alkyl), CN, -(C₁-C₄ alkyl)-(C₃-C₇ cycloalkyl),
 -(C₁-C₄ alkyl)-C(O)O-(C₁-C₄ alkyl, -(C₁-C₄ alkyl)-R₃₃, C₁-C₈
 5 alkyl, -(C₁-C₄ alkyl)-NHC(O)-(C₁-C₄ alkyl), -C(O)NH₂,
 wherein each of the above rings is unsubstituted or
 substituted with 1, 2, 3, 4, or 5 groups that are
 independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, halo (C₁-
 C₄ alkyl), -O-(C₁-C₄ alkyl)-phenyl wherein the phenyl is
 10 optionally substituted with 1 or 2 halogens, -CHO, -NHSO₂-
 (C₁-C₄ alkyl), -N(C₁-C₄ alkyl)SO₂-(C₁-C₄ alkyl) wherein the
 alkyl is optionally substituted with 1, 2, or 3 halogens,
 R₄₂ is H, C₁-C₆ alkyl, benzyl, -NHC(O)-(C₁-C₆ alkyl), or -NHC(O)-
 phenyl wherein the phenyl is optionally substituted with 1
 15 or 2 alkyl groups;
 R₅₂ is H, phenyl, -NHC(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), -
 N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), OH, C₁-
 C₆ alkyl, mono or di(C₁-C₆ alkyl)amino, -NHC(O)-(C₁-C₆
 alkyl) wherein the alkyl group is optionally substituted
 20 with a phenyl, -N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl) wherein
 the alkyl groups are each optionally substituted with a
 phenyl, -(CH₂)₀₋₄-SO₂-(C₁-C₁₀ alkyl), -NHCO₂-benzyl, or -NH₂,
 and
 R₆₀ is -L-V-R₆₅, C₁-C₈ alkyl, or hydroxy C₁-C₈ alkyl, wherein the
 25 alkyl or hydroxyalkyl groups are optionally substituted with 1
 or 2 L-V-R₆₅ groups, wherein
 L is absent, -C(O)-, -CO₂-, -C(O)NH-, -C(O)N(C₁-C₆ alkyl)-,
 -NHC(O)-, -N(C₁-C₆ alkyl)-C(O)-, -(CH₂)₀₋₄-SO₂-(CH₂)₀₋₄-
 , -(CH₂)₀₋₄-O-(CH₂)₀₋₄-, -(CH₂)₀₋₄-S-(CH₂)₀₋₄-, -NHC(O)NH-
 30 , -N(C₁-C₆ alkyl)C(O)NH-, -N(C₁-C₆ alkyl)C(O)N(C₁-C₆
 alkyl)-, -NHC(O)N(C₁-C₆ alkyl)-, -NH-, -N(benzyl)-, -
 N(phenyl)-, -(CH₂)₀₋₄-NHSO₂-(CH₂)₀₋₄-, -N(C₁-C₆
 alkyl)SO₂-, -SO₂NH-, -SO₂N(C₁-C₆ alkyl)-, or

V is absent, $-(CH_2)_{0-4}-C(O)NH-$, $-(CH_2)_{0-4}-C(O)N(C_1-C_6 \text{ alkyl})-$, cyclopropyl optionally substituted with 1 or 2 C_1-C_4 alkyl groups, $=NH$, $=NOH$, $=N$ -alkoxy, C_3-C_8 alkyl optionally substituted with 1 or 2 OH, or

5 $-CH(phenyl)-$ wherein the phenyl is optionally substituted with 1, 2, 3, 4, or 5 groups that are halogen or OH;

R_{65} is cyclohexyl; cyclopentyl; phenyl; $-(C_1-C_6 \text{ alkyl})-$ phenyl; NH_2 ; mono or di(C_1-C_{10} alkyl)amino wherein the

10 alkyl group or groups are optionally substituted with 1 or 2 groups that are independently cyclopropyl, phenyl or OH; oxadiazolyl; triazolopyrimidinyl; triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl; pyrimidinyl; pyridyl; pyridyl N-oxide; $-(C_1-C_6$

15 alkyl)-pyridyl; piperazinyl; phthalazinyl; tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C_3-C_6 cycloalkyl- C_1-C_6 alkyl; $-(C_1-C_4 \text{ alkyl})-SO_2-(C_1-C_4$ alkyl)-; benzothiazole; hexahydro-isoindole-1,3-dionyl; benzimidazolyl; benzoxazolyl;


20 $[1,2,4]$ triazolo $[1,5-a]$ pyrimidinyl; thiazolyl; thiadiazolyl; imidazo $[1,2-a]$ pyridine; C_1-C_6 alkyl; 3-aza-bicyclo $[3.2.2]$ nonane; pyrrolidinonyl; diazepanyl; benzo $[1,2,5]$ thiadiazolyl; $-NHSO_2-(4\text{-methylphenyl})$; $[1,2,4]$ triazolo $[4,3-b]$ pyridazinyl,

25 benzopyrrolidinonyl; morpholinyl; thiomorpholinyl; thiomorpholinyl S-oxide; thiomorpholinyl S,S-dioxide; 2,3-dihydro-benzo $[b]$ thiophene 1,1-dioxide; pyrrolidinyl; $[1,2,4]$ oxadiazole; C_1-C_{10} alkyl; isoxazolyl; 2,3-dihydro-1H-indolyl; quinazolinonyl,

30 quinazolinyl, piperidyl, wherein each of the above is optionally substituted with 1, 2, 3, 4, or 5 groups that are independently C_1-C_6 alkyl, CF_3 , halogen, phenyl, $-(C_1-C_4 \text{ alkyl})-$ phenyl, $-C(O)phenyl$, pyrrolidine-dione, C_1-C_6

alkoxy, -C(O)-furan, -C(O)NH₂, -C(O)NH(C₁-C₆ alkyl), -C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), cyclopropyl, -(CH₂)₀₋₄-cyclopentyl, benzoxazolyl, pyridine, -NHC(O)-(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl), -C(O)C₁-C₆ alkyl, -CO₂H, -NHSO₂-(C₁-C₈ alkyl), -N(C₁-C₆ alkyl)SO₂-(C₁-C₈ alkyl).

50. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R₃₀ is selected from the group consisting of phenyl,

pyrazolopyrimidinyl, oxa-aza-benzoazulenyl, isoxazolyl, triazolopyridinyl, pyrrolidinonyl, tetrahydrothia-aza-fluorenyl, pyridyl, piperidinyl,

dihydrocyclopentaquinolinyl, furyl, naphthothienyl, phthalazinonyl, thiadiazolyl, thienopyrimidinonyl, oxa-diaza-cyclopentanaphthalenyl, dihydrobenzodioxepinyl, chromanonyl, chromenonyl, oxazolidinyl, benzophenone,

pyrazinyl mono N-oxide, benzofuranyl, pyrazolyl, -isoxazolyl-phenyl, phenyl-triazolyl, benzimidazolyl, indolyl, phenyl-pyrrolyl, chromanyl, isoquinolinyl, -thienyl-thienyl, benzothienyl, -phenyl-thiadiazolyl, chromanonyl, quinolinyl, -pyrrolyl-C(O)-phenyl, -phenyl-O-phenyl, -phenyl-oxazolyl, -pyrrolidinonyl-phenyl, -phenyl-pyrimidinyl, -phenyl-oxadiazolyl, bicyclo[2.2.1]heptenyl, cyclopentyl, thieno[2,3-b]thiophene, cyclohexyl, -phenyl-imidazolyl, benzoxazole; dihydro-1H-indolyl; 2,3-dihydro-benzo[b]thiophene 1,1-dioxide; benzo[b]thiophene 1,1-dioxide; 2,3-dihydro-benzo[d]isothiazole 1,1-dioxide; -phenyl-thiazolyl; -phenyl-pyrazolyl, -phenyl-C(O)-piperidyl, -phenyl-C(O)-pyrrolidinyl, -phenyl-isoxazolyl,

isindolyl, purinyl, oxazolyl, thiazolyl, pyridazinonyl, thiazolyl, pyranyl, dihydropyranopyridinyl, diazepanyl, cyclopropyl, dihydronaphthoisoxazolyl, benzoindazole, dihydrocyclopentachromenonyl, imidazopyrazolyl, 5 tetrahydrocyclopentachromenonyl, dihydroquinolinonyl, pyridyl N-oxide, isochromanyl, quinazolinonyl, pyrazolopyridinyl, dihydrobenzothiophene dioxide, dihydrofurobenzoisoxazolyl, dihydropyrimidine dionyl, thienopyrazolyl, oxazolyl, tetrahydrocyclopentapyrazolyl, 10 dihydronaphthalenonyl, dihydrobenzofuranonyl, dihydrocyclopentathienyl, tetrahydrocyclopentapyrazolyl, tetrahydropyrazoloazepinyl, indazolyl, tetrahydrocycloheptaisoxazolyl, tetrahydroindolonyl, pyrrolidinyl, thienopyridinyl, 15 dioxodihydrobenzoisothiazolonyl, triazolopyrimidinyl, thienyl, dihydrothienopyrimidinonyl, and benzooxadiazolyl, wherein each of the above is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently selected from the group consisting of 20 C₁-C₁₀ alkyl optionally substituted with 1 phenyl or 1 CN; OH, hydroxy C₁-C₁₀ alkyl optionally substituted with phenyl or (C₁-C₄ alkyl)phenyl, C₁-C₆ alkoxy optionally substituted with 1 or 2 groups that are independently hydroxy or phenyl; haloalkyl, haloalkoxy, (CH₂)₀- 25 ₄C(O)NR₃₁R₃₂, -NR₃₁-SO₂-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1, 2, or 3 groups that are independently halogen or R₃₃, -SO₂-NH(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently 30 halogen, OH, alkoxy, or R₃₃; -(C₁-C₆ alkyl)-SO₂-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH, C₁-C₄ alkoxy, or R₃₃; -SO₂-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted

with 1 or 2 groups that are independently OH or C₁-C₄ alkoxy, -SO₂-N(C₁-C₆ alkyl)(C₁-C₆ alkyl) wherein each alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH or R₃₃;

5 -SO₂-NH(C₁-C₆ alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 groups that are independently C₁-C₄ alkoxy or halogen, -O-(C₁-C₆ alkyl)-phenyl, -(C₁-C₆ alkyl)-O-phenyl, -(C₁-C₆ alkyl)-O-(C₁-C₆ alkyl)-phenyl, triazolidine-3,5-

10 dione, halogen, -NHC(O)NH₂, -NHC(O)NH(C₁-C₆ alkyl), -NHC(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)C(O)NH₂, -N(C₁-C₆ alkyl)C(O)NH(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl) thienyl, -(C₁-C₆ alkyl) furanyl, -S-(C₁-C₆ alkyl) phenyl, -SO₂NR₃₁R₃₂, -C(O)-NR₃₁R₃₂, -NR₃₁R₃₂,

15 dithiane, -NHC(S)NH₂, -NHC(S)NH(C₁-C₆ alkyl), -NHC(S)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -CO₂(C₁-C₆ alkyl), tetrahydropyran, phenyl optionally substituted with 1 or 2 groups that are independently F, Cl or Br;

20 pyridine, -C₂-C₄ alkynyl-phenyl, -O-C₃-C₈ cycloalkyl, -O-(C₁-C₆ alkyl)-R₃₃; pyrrole optionally substituted with one or two methyl groups; 2,3-dihydro-benzofuran; benzo[1,2,5]oxadiazole, -C(O)-(C₁-C₁₀ alkyl) wherein the alkyl group is optionally

25 substituted with NH₂, N(C₁-C₆ alkyl), or N(C₁-C₆ alkyl)(C₁-C₆ alkyl); -C(O)NH-phenyl, -C(O)N(C₁-C₆ alkyl)-phenyl, 4,4-dimethyl-4,5-dihydro-oxazole, -(C₁-C₆ alkyl)-S-pyridine, -(C₁-C₆ alkyl)-SO₂-pyridine, -(C₁-C₆ thioalkoxy)-pyridine, thiazole optionally

30 substituted with 1 or 2 methyl groups, pyrazole, S-(C₁-C₆ alkyl), indole, (C₁-C₆ thioalkoxy)-(C₁-C₆ alkyl), C₂-C₈ alkynyl, -CO₂-(C₁-C₆ alkyl), C₁-C₁₀ alkanoyl; -(CH₂)₀₋₄-SO₂-(C₁-C₁₀ alkyl) wherein the alkyl group is optionally substituted with OH;

wherein R₃₁ and R₃₂ at each occurrence are independently selected from the group consisting of hydrogen, C₁-C₈ alkyl, C₂-C₈ alkenyl, hydroxy C₁-C₆ alkyl, C₁-C₆ haloalkyl, C₁-C₆ alkoxy C₁-C₆ alkyl, -(CH₂)₀₋₄-SO₂-(C₁-C₆ alkyl) wherein the alkyl is optionally substituted with 1, 2, 3 or 4 independently selected halogen atoms; -(CH₂)₀₋₄-SO₂-imidazolyl, -(C₁-C₆ alkyl)-C(O)NH₂, -(C₁-C₆ alkyl)-C(O)NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-NH₂, -(C₁-C₆ alkyl)-NH(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl)phenyl, -(C₁-C₆ alkyl)pyridyl, -C(O)furanyl, (C₁-C₆ alkyl)-tetrahydrofuran, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, -CO₂-(C₁-C₆ alkyl), -(C₁-C₆ alkyl)-furanyl, -(CH₂)₀₋₄-SO₂-thienyl, wherein the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C₁-C₄ alkyl, hydroxy, C₁-C₄ alkoxy, halogen, or

R₃₁, R₃₂ and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered heteroaryl ring, each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C₁-C₆ alkoxy, hydroxy, hydroxy C₁-C₆ alkyl, C₁-C₄ alkoxy C₁-C₆ alkyl, -C(O)NH₂, -C(O)NH-(C₁-C₆ alkyl)-phenyl;

R₃₃ at each occurrence is independently, H, NH₂, NH(C₁-C₆ alkyl), N(C₁-C₆ alkyl)(C₁-C₆ alkyl), N(C₁-C₆ alkyl)(phenyl), N(C₁-C₆ alkyl)(benzyl);

R₃₅ is phenyl, C₃-C₈ cycloalkyl, -S-phenyl, benzodioxole, thienyl, C₁-C₆ alkyl, furanyl, imidazolyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C₁-C₄ alkyl, C₁-C₄ alkoxy, OH, hydroxy C₁-C₆ alkyl, halogen, halo C₁-C₆ alkyl, halo

C_1-C_6 alkoxy, $-O-(C_1-C_6 \text{ alkyl})$ -phenyl, $-CO_2-(C_1-C_6 \text{ alkyl})$, $-(C_1-C_4 \text{ alkyl})-(C_5-C_6 \text{ cycloalkyl})$, or $(CH_2)_{0-4}CN$;
 R_{40} is phenyl, -phenyl-pyridyl, biphenyl, -phenyl-benzothienyl,
 -phenyl-thienyl, -phenyl-furanyl, -phenyl-pyrimidinyl, -
 5 phenyl-isoxazolyl, $-C(O)$ -pyridyl, $-(C_1-C_4 \text{ alkyl})-O-C(O)NH$ -
 phenyl wherein the phenyl is optionally substituted with
 1, 2, or 3 halogen atoms; $-(C_1-C_4 \text{ alkyl})-O-C(O)N(C_1-C_6$
 alkyl)-phenyl, $-(C_1-C_6 \text{ alkyl})$ -phenyl, $-(C_1-C_4 \text{ alkyl})-SO_2NH_2$,
 $-(C_1-C_4 \text{ alkyl})-SO_2NH(C_1-C_6 \text{ alkyl})$, $-(C_1-C_4 \text{ alkyl})-SO_2N(C_1-C_6$
 10 alkyl)($C_1-C_6 \text{ alkyl}$), $-SO_2NH_2$, $-SO_2NH(C_1-C_6 \text{ alkyl})$, $-SO_2N(C_1-$
 $C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$, CN , $-(CH_2)_{0-4}-(C_3-C_8 \text{ cycloalkyl})$, $-($
 $C_1-C_4 \text{ alkyl})-C(O)O-(C_1-C_4 \text{ alkyl})$, $-(C_1-C_4 \text{ alkyl})-R_{33}$, C_1-C_{10}
 alkyl, C_2-C_8 alkenyl, $-(C_1-C_4 \text{ alkyl})-NHC(O)-(C_1-C_4 \text{ alkyl})$, $-($
 $CH_2)_{0-4}-C(O)NH_2$, $-(CH_2)_{0-4}-C(O)NH(C_1-C_6 \text{ alkyl})$, $-(CH_2)_{0-4}-$
 15 $C(O)N(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$, naphthyl,
 tetrahydronaphthyl, dihydronaphthyl, $-(CH_2)_{0-4}$ -imidazolyl,
 $-(CH_2)_{0-4}$ -pyrrolidinyl, oxazolidinone 3,4-dihydro-
 benzo[e][1,2]oxathiine 2,2-dioxide, pyrimidinyl, 3,4-
 dihydro-2H-benzo[e][1,2]thiazine 1,1-dioxide, pyridyl, or
 20 pyrimidyl, alkoxyalkyl, -phenyl-benzothienyl, -phenyl-
 cyclohexyl, -phenyl-cyclopentyl, -phenyl- $(C_1-C_6 \text{ alkyl})$ -
 cyclopentyl, -phenyl- $(C_1-C_6 \text{ alkyl})$ -cyclohexyl, -phenyl-
 oxazolyl, furanyl, tetrahydrofuranyl, wherein each of the
 above is unsubstituted or substituted with 1, 2, 3, 4, or
 25 5 groups that are independently halogen, C_1-C_8 alkyl
 optionally substituted with 1 or two groups that are
 independently CN or OH ; C_1-C_6 alkoxy, halo ($C_1-C_8 \text{ alkyl}$),
 halo ($C_1-C_4 \text{ alkoxy}$), $-O-(C_1-C_4 \text{ alkyl})$ -phenyl wherein the
 phenyl is optionally substituted with 1 or 2 halogens, CN ,
 30 $-CHO$, C_1-C_4 thioalkoxy, $-NHSO_2-(C_1-C_6 \text{ alkyl})$, $-N(C_1-C_4$
 alkyl) $SO_2-(C_1-C_4 \text{ alkyl})$ wherein the alkyl groups are
 optionally substituted with 1, 2, or 3 halogens; OH ; $-$
 SO_2R_{33} ; R_{33} ; C_2-C_8 alkynyl; C_2-C_8 alkenyl; thioalkoxyalkyl; $-$

SO₂-(C₁-C₁₀ alkyl); -NR₃₁R₃₂; -C(O)-NR₃₁R₃₂; -OC(O)R₃₃; C₁-C₈ alkanoyl; -(C₁-C₆ alkyl)-C(O)-(C₁-C₆ alkoxy);

R_{41a} and R₄₁ are independently H, cyclohexyl, phenyl, or C₁-C₆ alkyl optionally substituted with 1 or 2 groups that are phenyl, hydroxy, C₁-C₄ thioalkoxy, C₁-C₄ thioalkoxy C₁-C₆ alkyl; or -C₁-C₆ alkyl-SO₂-C₁-C₆ alkyl;

R₄₀, R₄₁, and the atom to which they are attached form a C₃-C₈ cycloalkyl ring which is optionally substituted with C₁-C₄ alkyl, C₁-C₄ alkoxy, halogen, -CO₂NH₂, -CO₂NH(C₁-C₆ alkyl), -CO₂N(C₁-C₆ alkyl)(C₁-C₆ alkyl), thiazolyl optionally substituted with C₁-C₆ alkyl, isoxazolyl optionally substituted with C₁-C₆ alkyl, or phenyl which is optionally substituted with 1, 2, or 3 groups that are independently halogen or C₁-C₆ alkyl;

15 and

R₄₂ is H, C₁-C₆ alkyl optionally substituted with OH; benzyl; -NHC(O)-(C₁-C₆ alkyl); -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups.

20 51. A compound according to claim 50 wherein

R₃₀ is selected from the group consisting of

pyrazolopyrimidinyl, oxa-aza-benzoazulenyl, isoxazolyl, triazolopyridinyl, pyrrolidinonyl, tetrahydrothia-aza-fluorenyl, pyridyl, piperidinyl, thiazolyl, thiadiazolyl, or thienyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C₁-C₄ alkyl, -C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -C(O)NH₂, -C(O)N(C₂-C₆ alkenyl)(C₃-C₈ cycloalkyl), -C(O)NH(C₃-C₈ cycloalkyl), -C(O)NH(C₁-C₆ alkyl), C(O)-(pyrrolidine) optionally substituted with 1 or two groups that are independently alkoxyalkyl or hydroxy, halogen, -C(O)N(C₁-C₆ hydroxyalkyl)(C₁-C₆ alkyl), -C(O)NH(alkoxyalkyl), -C(O)N(alkoxyalkyl)(alkoxyalkyl), -C(O)N(C₁-C₆ alkyl).


(alkoxyalkyl), -C(O)N(C₁-C₆ hydroxyalkyl)(alkyl),
 -NHSO₂CF₃, -N(C₁-C₆ alkyl)-SO₂-thienyl, -N(C₁-C₆
 hydroxyalkyl)SO₂-(C₁-C₆ alkyl), -NHC(O)C₁-C₄ alkyl,
 5 oxazolyl optionally substituted with 1 or 2 methyl
 groups, thiazolyl optionally substituted with 1 or 2
 methyl groups, pyrazolyl optionally substituted with
 1 or 2 methyl groups, imidazolyl optionally
 substituted with 1 or 2 methyl groups, isoxazolyl
 optionally substituted with 1 or 2 methyl groups,
 10 pyrimidinyl optionally substituted with 1 or 2 methyl
 or halogen groups, -NHSO₂CH₃, -NHSO₂-imidazolyl
 wherein the imidazole ring is optionally substituted
 with 1 or 2 methyl groups, -N(C₁-C₆ alkyl)SO₂(C₁-C₆
 alkyl), -SO₂NH-C₁-C₆ hydroxyalkyl, -SO₂NH-C₁-C₆ alkyl-
 15 NH(C₁-C₄ alkyl), -SO₂-piperazinyl optionally
 substituted with 1 or 2 methyl groups, -SO₂-
 pyrrolidine optionally substituted with 1 or 2 methyl
 groups, -SO₂-piperidine optionally substituted with 1
 or 2 C₁-C₄ alkyl groups, -SO₂N(C₁-C₄ hydroxyalkyl)(C₁-
 20 C₄ hydroxyalkyl), -SO₂NH₂, -SO₂N(C₁-C₆ alkyl)(C₁-C₆
 alkyl), C₂-C₆ alkynyl, -SO₂-(C₁-C₆ hydroxyalkyl), -
 SO₂NH(C₁-C₆ hydroxyalkyl), -SO₂N(C₁-C₆ alkyl)(C₁-C₆
 hydroxyalkyl), -(C₁-C₄ alkyl)-SO₂-(C₁-C₄ alkyl), or -
 C(O)-(C₁-C₁₀ alkyl).

25

52. A compound according to claim 51 wherein
 R₃₀ is pyridyl which is unsubstituted or substituted with at
 least one group which is -SO₂NH-propyl-OH, -SO₂NH-ethyl-
 OH, -SO₂NH-ethyl-OCH₃, -SO₂NH-CH(CH₃)₂-CH₂OH, -SO₂NH-
 30 (CH₂CH(OH)CH₃), -SO₂NH-ethyl-NH(CH₃), -SO₂NH(-CH₂CH₂OH)₂,
 -SO₂NHCH(CH₃)CH₂OH, -SO₂N(CH₃)₂, -SO₂NH(CH₂CH(OH)CH₃), -SO₂-
 pyrrolidine, -SO₂-(2,6-dimethylpiperidine), -SO₂-(2-
 propylpiperidine), -SO₂-(hydroxypropyl), -C(O)-(2-
 methoxymethylpyrrolidine), -C(O)-(2-methylpyrrolidine),

-C(O)-(2,6-dimethylpyrrolidine), -C(O)-(2-hydroxymethylpyrrolidine), -C(O)N(methyl)(ethyl),
 -C(O)N(methyl)(propyl), -C(O)N(methyl)(butyl),
 -C(O)N(propyl)(butyl), -C(O)N(allyl)(cyclopentyl),
 5 -C(O)N(allyl)(cyclohexyl), -C(O)N(methyl)(methyl),
 -C(O)N(ethyl)(ethyl), -C(O)N(butyl)(butyl),
 -C(O)N(isopropyl)(isopropyl), -C(O)N(propyl)(propyl),
 -C(O)N(methyl)(cyclohexyl), -C(O)N(ethyl)(cyclohexyl),
 -C(O)NH(cyclobutyl), -C(O)NH(cyclopentyl),
 10 -C(O)N(CH₃)(cyclopentyl), -C(O)NH(2-methylcyclohexyl),
 -C(O)NH(pentyl), -C(O)N(pentyl)(pentyl),
 -C(O)NH(isopentyl), -C(O)NH(ethoxyethyl),
 -C(O)N(CH₃)(methoxyethyl), -C(O)N(propyl)(methoxyethyl),
 -C(O)N(methoxyethyl)(methoxyethyl),
 15 -C(O)N(ethoxyethyl)(ethoxyethyl),
 -C(O)N(ethyl)(methoxyethyl), -C(O)N(propyl)(hydroxyethyl),
 -C(O)N(hydroxyethyl)(ethyl), ethynyl, methyl, bromo,
 -N(CH₃)SO₂(CH₃), -N(CH₃)SO₂-thienyl, -
 N(hydroxypropyl)SO₂CH₃, -(CH₂)-SO₂-(CH₃), or -C(O)-
 20 CH(CH₃)CH₂CH₂CH₃.

53. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

25 R₃₀ is selected from the group consisting of phenyl,
 pyrazolopyrimidinyl, oxa-aza-benzoazulenyl, isoxazolyl,
 triazolopyridinyl, pyrrolidinonyl, tetrahydrothia-aza-
 fluorenyl, pyridyl, piperidinyl,
 dihydrocyclopentaquinolinyl, furyl, naphthothienyl,
 30 phthalazinonyl, thiadiazolyl, thienopyrimidinonyl, oxa-
 diaza-cyclopentanaphthalenyl, dihydrobenzodioxepinyl,
 chromanonyl, chromenonyl, oxazolidinyl, benzophenone,

pyrazinyl mono N-oxide, benzofuranyl, pyrazolyl,
-isoxazolyl-phenyl, phenyl-triazolyl, benzimidazolyl,
indolyl, phenyl-pyrrolyl, chromanyl, isoquinolinyl, -
thienyl-thienyl, benzothienyl, -phenyl-thiadiazolyl,
5 chromanonyl, quinolinyl, -pyrrolyl-C(O)-phenyl, -phenyl-O-
phenyl, -phenyl-oxazolyl, -pyrrolidinonyl-phenyl, -phenyl-
pyrimidinyl, -phenyl-oxadiazolyl, bicyclo[2.2.1]heptenyl,
cyclopentyl, thieno[2,3-b]thiophene, cyclohexyl, -phenyl-
imidazolyl, benzoxazole; dihydro-1H-indolyl; 2,3-dihydro-
10 benzo[b]thiophene 1,1-dioxide; benzo[b]thiophene 1,1-
dioxide; 2,3-dihydro-benzo[d]isothiazole 1,1-dioxide; -
phenyl-thiazolyl; -phenyl-pyrazolyl, -phenyl-C(O)-
piperidyl, -phenyl-C(O)-pyrrolidinyl, -phenyl-isoxazolyl,
isoindolyl, purinyl, oxazolyl, thiazolyl, pyridazinonyl,
15 thiazolyl, pyranyl, dihydropyranopyridinyl, diazepanyl,
cyclopropyl, dihydronaphthoisoxazolyl, benzoindazole,
dihydrocyclopentachromenonyl, imidazopyrazolyl,
tetrahydrocyclopentachromenonyl, dihydroquinolinonyl,
pyridyl N-oxide, isochromanyl, quinazolinonyl,
20 pyrazolopyridinyl, dihydrobenzothienophene dioxide,
dihydrofurobenzoisoxazolyl, dihydropyrimidine dionyl,
thienopyrazolyl, oxazolyl, tetrahydrocyclopentapyrazolyl,
dihydronaphthalenonyl, dihydrobenzofuranonyl,
dihydrocyclopentathienyl, tetrahydrocyclopentapyrazolyl,
25 tetrahydropyrazoloazepinyl, indazolyl,
tetrahydrocycloheptaisoxazolyl, tetrahydroindolonyl,
pyrrolidinyl, thienopyridinyl,
dioxodihydrobenzoisothiazolonyl, triazolopyrimidinyl,
thienyl, dihydrothienopyrimidinonyl, and benzooxadiazolyl,
30 wherein each of the above is unsubstituted or substituted
with 1, 2, 3, 4, or 5 groups that are independently
selected from the group consisting of
C₁-C₁₀ alkyl optionally substituted with 1 phenyl or 1 CN;
OH, hydroxy C₁-C₁₀ alkyl optionally substituted with

phenyl or (C₁-C₄ alkyl)phenyl, C₁-C₆ alkoxy optionally substituted with 1 or 2 groups that are independently hydroxy or phenyl; haloalkyl, haloalkoxy, (CH₂)₀₋₄C(O)NR₃₁R₃₂, -NR₃₁-SO₂-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1, 2, or 3 groups that are independently halogen or R₃₃, -SO₂-NH(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH, alkoxy, or R₃₃; -(C₁-C₆ alkyl)-SO₂-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH, C₁-C₄ alkoxy, or R₃₃; -SO₂-(C₁-C₆ alkyl) wherein the alkyl group is optionally substituted with 1 or 2 groups that are independently OH or C₁-C₄ alkoxy, -SO₂-N(C₁-C₆ alkyl)(C₁-C₆ alkyl) wherein each alkyl group is optionally substituted with 1 or 2 groups that are independently halogen, OH or R₃₃; -SO₂-NH(C₁-C₆ alkyl)-phenyl wherein the phenyl is optionally substituted with 1 or 2 groups that are independently C₁-C₄ alkoxy or halogen, -O-(C₁-C₆ alkyl)-phenyl, -(C₁-C₆ alkyl)-O-phenyl, -(C₁-C₆ alkyl)-O-(C₁-C₆ alkyl)-phenyl, triazolidine-3,5-dione, halogen, -NHC(O)NH₂, -NHC(O)NH(C₁-C₆ alkyl), -NHC(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)C(O)NH₂, -N(C₁-C₆ alkyl)C(O)NH(C₁-C₆ alkyl), -N(C₁-C₆ alkyl)C(O)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -(C₁-C₆ alkyl) thienyl, -(C₁-C₆ alkyl) furanyl, -S-(C₁-C₆ alkyl) phenyl, -SO₂NR₃₁R₃₂, -C(O)-NR₃₁R₃₂, -NR₃₁R₃₂, dithiane, -NHC(S)NH₂, -NHC(S)NH(C₁-C₆ alkyl), -NHC(S)N(C₁-C₆ alkyl)(C₁-C₆ alkyl), -CO₂(C₁-C₆ alkyl), tetrahydropyran, phenyl optionally substituted with 1 or 2 groups that are independently F, Cl or Br; pyridine, -C₂-C₄ alkynyl-phenyl, -O-C₃-C₈ cycloalkyl, -O-(C₁-C₆ alkyl)-R₃₃; pyrrole optionally substituted

with one or two methyl groups; 2,3-dihydro-benzofuran; benzo[1,2,5]oxadiazole, $-C(O)-(C_1-C_{10}$ alkyl) wherein the alkyl group is optionally substituted with NH_2 , $N(C_1-C_6 \text{ alkyl})$, or $N(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$; $-C(O)NH\text{-phenyl}$, $-C(O)N(C_1-C_6 \text{ alkyl})\text{-phenyl}$, 4,4-dimethyl-4,5-dihydro-oxazole, $-(C_1-C_6 \text{ alkyl})\text{-S-pyridine}$, $-(C_1-C_6 \text{ alkyl})\text{-SO}_2\text{-pyridine}$, $-(C_1-C_6 \text{ thioalkoxy})\text{-pyridine}$, thiazole optionally substituted with 1 or 2 methyl groups, pyrazole, $S-(C_1-C_6 \text{ alkyl})$, indole, $(C_1-C_6 \text{ thioalkoxy})\text{-(}C_1-C_6 \text{ alkyl)}$, $C_2-C_8 \text{ alkynyl}$, $-CO_2\text{-(}C_1-C_6 \text{ alkyl)}$, $C_1-C_{10} \text{ alkanoyl}$; $-(CH_2)_{0-4}\text{-SO}_2\text{-(}C_1-C_{10} \text{ alkyl)}$ wherein the alkyl group is optionally substituted with OH;

wherein R_{31} and R_{32} at each occurrence are independently selected from the group consisting of hydrogen, $C_1-C_8 \text{ alkyl}$, $C_2-C_8 \text{ alkenyl}$, hydroxy $C_1-C_6 \text{ alkyl}$, $C_1-C_6 \text{ haloalkyl}$, $C_1-C_6 \text{ alkoxy } C_1-C_6 \text{ alkyl}$, $-(CH_2)_{0-4}\text{-SO}_2\text{-(}C_1-C_6 \text{ alkyl)}$ wherein the alkyl is optionally substituted with 1, 2, 3 or 4 independently selected halogen atoms; $-(CH_2)_{0-4}\text{-SO}_2\text{-imidazolyl}$, $-(C_1-C_6 \text{ alkyl})\text{-C(O)NH}_2$, $-(C_1-C_6 \text{ alkyl})\text{-C(O)NH}(C_1-C_6 \text{ alkyl})$, $-(C_1-C_6 \text{ alkyl})\text{-C(O)N}(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$, $-(C_1-C_6 \text{ alkyl})\text{-NH}_2$, $-(C_1-C_6 \text{ alkyl})\text{-NH}(C_1-C_6 \text{ alkyl})$, $-(C_1-C_6 \text{ alkyl})\text{-N}(C_1-C_6 \text{ alkyl})(C_1-C_6 \text{ alkyl})$, $-(C_1-C_6 \text{ alkyl})\text{phenyl}$, $-(C_1-C_6 \text{ alkyl})\text{pyridyl}$, $-C(O)\text{furanyl}$, $(C_1-C_6 \text{ alkyl})\text{-tetrahydrofuran}$, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, $-CO_2\text{-(}C_1-C_6 \text{ alkyl)}$, $-(C_1-C_6 \text{ alkyl})\text{-furanyl}$, $-(CH_2)_{0-4}\text{-SO}_2\text{-thienyl}$, wherein the phenyl and pyridyl groups are unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently $C_1-C_4 \text{ alkyl}$, hydroxy, $C_1-C_4 \text{ alkoxy}$, halogen, or

R_{31} , R_{32} and the nitrogen to which they are attached form a 5, 6, or 7 membered heterocycloalkyl or a 6 membered

heteroaryl ring, each of which is optionally fused to a benzene, pyridine or pyrimidine ring and each of which is optionally substituted with C₁-C₆ alkoxy, hydroxy, hydroxy C₁-C₆ alkyl, C₁-C₄ alkoxy C₁-C₆ alkyl, -C(O)NH₂, -C(O)NH-(C₁-C₆ alkyl)-phenyl;

R₃₃ at each occurrence is independently, H, NH₂, NH(C₁-C₆ alkyl), N(C₁-C₆ alkyl)(C₁-C₆ alkyl), N(C₁-C₆ alkyl)(phenyl), N(C₁-C₆ alkyl)(benzyl);


R₃₅ is phenyl, C₃-C₈ cycloalkyl, -S-phenyl, benzodioxole, thienyl, C₁-C₆ alkyl, furanyl, imidazolyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C₁-C₄ alkyl, C₁-C₄ alkoxy, OH, hydroxy C₁-C₆ alkyl, halogen, halo C₁-C₆ alkyl, halo C₁-C₆ alkoxy, -O-(C₁-C₆ alkyl)-phenyl, -CO₂-(C₁-C₆ alkyl), - (C₁-C₄ alkyl)-(C₅-C₆ cycloalkyl), or (CH₂)₀₋₄CN;

R₄₂ is H, C₁-C₆ alkyl optionally substituted with OH; benzyl; -NHC(O)-(C₁-C₆ alkyl); -NHC(O)-phenyl wherein the phenyl is optionally substituted with 1 or 2 alkyl groups; and

R₄₈ is -C(O)R₄₉,

wherein R₄₉ is phenyl, or C₁-C₈ alkyl, each of which is optionally substituted with halogen, C₁-C₄ alkoxy, C₁-C₄ alkyl, or R₃₃.

54. A compound of the formula




or a pharmaceutically acceptable salt thereof, wherein R₃₅ is phenyl, C₃-C₈ cycloalkyl, -S-phenyl, benzodioxole, thienyl, C₁-C₆ alkyl, furanyl, imidazolyl, each of which is unsubstituted or substituted with 1, 2, 3, 4, or 5 groups that are independently C₁-C₄ alkyl, C₁-C₄ alkoxy, OH, hydroxy C₁-C₆ alkyl, halogen, halo C₁-C₆ alkyl, halo

- C₁-C₆ alkoxy, -O-(C₁-C₆ alkyl)-phenyl, -CO₂-(C₁-C₆ alkyl), -
(C₁-C₄ alkyl)-(C₅-C₆ cycloalkyl), or (CH₂)₀₋₄CN;
- R₄₂ is H, C₁-C₆ alkyl optionally substituted with OH; benzyl; -
NHC(O)-(C₁-C₆ alkyl); -NHC(O)-phenyl wherein the phenyl is
5 optionally substituted with 1 or 2 alkyl groups; and
- R₄₈ is -C(O)R₄₉,
wherein R₄₉ is phenyl, or C₁-C₈ alkyl, each of which is
optionally substituted with halogen, C₁-C₄ alkoxy, C₁-
C₄ alkyl, or R₃₃;
- 10 R₅₂ is H, phenyl, -NHC(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), -
N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl)-(C₁-C₆ thioalkoxy), OH, C₁-
C₆ alkyl, mono or di(C₁-C₆ alkyl)amino, -NHC(O)-(C₁-C₆
alkyl) wherein the alkyl group is optionally substituted
with a phenyl, -N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl) wherein
15 the alkyl groups are each optionally substituted with a
phenyl, -(CH₂)₀₋₄-SO₂-(C₁-C₁₀ alkyl), -NHCO₂-benzyl, or -NH₂,
and
- R₆₀ is -L-V-R₆₅, C₁-C₈ alkyl, or hydroxy C₁-C₈ alkyl, wherein the
alkyl or hydroxyalkyl groups are optionally substituted
20 with 1 or 2 L-V-R₆₅ groups, wherein
- L is absent, -C(O)-, -CO₂-, -C(O)NH-, -C(O)N(C₁-C₆ alkyl)-,
-NHC(O)-, -N(C₁-C₆ alkyl)-C(O)-, -(CH₂)₀₋₄-SO₂-(CH₂)₀₋₄-
, -(CH₂)₀₋₄-O-(CH₂)₀₋₄-, -(CH₂)₀₋₄-S-(CH₂)₀₋₄-, -NHC(O)NH-
, -N(C₁-C₆ alkyl)C(O)NH-, -N(C₁-C₆ alkyl)C(O)N(C₁-C₆
25 alkyl)-, -NHC(O)N(C₁-C₆ alkyl)-, -NH-, -N(benzyl)-, -
N(phenyl)-, -(CH₂)₀₋₄-NH-SO₂-(CH₂)₀₋₄-, -N(C₁-C₆
alkyl)SO₂-, -SO₂NH-, -SO₂N(C₁-C₆ alkyl)-, or
- V is absent, -(CH₂)₀₋₄-C(O)NH-, -(CH₂)₀₋₄-C(O)N(C₁-C₆ alkyl)-
, cyclopropyl optionally substituted with 1 or 2 C₁-
30 C₄ alkyl groups, =NH, =NOH, =N-alkoxy, C₁-C₈ alkyl
optionally substituted with 1 or 2 OH, or
-CH(phenyl)- wherein the phenyl is optionally
substituted with 1, 2, 3, 4, or 5 groups that are
halogen or OH;

R₆₅ is cyclohexyl; cyclopentyl; phenyl; -(C₁-C₆ alkyl)-
 phenyl; NH₂; mono or di(C₁-C₁₀ alkyl)amino wherein the
 alkyl group or groups are optionally substituted with
 1 or 2 groups that are independently cyclopropyl,
 5 phenyl or OH; oxadiazolyl; triazolopyrimidinyl;
 triazolyl; thiadiazolyl; 3H-quinazolin-2-onyl;
 pyrimidinyl; pyridyl; pyridyl N-oxide; -(C₁-C₆
 alkyl)-pyridyl; piperazinyl; phthalazinyl;
 tetrahydro-thiophenyl 1,1-dioxide; tetrazolyl; C₃-C₆
 10 cycloalkyl-C₁-C₆ alkyl; -(C₁-C₄ alkyl)-SO₂-(C₁-C₄
 alkyl); -SO₂-(C₁-C₆ alkyl); benzothiazole; hexahydro-
 isoindole-1,3-dionyl; benzimidazolyl; benzoxazolyl;
 [1,2,4]triazolo[1,5-a]pyrimidinyl;
 [1,2,4]triazolo[4,3-a]pyrimidinyl, thiazolyl;
 15 thiadiazolyl; imidazo[1,2-a]pyridine; C₁-C₆ alkyl; 3-
 aza-bicyclo[3.2.2]nonane; pyrrolidinonyl; diazepanyl;
 benzo[1,2,5]thiadiazolyl; -NHSO₂-(4-methylphenyl);
 [1,2,4]triazolo[4,3-b]pyridazinyl,
 benzopyrrolidinonyl; morpholinyl; thiomorpholinyl;
 20 thiomorpholinyl S-oxide; thiomorpholinyl S,S-dioxide;
 2,3-dihydro-benzo[b]thiophene 1,1-dioxide;
 pyrrolidinyl; [1,2,4]oxadiazole; C₁-C₁₀ alkyl;
 isoxazolyl; 2,3-dihydro-1H-indolyl; quinazolinonyl,
 quinazolinyl, piperidyl, wherein each of the above is
 25 optionally substituted with 1, 2, 3, 4, or 5 groups
 that are independently
 C₁-C₆ alkyl, CF₃, halogen, phenyl, -(C₁-C₄ alkyl)-
 phenyl, -C(O)phenyl, pyrrolidine-dione, C₁-C₆
 alkoxy, -C(O)-furan, -C(O)NH₂, -C(O)NH(C₁-C₆
 30 alkyl), -C(O)N(C₁-C₆ alkyl)(C₁-C₆
 alkyl), cyclopropyl, -(CH₂)₀₋₄-cyclopentyl,
 benzoxazolyl, pyridine, -NHC(O)-(C₁-C₆ alkyl),
 -N(C₁-C₆ alkyl)C(O)-(C₁-C₆ alkyl), -C(O)C₁-C₆

alkyl, $-\text{CO}_2\text{H}$, $-\text{NHSO}_2-(\text{C}_1-\text{C}_8 \text{ alkyl})$, $-\text{N}(\text{C}_1-\text{C}_6 \text{ alkyl})\text{SO}_2-(\text{C}_1-\text{C}_8 \text{ alkyl})$.

55. A compound of the formula



5

or a pharmaceutically acceptable salt thereof, wherein

n , p , and q are independently 0, 1 or 2;

a dashed line represents a single or double bond;

R_1 , R_2 , R_3 , and R_4 are independently selected from

- 10 hydrogen, halogen, C_1-C_6 alkyl, hydroxy, C_1-C_6 alkoxy, halo(C_1-C_6) alkyl, hydroxy(C_1-C_6) alkyl, halo(C_1-C_6) alkoxy, thio(C_1-C_6) alkyl, (C_1-C_6) alkoxy(C_1-C_6) alkyl, amino(C_1-C_6) alkyl, mono(C_1-C_6) alkylamino(C_1-C_6) alkyl, di(C_1-C_6) alkylamino(C_1-C_6) alkyl,
- 15 $-(\text{CH}_2)_{0-4}$ -aryl or $-(\text{CH}_2)_{0-4}$ -heteroaryl, C_2-C_6 alkenyl or C_2-C_6 alkynyl, each of which is optionally substituted with one, two or three substituents independently selected from the group consisting of halogen, hydroxy, $-\text{SH}$, cyano, $-\text{CF}_3$, C_1-C_3 alkoxy,
- 20 amino, mono (C_1-C_6) alkylamino, and di(C_1-C_6) alkylamino,
- $-(\text{CH}_2)_{0-4}-\text{C}_3-\text{C}_7$ cycloalkyl, where the cycloalkyl is optionally substituted with one, two or three substituents independently selected from the group consisting of halogen, hydroxy, $-\text{SH}$, cyano, $-\text{CF}_3$, C_1-C_3 alkoxy, amino, mono(C_1-C_6) alkylamino, and di(C_1-C_6) alkylamino;
- 25

R_z , R_z' , R_z'' , and R_z''' independently represent

- C_1-C_6 alkyl, optionally substituted with one, two or three substituents independently selected from C_1-C_3 alkyl,
- 30

- halogen, -OH, -SH, -C≡N, -CF₃, C₁-C₆ alkoxy, amino, mono(C₁-C₆)alkylamino, and di(C₁-C₆)alkylamino, hydroxy, nitro, halogen, -CO₂H, cyano,
- 5 -(CH₂)₀₋₄-CO-NR₁₄₂R₁₄₄ where R₁₄₂ and R₁₄₄ independently represent hydrogen, C₁-C₆ alkyl, hydroxyl(C₁-C₆)alkyl, amino(C₁-C₆)alkyl, haloalkyl, C₃-C₇ cycloalkyl, -(C₁-C₂ alkyl)-(C₃-C₇ cycloalkyl), -(C₁-C₆ alkyl)-O-(C₁-C₃ alkyl), -C₂-C₆ alkenyl with one or two double bonds, -C₂-C₆ alkynyl with one or two triple bonds, -C₁-C₆ alkyl chain with one double bond and one triple bond,
- 10 -R₁-aryl where R₁-aryl is as defined above, or -R₁-heteroaryl where R₁-heteroaryl,
- 15 -(CH₂)₀₋₄-CO-(C₁-C₁₂ alkyl), -(CH₂)₀₋₄-CO-(C₂-C₁₂ alkenyl), (CH₂)₀₋₄-CO-(C₂-C₁₂)alkynyl, -(CH₂)₀₋₄-CO-(C₃-C₇ cycloalkyl), -(CH₂)₀₋₄-CO-R₁-aryl where R₁-aryl is as defined above, -(CH₂)₀₋₄-CO-R₁-heteroaryl where R₁-heteroaryl is as defined above, -(CH₂)₀₋₄-CO-R₁-heterocycle, -(CH₂)₀₋₄-CO-R₁₄₆ where R₁₄₆ is heterocycloalkyl, where the heterocycloalkyl is optionally substituted with 1-4
- 20 of C₁-C₆ alkyl,
- (CH₂)₀₋₄-CO-O-R₁₄₈ where R₁₄₈ is selected from the group consisting of: C₁-C₆ alkyl, -(CH₂)₀₋₂-(R₁-aryl), C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₇ cycloalkyl, and -(CH₂)₀₋₂-(R₁-heteroaryl),
- 25 -(CH₂)₀₋₄-SO₂-N R₁₄₂R₁₄₄, -(CH₂)₀₋₄-SO₂-(C₁-C₈ alkyl), -(CH₂)₀₋₄-SO₂-(C₁-C₁₂ alkyl), -(CH₂)₀₋₄-SO₂-(C₃-C₇ cycloalkyl), -(CH₂)₀₋₄-N(H or R₁₄₈)-CO-O-R₁₄₈, -(CH₂)₀₋₄-N(H or R₁₄₈)-CO-N(R₁₄₈)₂, -(CH₂)₀₋₄-N-CS-N(R₁₄₈)₂, -(CH₂)₀₋₄-N(-H or R₁₄₈)-CO-R₁₄₂, -(CH₂)₀₋₄-NR₁₄₂R₁₄₄, -(CH₂)₀₋₄-R₁₄₆ where R_{N-4} is as defined above,
- 30 -(CH₂)₀₋₄-O-CO-(C₁-C₆ alkyl), -(CH₂)₀₋₄-O-P(O)-(OR₁₅₀)₂ where each R₁₅₀ is independently hydrogen or C₁-C₄ alkyl, -(CH₂)₀₋₄-O-CO-N(R₁₄₈)₂, -(CH₂)₀₋₄-O-CS-N(R₁₄₈)₂, -(CH₂)₀₋₄-O-(R₁₄₈)₂, -(CH₂)₀₋₄-O-(R₁₄₈)₂-CO₂H, -(CH₂)₀₋₄-S-(R₁₄₈)₂,

- $-(CH_2)_{0-4}-O-halo(C_1-C_6)alkyl$, $-(CH_2)_{0-4}-O-(C_1-C_6)alkyl$,
 C_3-C_7 cycloalkyl,
 C_2-C_6 alkenyl or C_2-C_6 alkynyl, each of which is optionally
substituted with C_1-C_3 alkyl, halogen, hydroxy, -SH,
5 cyano, $-CF_3$, C_1-C_3 alkoxy, amino, mono(C_1-
 C_6)alkylamino, and di(C_1-C_6)alkylamino,
 $-(CH_2)_{0-4}-N(-H \text{ or } R_{148})-SO_2-R_{142}$, or $-(CH_2)_{0-4}-C_3-C_7$
cycloalkyl;
 R_{35} is phenyl, cyclohexyl, -S-phenyl, benzodioxole, thienyl, C_3-
10 C_6 alkyl, furanyl, each of which is unsubstituted or
substituted with 1, 2, 3, 4, or 5 groups that are
independently C_1-C_4 alkyl, C_1-C_4 alkoxy, OH, hydroxy C_1-C_6
alkyl, halogen, halo C_1-C_6 alkyl, halo C_1-C_6 alkoxy, -O-
(C_1-C_6 alkyl)-phenyl, $-CO_2-(C_1-C_6$ alkyl), or $-(C_1-C_4$ alkyl)-
15 (C_5-C_6 cycloalkyl);
X and Y are independently selected from O, NR_5 , $C(O)$, CR_1R_2 ,
 SO_2 , and S,
where R_5 is hydrogen, C_1-C_6 alkyl, SO_2R_5' , $C(O)R_5'$ where R_5'
is hydrogen, halogen, C_1-C_6 alkyl, hydroxy, C_1-C_6
20 alkoxy, halo(C_1-C_6) alkyl, halo(C_1-C_6)alkoxy, thio(C_1-
 C_6)alkyl, (C_1-C_6)alkoxy(C_1-C_6)alkyl, amino(C_1-C_6)alkyl,
mono(C_1-C_6)alkylamino(C_1-C_6)alkyl, di(C_1-
 C_6)alkylamino(C_1-C_6)alkyl,
 $-(CH_2)_{0-4}-aryl$ or $-(CH_2)_{0-4}-heteroaryl$,
25 C_2-C_6 alkenyl or C_2-C_6 alkynyl, each of which is optionally
substituted with one, two or three substituents
independently selected from the group consisting of
halogen, hydroxy, -SH, cyano, $-CF_3$, C_1-C_3 alkoxy,
amino, mono (C_1-C_6)alkylamino, and di(C_1-
30 C_6)alkylamino,
 $-(CH_2)_{0-4}-C_3-C_7$ cycloalkyl, where the cycloalkyl is
optionally substituted with one, two or three
substituents independently selected from the group
consisting of halogen, hydroxy, -SH, cyano, $-CF_3$, C_1-

C₃ alkoxy, amino, mono(C₁-C₆)alkylamino, and di(C₁-C₆)alkylamino;

- R₁₄₀ represents phenyl or naphthyl, each of which is optionally substituted with 1-5 groups independently selected from
- 5 C₁-C₆ alkyl, optionally substituted with one, two or three substituents selected from the group consisting of C₁-C₃ alkyl, -halogen, hydroxy, -SH, cyano, -CF₃, C₁-C₃ alkoxy, amino, mono(C₁-C₆)alkylamino, and di(C₁-C₆)alkylamino,
- 10 hydroxy, nitro, halogen, -CO₂H, cyano,
- (CH₂)₀₋₄-CO-NR₁₄₂R₁₄₄ where R₁₄₂ and R₁₄₄ independently represent hydrogen, C₁-C₆ alkyl, hydroxyl(C₁-C₆)alkyl, amino(C₁-C₆)alkyl, haloalkyl, C₃-C₇ cycloalkyl, -(C₁-C₂ alkyl)-(C₃-C₇ cycloalkyl), -(C₁-C₆ alkyl)-O-(C₁-C₃ alkyl),
- 15 -C₂-C₆ alkenyl with one or two double bonds, -C₂-C₆ alkynyl with one or two triple bonds, -C₁-C₆ alkyl chain with one double bond and one triple bond, -R₁-aryl or -R₁-heteroaryl,
- (CH₂)₀₋₄-CO-(C₁-C₁₂ alkyl), -(CH₂)₀₋₄-CO-(C₂-C₁₂ alkenyl),
- 20 (CH₂)₀₋₄-CO-(C₂-C₁₂)alkynyl, -(CH₂)₀₋₄-CO-(C₃-C₇ cycloalkyl), -(CH₂)₀₋₄-CO-R₁-aryl where R₁-aryl is as defined above, -(CH₂)₀₋₄-CO-R₁-heteroaryl where R₁-heteroaryl is as defined above, -(CH₂)₀₋₄-CO-R₁-heterocycle, -(CH₂)₀₋₄-CO-R₁₄₆ where R₁₄₆ is heterocycloalkyl, where the
- 25 heterocycloalkyl is optionally substituted with 1-4 of C₁-C₆ alkyl,
- (CH₂)₀₋₄-CO-O-R₁₄₈ where R₁₄₈ is selected from the group consisting of: C₁-C₆ alkyl, -(CH₂)₀₋₂-(R₁-aryl), C₂-C₆ alkenyl, C₂-C₆ alkynyl, C₃-C₇ cycloalkyl, and -(CH₂)₀₋₂-(R₁-heteroaryl),
- 30 -(CH₂)₀₋₄-SO₂-N R₁₄₂R₁₄₄, -(CH₂)₀₋₄-SO-(C₁-C₈ alkyl), -(CH₂)₀₋₄-SO₂-(C₁-C₁₂ alkyl), -(CH₂)₀₋₄-SO₂-(C₃-C₇ cycloalkyl), -(CH₂)₀₋₄-N(H or R₁₄₈)-CO-O-R₁₄₈, -(CH₂)₀₋₄-N(H or R₁₄₈)-CO-N(R₁₄₈)₂, -(CH₂)₀₋₄-N-CS-N(R₁₄₈)₂, -(CH₂)₀₋₄-N(-H or

$R_{148})-\text{CO}-R_{142}$, $-(\text{CH}_2)_{0-4}-\text{NR}_{142}R_{144}$, $-(\text{CH}_2)_{0-4}-R_{146}$ where R_{N-4} is as defined above,

$-(\text{CH}_2)_{0-4}-\text{O}-\text{CO}-(\text{C}_1-\text{C}_6 \text{ alkyl})$, $-(\text{CH}_2)_{0-4}-\text{O}-\text{P}(\text{O})-(\text{OR}_{150})_2$ where each R_{150} is independently hydrogen or C_1-C_4 alkyl,
 5 $-(\text{CH}_2)_{0-4}-\text{O}-\text{CO}-\text{N}(\text{R}_{148})_2$, $-(\text{CH}_2)_{0-4}-\text{O}-\text{CS}-\text{N}(\text{R}_{148})_2$, $-(\text{CH}_2)_{0-4}-\text{O}-(\text{R}_{148})_2$, $-(\text{CH}_2)_{0-4}-\text{O}-(\text{R}_{148})_2-\text{CO}_2\text{H}$, $-(\text{CH}_2)_{0-4}-\text{S}-(\text{R}_{148})_2$, $-(\text{CH}_2)_{0-4}-\text{O}-\text{halo}(\text{C}_1-\text{C}_6)\text{alkyl}$, $-(\text{CH}_2)_{0-4}-\text{O}-(\text{C}_1-\text{C}_6)\text{alkyl}$, C_3-C_7 cycloalkyl,

C_2-C_6 alkenyl or C_2-C_6 alkynyl, each of which is optionally
 10 substituted with C_1-C_3 alkyl, halogen, hydroxy, $-\text{SH}$, cyano, $-\text{CF}_3$, C_1-C_3 alkoxy, amino, mono(C_1-C_6)alkylamino, and di(C_1-C_6)alkylamino, and $-(\text{CH}_2)_{0-4}-\text{N}(-\text{H}$ or $\text{R}_{148})-\text{SO}_2-\text{R}_{142}$, or $-(\text{CH}_2)_{0-4}-\text{C}_3-\text{C}_7$ cycloalkyl.

15

56. A compound according to claim 55, wherein q is 1.

57. A compound according to claim 56, wherein
 two or three of R_z , R_z' , R_z'' , and R_z''' is hydrogen, and
 20 the other one or two of R_z , R_z' , R_z'' , and R_z''' is hydroxy, nitro, halogen, $-\text{CO}_2\text{H}$, cyano, or C_1-C_6 alkyl, where the alkyl is optionally substituted with one, two or three substituents independently selected from C_1-C_3 alkyl, halogen, $-\text{OH}$, $-\text{SH}$, $-\text{C}\equiv\text{N}$, $-\text{CF}_3$, C_1-C_6 alkoxy, amino,
 25 mono(C_1-C_6)alkylamino, and di(C_1-C_6)alkylamino.

58. A compound according to claim 57, wherein three of R_z , R_z' , R_z'' , and R_z''' is hydrogen and the other is (C_1-C_6)alkyl, halogen, or (C_1-C_6)alkoxy.

30

59. A compound according to claim 58, wherein R_{140} is phenyl substituted with 1, 2, or 3 groups independently selected from

C₁-C₆ alkyl, optionally substituted with one, two or three groups independently selected from C₁-C₃ alkyl, -halogen, hydroxy, -SH, cyano, -CF₃, C₁-C₃ alkoxy, amino, mono(C₁-C₆)alkylamino, and di(C₁-C₆)alkylamino, hydroxy, nitro, halogen, -CO₂H, cyano, 5
-(CH₂)₀₋₄-CO-NR₁₄₂R₁₄₄ where R₁₄₂ and R₁₄₄ independently represent hydrogen, C₁-C₆ alkyl, hydroxy(C₁-C₆)alkyl, amino(C₁-C₆)alkyl, and C₃-C₇ cycloalkyl.

10 60. A compound according to claim 59, wherein R₁₄₀ is phenyl substituted with one of hydroxy, nitro, halogen, -CO₂H, cyano, or C₁-C₆ alkyl where the alkyl is optionally substituted with one, two or three groups independently selected from C₁-C₃ alkyl, -
15 halogen, hydroxy, -SH, cyano, -CF₃, C₁-C₃ alkoxy, amino, mono(C₁-C₆)alkylamino, and di(C₁-C₆)alkylamino; and one of -(CH₂)₀₋₄-CO-NR₁₄₂R₁₄₄.

20 61. A compound according to claim 60, wherein R₁₄₀ is phenyl substituted with one of -C(O)NR₁₄₂R₁₄₄ and R₁₄₂ and R₁₄₄ are independently hydrogen or C₁-C₆ alkyl.

25 62. A compound according to claim 61, wherein R₁₄₂ and R₁₄₄ are the same and are propyl.

63. A compound according to claim 60, wherein R₁₄₀ is phenyl substituted one (C₁-C₆)alkyl and with one -C(O)NR₁₄₂R₁₄₄ where R₁₄₂ and R₁₄₄ are independently hydrogen or C₁-C₆ alkyl.

30 64. A compound according to claim 61, wherein R₁₄₂ and R₁₄₄ are the same and are propyl.

65. A compound according to claim 57, wherein R₃₅ is phenyl substituted with 1-5 halogen, or substituted with 1, 2,

or 3 groups independently selected from (C₁-C₆) alkyl, hydroxy, halogen, (C₁-C₆)alkoxy, amino, mono(C₁-C₆)alkylamino, and di(C₁-C₆)alkylamino.

5 66. A compound according to claim 65, wherein R₃₅ is phenyl substituted with 2 halogens.

67. A compound according to claim 66, wherein R₃₅ is 3,5-difluorophenyl.

10

68. A compound according to claim 65, wherein R₁₄₀ is phenyl substituted with one of hydroxy, nitro, halogen, -CO₂H, cyano, or C₁-C₆ alkyl where the alkyl is optionally substituted with one, two or
15 three groups independently selected from C₁-C₃ alkyl, - halogen, hydroxy, -SH, cyano, -CF₃, C₁-C₃ alkoxy, amino, mono(C₁-C₆)alkylamino, and di(C₁-C₆)alkylamino; and one of -(CH₂)₀₋₄-CO-NR₁₄₂R₁₄₄.

20 69. A compound according to claim 68, wherein R₁₄₀ is phenyl substituted with one of -C(O)NR₁₄₂R₁₄₄ and R₁₄₂ and R₁₄₄ are independently hydrogen or C₁-C₆ alkyl.

70. A compound according to claim 69, wherein R₁₄₂ and R₁₄₄
25 are the same and are propyl.

71. A compound according to any of claims 55-70, wherein n is 1 and p is 0.

30 72. A compound according to claim 71, wherein the dashed lines all represent single bonds.

73. A compound according to claim 72, wherein R₁ is hydrogen and X is SO₂.

74. A compound according to claim 73, wherein Y is methylene.

5 75. A compound according to claim 74, wherein Z' is 2-propyl.

76. A compound according to claim 74, wherein R₂ is hydrogen, hydroxy(C₁-C₃)alkyl, or (C₁-C₃)alkyl.

10

77. A compound according to claim 75, wherein R₂ is methyl.

78. A compound according to claim 72, wherein R₁ is hydrogen;

15

X is SO₂ and Y is NR₅, or X is NR₅ and Y is SO₂, where each R₅ is hydrogen, (C₁-C₆)alkyl, or hydroxy(C₁-C₆)alkyl.


79. A compound according to claim 72, wherein R₁ is hydrogen;

20


X is C(O) and Y is NR₅, or X is NR₅ and Y is C(O), where each R₅ is hydrogen, (C₁-C₆)alkyl, or hydroxy(C₁-C₆)alkyl.

80. A compound according to claim 55, which is represented by the formula


25



81. A compound according to claim 55, which is represented by the formula




82. A compound according to claim 69, which is represented by the formula



5

83. A compound according to claim 69, which is represented by the formula



10

84. A compound according to claim 82, wherein R₂ is (C₁-C₃)alkyl.

85. A compound according to claim 82, wherein R₂ is methyl.

15

86. A compound according to claim 82, wherein R₂ is hydroxy(C₁-C₃)alkyl.

87. A compound according to claim 83, wherein R₂ is (C₁-C₃)alkyl.

20

88. A compound according to claim 83, wherein R₂ is methyl.

89. A compound according to claim 83, wherein R₂ is hydroxy(C₁-C₃)alkyl.


- 5 90. A compound according to claim 55 which is
- N' - ((1*S*, 2*R*) - 1 - (3, 5-difluorobenzyl) - 2-hydroxy-3 - { [(4*S*) - 6-isopropyl-2, 2-dioxido-3, 4-dihydro-1*H*-isothiochromen-4-yl] amino} propyl) - 5-methyl-*N, N*-dipropylisophthalamide;
- N' - ((1*S*, 2*R*) - 1 - (3, 5-difluorobenzyl) - 2-hydroxy-3 - { [(3*R*, 4*S*) - 3 - (hydroxymethyl) - 6-isopropyl-2, 2-dioxido-3, 4-dihydro-1*H*-isothiochromen-4-yl] amino} propyl) - 5-methyl-*N, N*-dipropylisophthalamide;
- N' - ((1*S*, 2*R*) - 1 - (3, 5-difluorobenzyl) - 2-hydroxy-3 - { [(3*R*, 4*S*) - 6-isopropyl-3-methyl-2, 2-dioxido-3, 4-dihydro-1*H*-isothiochromen-4-yl] amino} propyl) - 5-methyl-*N, N*-dipropylisophthalamide;
- N' - ((1*S*, 2*R*) - 1 - (3, 5-difluorobenzyl) - 2-hydroxy-3 - { [(3*R*, 4*S*) - 6-isopropyl-2, 2-dioxido-3-propyl-3, 4-dihydro-1*H*-isothiochromen-4-yl] amino} propyl) - 5-methyl-*N, N*-dipropylisophthalamide;
- N' - ((1*S*, 2*R*) - 1 - (3, 5-difluorobenzyl) - 2-hydroxy-3 - { [(3*S*, 4*R*) - 3 - (hydroxymethyl) - 6-isopropyl-2, 2-dioxido-3, 4-dihydro-1*H*-isothiochromen-4-yl] amino} propyl) - 5-methyl-*N, N*-dipropylisophthalamide;
- N' - ((1*S*, 2*R*) - 1 - (3, 5-difluorobenzyl) - 2-hydroxy-3 - { [(3*S*, 4*R*) - 3 - (2-hydroxyethyl) - 6-isopropyl-2, 2-dioxido-3, 4-dihydro-1*H*-isothiochromen-4-yl] amino} propyl) - 5-methyl-*N, N*-dipropylisophthalamide;
- N' - ((1*S*, 2*R*) - 1 - (3, 5-difluorobenzyl) - 2-hydroxy-3 - { [(3*S*, 4*S*) - 3 - (2-hydroxyethyl) - 6-isopropyl-2, 2-dioxido-3, 4-dihydro-1*H*-isothiochromen-4-yl] amino} propyl) - 5-methyl-*N, N*-dipropylisophthalamide;

N'-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 {[(3*S*,4*S*)-6-isopropyl-2,2-dioxido-3-propyl-3,4-dihydro-1*H*-
 isothiochromen-4-yl]amino}propyl)-5-methyl-*N,N*-
 dipropylisophthalamide;

N'-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 {[(3*S*,4*S*)-6-isopropyl-3-methyl-2,2-dioxido-3,4-dihydro-1*H*-
 isothiochromen-4-yl]amino}propyl)-5-methyl-*N,N*-
 dipropylisophthalamide; and

N'-((1*S*,2*R*)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4*R*)-
 6-isopropyl-2,2-dioxido-3,4-dihydro-1*H*-isothiochromen-4-
 yl]amino}propyl)-5-methyl-*N,N*-dipropylisophthalamide; or a
 pharmaceutically acceptable salt thereof.

91. A compound of the formula:



wherein

- 5 R_{100} is H, C_1 - C_8 alkoxy carbonyl, phenyl C_1 - C_6 alkyl, or phenyl C_1 - C_6 alkoxy carbonyl;
 R_{110} is phenyl C_1 - C_6 alkyl, thienyl, -*S*-phenyl, furanyl, or
 benzodioxolyl, wherein each is optionally substituted with
 1, 2, 3, 4, or 5 groups that are independently halogen,
 10 C_1 - C_4 alkyl, C_1 - C_4 alkoxy, or phenyl C_1 - C_6 alkoxy; and
 R_{120} is H, phenyl C_1 - C_6 alkyl, C_3 - C_8 cycloalkyl optionally
 substituted with C_1 - C_6 alky or phenyl, C_3 - C_8 cycloalkyl C_1 -
 C_4 alkyl, or C_1 - C_6 alkyl optionally substituted with
 -C(O)NR₁₂₁R₁₂₂, wherein each of the above is optionally
 15 substituted with 1, 2, or 3 groups that are independently
 C_1 - C_6 alkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkynyl, halogen, or C_1 - C_6
 alkoxy; wherein
 R_{121} and R_{122} are independently H, or C_1 - C_6 alkyl.

- 20 92. A compound according to claim 91 wherein

R₁₀₀ is tertiary butoxy carbonyl.

93. A compound according to claim 91 wherein
R₁₁₀ is phenyl C₁-C₆ alkyl optionally substituted with 1, 2, 3,
5 4, or 5 groups that are independently halogen, C₁-C₄
alkyl, C₁-C₄ alkoxy, or phenyl C₁-C₆ alkoxy.

94. A compound according to claim 91 wherein
R₁₁₀ is monohalophenyl, dihalophenyl, or trihalophenyl.
10

95. A compound according to claim 91 wherein
R₁₁₀ is thienyl, or -S-phenyl each of which is optionally
substituted with 1, 2, 3, 4, or 5 groups that are
independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy,
15 benzyloxy.

96. A compound according to claim 91 wherein
R₁₁₀ is furanyl, or benzodioxolyl each of which is optionally
substituted with 1, 2, 3, 4, or 5 groups that are
20 independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy,
benzyloxy.

97. A compound according to claim 91 wherein
R₁₂₀ is benzyl optionally substituted with 1, 2, or 3 groups
25 that are independently C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆
alkynyl, halogen, or C₁-C₆ alkoxy.

98. A compound according to claim 91 wherein
R₁₂₀ is cyclopropyl optionally substituted with C₁-C₆ alkyl or
30 phenyl; or cyclopropyl C₁-C₄ alkyl, wherein each of the
above is optionally substituted with 1, 2, or 3 groups
that are independently C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆
alkynyl, halogen, or C₁-C₆ alkoxy.

99. A compound according to claim 92 wherein
R₁₁₀ is phenyl C₁-C₆ alkyl optionally substituted with 1, 2, 3,
4, or 5 groups that are independently halogen, C₁-C₄
alkyl, C₁-C₄ alkoxy, or phenyl C₁-C₆ alkoxy; and
5 R₁₂₀ is H or benzyl optionally substituted with 1, 2, or 3
groups that are independently C₁-C₆ alkyl, C₂-C₆ alkenyl,
C₂-C₆ alkynyl, halogen, or C₁-C₆ alkoxy.

100. A compound according to claim 92 wherein
10 R₁₁₀ is phenyl C₁-C₆ alkyl optionally substituted with 1, 2, 3,
4, or 5 groups that are independently halogen, C₁-C₄
alkyl, C₁-C₄ alkoxy, or phenyl C₁-C₆ alkoxy; and
R₁₂₀ is cyclopropyl optionally substituted with C₁-C₆ alkyl or
phenyl; or cyclopropyl C₁-C₄ alkyl, wherein each of the
15 above is optionally substituted with 1, 2, or 3 groups
that are independently C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆
alkynyl, halogen, or C₁-C₆ alkoxy.

101. A compound according to claim 92 wherein
20 R₁₁₀ is thienyl, or -S-phenyl each of which is optionally
substituted with 1, 2, 3, 4, or 5 groups that are
independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy,
benzyloxy; and
R₁₂₀ is H or benzyl optionally substituted with 1, 2, or 3
25 groups that are independently C₁-C₆ alkyl, C₂-C₆ alkenyl,
C₂-C₆ alkynyl, halogen, or C₁-C₆ alkoxy.


102. A compound according to claim 92 wherein
R₁₁₀ is thienyl, or -S-phenyl each of which is optionally
30 substituted with 1, 2, 3, 4, or 5 groups that are
independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy,
benzyloxy; and
R₁₂₀ is cyclopropyl optionally substituted with C₁-C₆ alkyl or
phenyl; or cyclopropyl C₁-C₄ alkyl, wherein each of the

above is optionally substituted with 1, 2, or 3 groups that are independently C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, halogen, or C₁-C₆ alkoxy.

- 5 103. A compound according to claim 92 wherein
 R₁₁₀ is furanyl, or benzodioxolyl each of which is optionally substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, or benzyloxy.
- 10 R₁₂₀ is H or benzyl optionally substituted with 1, 2, or 3 groups that are independently C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, halogen, or C₁-C₆ alkoxy.

104. A compound according to claim 92 wherein
- 15 R₁₁₀ is furanyl, or benzodioxolyl each of which is optionally substituted with 1, 2, 3, 4, or 5 groups that are independently halogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, or benzyloxy;
- R₁₂₀ is cyclopropyl optionally substituted with C₁-C₆ alky or phenyl; or cyclopropyl C₁-C₄ alkyl, wherein each of the
- 20 above is optionally substituted with 1, 2, or 3 groups that are independently C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, halogen, or C₁-C₆ alkoxy.

- 25 105. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R₁ is C₁-C₄ alkyl, C₂-C₄ alkynyl, or CF₃;


R₂ and R₃ are both hydrogen; or

R_2 and R_3 and the carbon to which they are attached form a cyclopropyl ring;
 R_4 is oxazolyl optionally substituted with methyl, thiazolyl, C_2 - C_4 alkynyl, or C_1 - C_4 alkyl;
5 R_5 is C_1 - C_4 alkyl;
 R_6 is C_1 - C_4 alkyl;
 X and Y are independently halogen;
 Z is CH or N.

10 106. A compound according to claim 105, wherein Z is CH.

107. A compound according to claim 106, wherein R_2 and R_3 are both H.

15 108. A compound according to claim 107 of the formula:



109. A compound according to claim 108 wherein, R_1 is ethyl, ethynyl or CF_3 ; and
20 R_4 is 2-oxazolyl optionally substituted with methyl, 2-thiazolyl, ethynyl, or methyl.

110. A compound according to claim 109, wherein R_5 is propyl; and R_6 is propyl.

25 111. A compound according to claim 110, wherein R_1 is ethyl;
 R_4 is 2-oxazolyl optionally substituted with methyl; and X and Y are both F.

112. A compound according to claim 109, wherein R_1 is ethyl, or CF_3 ; and R_4 is 2-thiazolyl.

5 113. A compound according to claim 112, wherein R_5 is propyl; and R_6 is propyl; or R_5 is methyl; and R_6 is propyl or butyl; and X and Y are both F.

10 114. A compound according to claim 113, wherein R_1 is ethyl.

115. A compound according to claim 112, wherein R_1 is CF_3 ; R_5 is propyl; and R_6 is propyl.


15

116. A compound according to claim 109, wherein R_1 is ethynyl; and R_4 is ethynyl, methyl, or 2-oxazolyl.

20 117. A compound according to claim 116, wherein R_5 is propyl; and R_6 is propyl; and X and Y are both F.

118. A compound according to claim 117, wherein R_4 is ethynyl or methyl.

25 119. A compound according to claim 106 of the formula:



120. A compound according to claim 119, wherein R_1 is ethyl or ethynyl; R_4 is methyl or 2-oxazolyl.

121. A compound according to claim 120, wherein R_5 and R_6 are both propyl; X and Y are both F.


5 122. A compound according to claim 121, wherein Z is N; and R_4 is methyl.

123. A compound according to claim 121, wherein Z is CH; and R_4 is methyl or 2-oxazolyl.

10

124. A compound according to claim 105 wherein R_4 is 2-oxazolyl.

125. A compound of the formula



15

or a pharmaceutically acceptable salt thereof, wherein

R_1 is C_2 - C_3 alkyl;


R_2 and R_3 are both hydrogen; or

R_f and R_g are independently halogen;

20 R_5 is C_1 - C_2 alkyl sulfonyl;

R_6 is hydroxyethyl or methoxyethyl.

126. A compound of the formula



25 or a pharmaceutically acceptable salt thereof, wherein

R₁ is C₂-C₃ alkyl;

R₂ and R₃ are both hydrogen; or

R_f and R_g are independently halogen;

R₅ and R₆ are independently C₃-C₄ alkyl; or

5 R₅ is H and R₆ is C₃ alkyl; or

R₅, R₆, and the nitrogen to which they are attached form a pyrrolidinyl ring optionally substituted with methoxymethyl; and

10 R₈ is C₁-C₂ alkyl, hydroxy(C₂-C₄)alkyl, N-[hydroxy(C₂-C₄) alkyl]-N-(C₁-C₂)alkylamino, N-methyl-N-(C₄ (t-butyl)alkyl)amino, -NH(C₁-C₄ hydroxyalkyl), -N(C₁-C₃ hydroxyalkyl)(C₁-C₃ hydroxyalkyl), -N(C₁-C₂ alkyl)(C₁-C₂ alkyl), pyrrolidin-1-yl optionally substituted with hydroxymethyl or methoxymethyl, C₁-C₂ alkoxy C₂-C₃ alkyl, 1-piperazinyl,
15 -NH₂, -NH(C₂-C₃ alkyl-NH(C₁-C₂ alkyl)), or C₁-C₄ (C₂) alkylamino.

127. A compound according to claim 126, wherein R₈ is N-[hydroxy(C₄-alkyl)-N-methylamino, -N(C₁-C₃ hydroxyalkyl)(C₁-C₃
20 hydroxyalkyl), or -NH(C₁-C₄ hydroxyalkyl).

128. A compound according to claim 127, wherein the hydroxyalkyl is 2-hydroxy-1,1-dimethylethyl; 2-hydroxyethyl; 3-hydroxypropyl; 1(R)-2-hydroxy-1-methylethyl; 1(S)-2-hydroxy-1-methylethyl; 2(R)-2-hydroxypropyl; or 2(S)-2-hydroxypropyl.
25


129. A compound according to claim 126, wherein R₈ is 3-hydroxypropyl, or 4-hydroxybutyl.

30 130. A compound according to claim 126, wherein R₈ is 2(R)-2-methoxymethylpyrrolidin-1-yl, 2(R)-2-hydroxymethylpyrrolidin-1-yl, 2(S)-2-hydroxymethylpyrrolidin-1-yl, pyrrolidin-1-yl, or 1-piperazinyl,

131. A compound according to claim 126, wherein R_5 , R_6 , and the nitrogen to which they are attached form a 2(S)-2-methoxymethylpyrrolidin-1-yl.

132. A compound according to claim 131, wherein R_8 is -NH(tert-butyl), -N(CH₃)(CH₂CH₃), or 2(S)-2-methoxymethylpyrrolidin-1-yl.

133. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R_1 is C₂-C₃ alkyl;


R_2 and R_3 are both hydrogen; or

R_f and R_g are independently halogen;

R_5 and R_6 are independently C₁-C₄ alkyl; and

R_d is C₁-C₂ alkyl, N-hydroxy(C₂-C₃)alkyl-N-(C₁-C₂)alkylamino, or C₁-C₂ alkylamino.

134. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

X is nitrogen or CH;

R₁ is C₂-C₃ alkyl, amino, mono(C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, amino(C₁-C₃)alkyl, mono(C₁-C₃)alkylamino(C₁-C₂)alkyl, or di(C₁-C₃)alkylamino(C₁-C₂)alkyl;

5 R₂ and R₃ are both hydrogen; or

R_f and R_g are both hydrogen or independently halogen;

R₅ and R₆ are independently methyl or C₂-C₃-C₄ alkyl, where at least one of R₅ and R₆ is not methyl.

10 135. A compound according to claim 134, wherein X is CH.

136. A compound according to claim 135, wherein R₁ is di(C₁-C₂)alkylamino.

15 137. A compound according to claim 136, wherein at least one of R₅ and R₆ is propyl.


138. A compound according to claim 134, wherein X is nitrogen.

20

139. A compound according to claim 138, wherein both of R₅ and R₆ are not methyl.

25 140. A compound according to claim 135, wherein R₁ is di(C₁-C₂)alkylamino(C₁-C₂)alkyl.


141. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

- R_1 is C_2 - C_3 alkyl;
 R_2 and R_3 are both hydrogen; or
 R_f and R_g are independently halogen;
 R_5 and R_6 are independently C_3 - C_4 alkyl; and
 5 R_j is hydrogen or C_1 - C_2 alkoxyethyl.

142. A compound of the formula



- or a pharmaceutically acceptable salt thereof, wherein
 10 R_1 is C_2 - C_4 alkynyl, C_2 - C_4 alkyl, or trifluoromethyl;
 R_2 and R_3 are both hydrogen; or
 R_2 and R_3 together form a 3-membered ring with the carbon atom
 to which they are attached;
 R_f and R_g are independently halogen; and
 15 R_5 and R_6 are independently C_3 - C_4 alkyl; or
 one of R_5 and R_6 is methyl or ethyl and the other is C_3 - C_4
 alkyl.

143. A compound according to claim 142, wherein R_1 is
 20 ethyl, n-propyl, isopropyl, or trifluoromethyl.

144. A compound according to claim 143, wherein R_5 is methyl or ethyl and R_6 is C_3 C_4 alkyl.

- 25 145. A compound according to claim 142, wherein R_5 is methyl or propyl.

146. A compound according to claim 145, wherein R_f and R_g are both chloro or fluoro.

147. A compound according to claim 146, wherein both of R_2 and R_3 are hydrogen; and R_1 is C_2 - C_3 alkynyl.

5

148. A compound according to claim 1151, wherein R_5 and R_6 are independently propyl or butyl.

149. A compound according to claim 1156, wherein both of R_2 and R_3 are hydrogen.


10

150. A compound according to claim 1157, wherein R_f and R_g are both chloro or fluoro.

15

151. A compound according to claim 1157, wherein R_2 and R_3 together form a 3-membered ring with the carbon atom to which they are attached.

152. A compound of the formula



20

or a pharmaceutically acceptable salt thereof, wherein one of X or X_1 is nitrogen or N^+-O^- while the other is CH ; R_1 is C_2 - C_4 alkynyl, cyano, or C_1 - C_3 alkyl;

R_2 and R_3 are both hydrogen; or

25 R_2 and R_3 together form a 3-membered ring with the carbon atom to which they are attached;

R_f and R_g are independently halogen;

R_p is hydrogen, C_1 - C_2 alkyl, or oxazolyl; and

R_5 and R_6 are independently C_3 - C_4 alkyl.

153. A compound according to claim 152, wherein X is
nitrogen; R₁ is C₂-C₃ alkynyl; R₂ and R₃ together form a 3-
membered ring with the carbon atom to which they are attached;
5 and R_p is C₁-C₂ alkyl.

154. A compound according to claim 152, wherein X is
nitrogen; and R₁ is C₂ alkynyl.

10 155. A compound according to claim 152, wherein X is
nitrogen; R₁ is C₁-C₂ alkyl; R₂ and R₃ are hydrogen; and R_p is
hydrogen, C₁-C₂ alkyl, or oxazol-2-yl.

156. A compound according to claim 152, wherein X is
15 nitrogen; R₁ is C₁-C₂ alkyl; R₂ and R₃ are hydrogen; and R_p is
cyano.


157. A compound according to claim 152, wherein X is
nitrogen; R₁ is C₂-C₃ alkyl; R₂ and R₃ together form a 3-
20 membered ring with the carbon atom to which they are attached;
and R_p is C₁-C₂ alkyl.

158. A compound according to any of claims 153-157,
wherein R_f and R_g are both chloro or fluoro.


25

159. A compound according to any of claims 153-157,
wherein R₅ and R₆ are independently propyl or butyl.

160. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein
 R_C is a group of the formula



5 where one of X and X' is nitrogen and the other
 is CH and R_1 is C_2 - C_4 alkyl or $-(C_1$ - C_2 alkyl)-N(C_1 - C_2
 alkyl)(C_1 - C_2 alkyl);

R_f and R_g are independently halogen;

R_p is C_1 - C_2 alkyl; and

R_5 and R_6 are independently hydrogen or C_3 - C_4 (sec butyl) alkyl.

10

161. A compound according to claim 160, wherein X is
 nitrogen; X' is CH; and R_5 and R_6 are independently propyl or
 butyl.


15

162. A compound according to claim 160, wherein X is CH;
 X' is nitrogen; and R_5 and R_6 are independently propyl or
 butyl.

20


163. A compound according to claim 162, wherein
 R_1 is $-CH_2N(CH_3)CH_3$.

164. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R_s is methylamino, ethylamino, C_3 alkylamino, di(C_3 -alkyl)amino, or a group of the formula




where R_q is C_1 - C_2 alkoxy(C_1 - C_2)alkyl;

R_1 is C_2 - C_3 alkyl;

5 R_2 and R_3 are both hydrogen; and

R_f and R_g are independently halogen.

165. A compound of the formula



10 or a pharmaceutically acceptable salt thereof, wherein

Z is CH when the dashed line represents a single bond or a carbon atom or nitrogen atom when the dashed line represents a double bond;

R_1 is C_2 - C_3 alkyl;

15 R_2 and R_3 are both hydrogen;

R_f and R_g are independently halogen;

R_p is hydrogen, cyano, C_1 - C_3 alkyl, amino, N-(C_1 - C_3

alkylsulfonyl)-N-((C_1 - C_3)alkyl)amino, 2-oxazolyl, or 1-pyrrolyl optionally substituted in the 2 and 5 positions

20 with C_1 - C_2 alkyl; and

R_j is C_1 - C_5 alkyl.

166. A compound according to claim 165, wherein R_j is methyl; and Z_1 is hydrogen.

25


167. A compound according to claim 165, where Z is CH and R_p is N-(C_1 - C_2 alkylsulfonyl)-N-((C_1 - C_2)alkyl)amino; and R_j is C_3 - C_4 alkyl.

168. A compound according to claims 165, wherein R_p is 2-oxazolyl and Z is CH.

5 169. A compound according to claims 165, wherein R_p is cyano; Z is CH; and R_j is C_3 - C_4 (butyl) alkyl.

170. A compound according to claim 167, wherein
 R_p is $-N(CH_3)SO_2(C_1$ - C_2 alkyl); and
 10 R_1 is ethyl.

171. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein
 15 both of X and X' are CH, or one of X and X' is nitrogen and the other is CH;

R_1 is C_2 - C_3 alkynyl, $C_{1,2}$ - C_3 alkyl, amino, mono(C_1 - C_3)alkylamino, or di(C_1 - C_3) alkylamino, aminoalkyl, mono(C_1 - C_3)alkylamino(C_1 - C_2)alkyl, di(C_1 - C_3)alkylamino(C_1 - C_2)alkyl,
 20 CF_3 , C_1 - C_2 alkoxy, halogen, $-NHSO_2(C_1$ - C_2 alkyl);

R_2 and R_3 are both hydrogen; or

R_2 and R_3 together form a 3-membered ring with the carbon atom to which they are attached;

R_4 and R_9 are both hydrogen or independently halogen;

25 R_5 and R_6 are independently C_1 - C_4 alkyl; or

one of R_5 and R_6 is methyl or ethyl and the other is C_3 or C_4 alkyl.

172. A compound according to claim 171, wherein R_1 is C_2-C_3 alkyl.

173. A compound according to claim 171, wherein R_1 is
5 di(C_1-C_3)alkylamino and both of R_f and R_g are chloro or fluoro.

174. A compound according to claim 171, wherein R_1 is
di(C_1-C_3)alkylamino(C_1-C_2)alkyl, and both of R_f and R_g are chloro
or fluoro.

10

175. A compound according to claim 171, wherein X is
nitrogen; R_f and R_g are both fluoro; R_1 is C_1-C_3 alkyl; and R_2
and R_3 together form a 3-membered ring with the carbon atom to
which they are attached.

15

176. A compound according to claim 172, wherein both X and
X' are CH; and R_f and R_g are both chloro or fluoro.

177. A compound according to claim 176, wherein one of R_5
20 and R_6 is methyl or ethyl and the other is C_3 or C_4 alkyl.

178. A compound according to claim 176, wherein R_5 and R_6
are independently $C_{2,3}-C_4$ alkyl.

25 179. A compound according to claim 178, wherein R_5 is C_2-C_4
alkyl and R_6 is ethyl.

180. A compound according to claim 176, wherein one of R_5
and R_6 is methyl and the other is C_3 or C_4 alkyl.

30

181. A compound according to claim 176, wherein R_5 and R_6
are independently propyl or butyl.

182. A compound according to claim 171, wherein R_1 is C_2 alkynyl.

183. A compound according to claim 182, wherein
5 X is nitrogen and X' is CH; and
 R_2 and R_3 together form a 3-membered ring with the carbon atom
to which they are attached.

184. A compound according to claim 182, wherein both X and
10 X' are CH; and R_f and R_g are both chloro or fluoro.

185. A compound according to claim 176, wherein R_5 and R_6
are independently propyl or butyl.

186. A compound according to any of claims 176-185,
15 wherein R_2 and R_3 together form a 3-membered ring with the
carbon atom to which they are attached.


187. A compound according to claim 171, wherein
20 R_1 is CF_3 , or $-NHSO_2CH_3$;
 R_2 and R_3 are both H;
 R_5 and R_6 are independently C_3 or C_4 alkyl.

188. A compound according to claim 172, wherein
25 X is CH and X' is nitrogen.

189. A compound according to claim 188, wherein
 R_2 , R_3 , and the carbon to which they are attached form a
cyclopropyl ring.

190. A compound according to claim 186, wherein
30 R_1 is bromo or chloro.

191. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R₁ is C₂-C₃ alkyl;

R₂ and R₃ are both hydrogen;


5 R_f and R_g are independently halogen;

R_s is C₃-C₄ alkyl, thiazolynyl or thiazolidynyl.

192. A compound according to claim 191, wherein R_s is 2-thiazolidynyl or 2-thiazolynyl.

10

193. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R₁ is C₂-C₃ alkyl, CF₃, or -NH(C₃-C₆ cycloalkyl);

15 R₂ and R₃ are both hydrogen; or

R₂ and R₃ together with the carbon atom to which they are attached form a 3-membered ring;

R_p is pyridyl, piperazinyl, amino, amino(C₁-C₅)alkyl, mono(C₁-C₂)alkylamino(C₁-C₅)alkyl, di(C₁-C₂)alkylamino(C₁-C₅)alkyl, mono(C₁-C₃)alkylamino, di(C₁-C₃)alkylamino, amino(C₃-C₄)alkynyl, mono(C₁-C₂)alkylamino(C₃-C₄)alkynyl, di(C₁-C₂)alkylamino(C₃-C₅)alkynyl, -N(C₁-C₂ alkyl)-SO₂(C₁-C₂ alkyl), -NH-SO₂(C₁-C₂ alkyl), -N(C₁-C₂ alkyl)-SO₂-thienyl, -N(C₁-C₂ alkyl)-SO₂(C₁-C₂ haloalkyl), di(C₁-C₂)alkylamino(C₃-C₄)alkynyl, pyrimidinyl, pyrazolyl, imidazolyl, or C₂-C₄ alkynyl;

20

25

R_f and R_g are independently halogen;
R₅ and R₆ are independently C₃-C₄ alkyl.

194. A compound according to claim 193, wherein R_p is 4-
5 pyridyl, 2-pyrimidinyl, 4-pyrazolyl, or 4-imidazolyl.

195. A compound according to claim 193, wherein R_p is
diethylamino or dimethylamino.

10 196. A compound according to claim 193, wherein R_p is
amino or C₁-C₆ alkylamino.

197. A compound according to claim 193 where R_p is 1-
piperazinyl.

15

198. A compound according to claim 193 where R_p is
amino(C₂-C₄)alkyl where the amino is optionally mono
substituted with C₁-C₂ alkyl; or where R_p is -N(CH₃)-SO₂CH₃, -NH-
SO₂CH₃, -N(CH₃)-SO₂-thien-2-yl, or -N(CH₃)-SO₂CF₃.

20

199. A compound according to claim 193 where R_p is 3-
(mono(C₁-C₂)alkylamino)propyn-1-yl, 3-(di(C₁-
C₂)alkylamino)propyn-1-yl, or 4-(di(C₁-C₂)alkylamino)propyn-1-
yl.

25

200. A compound according to any of claims 194 to 199,
wherein R₅ and R₆ are both C₃ alkyl.

201. A compound according to any of claims 194 to 199,
30 wherein R₂ and R₃ are hydrogen.

202. A compound according to any of claims 194 to 199,
wherein R₂ and R₃ together form a 3-membered ring with the
carbon atom to which they are attached.

203. A compound according to claim 193 where R_p is di(C_1 - C_2)alkylamino(C_3 - C_5)alkyl; and R_5 and R_6 are both C_3 alkyl.

5


204. A compound according to claim 193 where R_p is C_2 - C_3 alkynyl, C_1 - C_2 alkyl, or $-NH$ (cyclopropyl); and R_2 and R_3 are both H.

10

205. A compound according to claim 193 where R_p is C_2 - C_3 alkynyl, C_1 - C_2 alkyl, or $-NH$ (cyclopropyl); and R_2 and R_3 together form a 3-membered ring with the carbon atom to which they are attached.

15

206. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein R_1 is C_2 - C_3 alkynyl;

R_2 and R_3 are both hydrogen;

20 R_p is C_1 - C_3 alkyl;

R_f and R_g are independently halogen;


R_5 and R_6 are independently C_3 - C_4 alkyl; or

one of R_5 and R_6 is methyl and the other is C_3 or C_4 alkyl.

25

207. A compound according to claim 206, wherein R_p is methyl.

208. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R_1 is C_1 - C_2 alkyl, C_2 - C_4 alkynyl or C_3 - C_4 alkyl;

R_2 and R_3 are both hydrogen; or


- 5 R_2 and R_3 together form a 3-membered ring with the carbon atom to which they are attached;

R_f and R_g are independently halogen;

R_p is C_1 - C_3 alkyl or a group of the formula:

R_sSO_2 - where R_s is

- 10 $R_{51}R_{61}N$ - and R_{51} and R_{61} independently represent hydrogen or C_1 - C_4 alkyl groups; or a group of the formula:




where R_t is C_1 - C_2 alkoxy(C_1 - C_2)alkyl; and

R_q is C_1 - C_3 alkoxy(C_1 - C_2)alkyl, C_1 - C_4 alkyl, $-C(O)NH_2$, or H.

15

209. A compound according to claim 1240, wherein R_1 is C_2 alkynyl; R_2 and R_3 together form a 3-membered ring with the carbon atom to which they are attached; and R_p is R_sSO_2 - where



R_s is

20

210. A compound according to claim 208, wherein R_1 is C_1 - C_2 alkyl; R_2 and R_3 are hydrogen; and R_p is R_sSO_2 - where R_s is C_3 - C_4 t-butyl amino.

25

211. A compound according to claim 208, wherein R_1 is C_1 - C_2 alkyl; R_2 and R_3 are hydrogen; R_p is C_1 - C_2 alkyl; and R_q is C_2 - C_4 alkyl.

212. A compound according to claim 208, wherein R_1 is C_1 - C_2 alkyl; R_2 and R_3 are hydrogen; R_p is C_1 - C_2 alkyl; and R_q is propoxy(C_1 - C_2)alkyl.

5


213. A compound according to claim 208, wherein R_1 is C_1 - C_2 alkyl; R_2 and R_3 are hydrogen; R_p is C_1 - C_2 alkyl; and R_q is methoxy(C_1 - C_2)alkyl.

10 214. A compound according to claim 208, wherein R_1 is C_1 - C_2 alkyl; R_2 and R_3 together form a 3-membered ring with the carbon atom to which they are attached; R_p is C_1 - C_2 alkyl; and R_q is C_1 - C_2 alkyl.

15 215. A compound according to claim 208, wherein R_1 is C_1 - C_2 alkyl; R_2 and R_3 are hydrogen; R_p is C_1 - C_2 alkyl; and R_q is C_1 - C_2 alkyl.

20 216. A compound according to claim 208, wherein R_q is (R)-methoxymethyl, methyl, propyl, (S)-propyl, (R)-propyl, butyl, (R)-butyl, (S)-butyl, (R)-2-methoxymethyl, (R)-2-methoxyethyl,

217. A compound of the formula



25

or a pharmaceutically acceptable salt thereof, wherein Z is oxygen, nitrogen, or sulfur;

R_1 is chloro, bromo, hydrogen or C_1 - C_2 alkyl;

R_f and R_g are independently halogen; and


R₅ and R₆ are independently C₃-C₄ alkyl; or
one of R₅ and R₆ is methyl and the other is C₃ or C₄ alkyl.

218. A compound according to claim 217, wherein R₁ is
5 bromo, and Z is oxygen.

219. A compound according to claim 217, wherein
Z is nitrogen; and
R₁ is C₁-C₃ alkyl.
10

220. A compound according to claim 217, wherein
Z is sulfur; and
R₁ is C₁-C₃ alkyl.


15 221. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein
R₁ is C₁-C₂-C₃ alkyl;
R₂ and R₃ are both hydrogen; or
20 R_p is C₁-C₂ alkyl;
R_f and R_g are both hydrogen or independently halogen; and
R₅ and R₆ are independently C₃-C₄ alkyl.

222. A compound according to claim 221, wherein R₁ is
25 ethyl.

223. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein
one of X and X' is nitrogen and the other is CH or CR₁;

R₁ is C₁-C₂-C₃ alkyl

5 R₂ and R₃ are both hydrogen;


R_p is C₁-C₂ alkyl;

R_f and R_g are independently halogen; and


R₅ and R₆ are independently C₃-C₄ alkyl.

10 224. A compound according to claim 223, wherein X is CH
and X' is nitrogen.

225. A compound of the formula



15 or a pharmaceutically acceptable salt thereof, wherein
R₁ is a group of the formula:



one of R_{s11} and R'_{s11} is hydrogen and the other is C₁-
C₃ acyl, C₁-C₂ alkyl or CHO; or

20 one of R_{s11} and R'_{s11} is methyl and the other is CHO or
methyl,

each R_{s21} is C_1 - C_3 alkoxy, halogen, H, C_1 - C_2 alkyl or cyano; or

R_1 is cyclopentyl, cyclohexyl, oxazolyl, isoxazolyl optionally substituted with one or two C_1 - C_2 alkyl groups, phenyl, thien-2-yl optionally substituted with CHO, unsubstituted thien-3-yl;

R_2 and R_3 are both hydrogen;

R_p is C_1 - C_2 alkyl;

R_f and R_g are independently halogen; and

R_5 and R_6 are independently C_3 - C_4 alkyl.

226. A compound according to claim 226, wherein R_1 is 6-(C_1 - C_2)alkoxy pyridin-2-yl.

227. A compound according to claim 225, wherein R_1 is 2-formylthien-3-yl.

228. A compound according to claim 225, wherein R_1 is 5-formylthien-3-yl.

229. A compound according to claim 225, wherein R_{s21} is cyano.


230. A compound according to claim 225, wherein R_1 is 5-cyanopyrid-3-yl.

231. A compound according to claim 225, wherein R_1 is 6-halopyrid-3-yl.


232. A compound according to any one of claims 226 to 1285, wherein the halogen is fluoro or chloro.

233. A compound according to claim 225, wherein, R_1 is a substituted or unsubstituted thienyl group.

234. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein



R₁ is C₁-C₃ alkyl or halogen;


R₂ and R₃ are both hydrogen;

R₅ is C₁-C₃ alkylsulfonyl, C₁-C₃ alkylsulfonyl(C₁-C₃)alkyl,
-NHSO₂(C₁-C₂ alkyl), or -N(C₁-C₂ alkyl)SO₂(C₁-C₂ alkyl); and


10 R_f and R_g are independently halogen.

235. A compound according to claim 234, wherein

R₁ is ethyl; and



236. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R₁ is C₂-C₃ alkyl;

20 R₂ and R₃ are both hydrogen;


R₅ and R₆ independently represent (a) C₁-C₃ alkyl optionally
substituted with phenyl and (b) phenyl optionally
substituted with halogen; and

R_f and R_g are independently halogen.

237. A compound according to claim 236, wherein R_5 is methyl optionally substituted with phenyl and R_6 is phenyl.

5 238. A compound according to claim 236, wherein R_5 is C_1 - C_2 alkyl and R_6 is 4-halophenyl.


239. A compound of the formula



10 or a pharmaceutically acceptable salt thereof, wherein
 X is nitrogen or N^+-O^- ;
 R_1 is C_2 - C_4 alkynyl or C_1 - C_3 alkyl;
 R_2 and R_3 are both hydrogen; or
 R_2 and R_3 together form a 3-membered ring with the carbon atom
 15 to which they are attached;
 R_f and R_g are independently halogen;
 R_p is hydrogen or C_1 - C_2 alkyl; and
 R_5 and R_6 are independently C_3 - C_4 alkyl.

20 240. A compound according to claim 239, wherein X is
 nitrogen; R_p is C_1 - C_2 alkyl; and R_1 is ethyl.

241. A compound of the formula



25 or a pharmaceutically acceptable salt thereof, wherein

R_1 is hydrogen or C_1 - C_3 alkyl;


R_2 and R_3 are both hydrogen;

R_p is C_1 - C_2 alkyl;

R_f and R_g are independently halogen; and

5 R_5 and R_6 are independently C_3 - C_4 alkyl.

242. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

10 R_s is $NR_{s31}R_{s41}$ where

R_{s31} is C_1 - C_2 alkyl; and

R_{s41} is C_1 - C_6 alkyl, allyl, cyano(C_1 - C_3)alkyl, (C_4 -
 C_7)cycloalkyl, pyridyl(C_1 - C_3)alkyl, phenyl, phenyl(C_1 -
 C_3)alkyl, amino(C_1 - C_3)alkyl, mono(C_1 - C_3)alkylamino(C_1 -
 15 C_2)alkyl, or di(C_1 - C_3)alkylamino(C_1 - C_2)alkyl; or

R_s is CH_3 , $-N(C_1$ - C_2 alkyl)phenyl, or $-N(C_2$ - C_3 alkyl)(C_3 - C_4
 alkyl);

R_1 is C_2 - C_3 alkyl;

R_2 and R_3 are both hydrogen; and

20 R_f and R_g are independently halogen.

243. A compound according to claim 242, wherein R_s is (2-cyanoethyl)(methyl)amino.


25 244. A compound according to claim 242, wherein R_s is (cyclohexyl)(methyl)amino.

245. A compound according to claim 242, wherein R_{s41} is C_1 -
 C_6 alkyl, allyl, cyano(C_1 - C_3)alkyl, (C_4 - C_7)cycloalkyl,
 30 pyridyl(C_1 - C_3)alkyl, phenyl, or phenyl(C_1 - C_3)alkyl.

246. A compound according to claim 242, wherein R_{S41} is phenyl or cyclohexyl.

5 247. A compound according to claim 242, wherein R_s is $-N(CH_3)$ phenyl, or $-N(ethyl)(C_3-C_4 \text{ alkyl})$

248. A compound of the formula



10 or a pharmaceutically acceptable salt thereof, wherein

R_1 is C_2-C_3 alkynyl or C_1-C_3 alkyl;


R_f and R_g are independently halogen;

R_5 and R_6 are independently C_1-C_4 alkyl.

15 249. A compound according to claim 248, wherein R_5 and R_6 are C_3 alkyl.

250. A compound according to claim 248, wherein R_5 is methyl and R_6 is C_3 alkyl.

251. A compound of the formula



20


or a pharmaceutically acceptable salt thereof, wherein

R_s is C_1-C_4 alkyl;

R_m is C_1-C_4 alkyl;

R_1 is C_2 - C_3 alkyl;
 R_2 and R_3 are both hydrogen; and
 R_f and R_g are independently halogen.

5 252. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

R_m is C_1 - C_4 alkyl;

R_1 is C_2 - C_3 alkyl;


10 R_2 and R_3 are both hydrogen; and

R_f and R_g are independently halogen;

Z is S, S(O), S(O)₂, or O.

15 253. A compound according to claim 252, where
 Z is S or S(O).

254. A compound of the formula



20 or a pharmaceutically acceptable salt thereof, wherein
one of X and X' is CH and the other is N;

R_1 is C_2 - C_4 alkynyl; amino(C_1 - C_3)alkyl, mono(C_1 - C_3)alkylamino(C_1 - C_2)alkyl, or di(C_1 - C_3)alkylamino(C_1 - C_2)alkyl;

R_2 and R_3 are both hydrogen; or

R_2 and R_3 together form a 3-membered ring with the carbon atom to which they are attached;

R_f and R_g are independently halogen;

R_5 and R_6 are independently C_1 - C_3 - C_4 alkyl.

5

255. A compound according to claim 254, wherein R_2 and R_3 together form a 3-membered ring with the carbon atom to which they are attached; X is N; and X' is CH.

10

256. A compound according to claim 254, wherein R_2 and R_3 are hydrogen; X' is N; and X is CH.

257. A compound according to claim 255, wherein R_1 is C_2 alkynyl.


15

258. A compound according to claim 256 or 257, wherein R_1 is di(C_1 - C_3)alkylamino(C_1 - C_3)alkyl.

259. A compound according to claim 256 or 257, wherein R_1 is dimethylamino(C_1 - C_2)alkyl.

20

260. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

25 R_1 is C_2 - C_3 alkyl;

R_2 and R_3 are both hydrogen;

R_f and R_g are independently halogen;

R_p is hydrogen, cyano, C_1 - C_3 alkyl, amino, N-(C_1 - C_3 alkylsulfonyl)-N-((C_1 - C_3)alkyl)amino, 2-oxazolyl, or 1-

pyrrolyl optionally substituted in the 2 and 5 positions
with C₁-C₂ alkyl;

R_a is C₁-C₃ alkyl, H or trifluoromethyl; and


R_j is C₁-C₅ alkyl.

5

261. A compound according to claim 260, wherein R_j is
methyl or ethyl and R_p is hydrogen, methyl, or ethyl.

262. A compound according to claim 260, wherein R_j is
10 methyl or butyl; and R_p is hydrogen.

263. A compound of the formula



or a pharmaceutically acceptable salt thereof, wherein

15 X is nitrogen or N⁺-O⁻;

R₁ is C₂-C₄ alkynyl, cyano, C₁-C₃ alkyl, or CF₃;

R₂ and R₃ are both hydrogen; or

R₂ and R₃ together form a 3-membered ring with the carbon atom
to which they are attached;

20 R_f and R_g are independently halogen;

R_p is hydrogen, cyano or C₁-C₂ alkyl; and

R₅ and R₆ are independently C₁-C₄ alkyl.

25 264. A compound according to claim 263, wherein X is N.

265. A compound according to claim 264, wherein R_p is
cyano.

266. A compound according to claim 265, wherein R_5 is methyl and R_6 is C_2 - C_4 alkyl.

267. A compound according to claim 266, wherein R_6 is
5 propyl.


268. A compound according to claim 264, wherein
 R_1 is C_2 - C_3 alkyl;
 R_p is methyl; and
10 R_5 and R_6 are independently C_3 - C_4 alkyl.

269. A compound according to claim 268, wherein
 R_2 and R_3 are both hydrogen.

15 270. A compound according to claim 264, wherein
 R_1 is C_2 - C_3 alkynyl, or C_2 alkyl; and
 R_p is methyl.

271. A compound according to claims 264, wherein
20 R_1 is CF_3 .

272. A compound of the formula



25 or a pharmaceutically acceptable salt thereof, wherein
 R_1 is hydrogen or methyl;
 R_2 and R_3 are both hydrogen; or
 R_2 and R_3 together with the carbon atom to which they are
attached form a 3-membered ring;

R_p is C_2 - C_3 alkynyl or C_1 - C_3 alkyl;
 R_f and R_g are independently halogen;
 R_5 and R_6 are independently C_3 - C_4 alkyl, or
 R_5 is methyl and R_6 is C_3 - C_4 alkyl.

5

273. A compound according to claim 272, wherein R_1 is hydrogen and R_2 and R_3 are both hydrogen.

274. A compound according to claim 272, wherein R_1 is hydrogen and R_2 and R_3 together with the carbon atom to which they are attached form a 3-membered ring.


275. A compound according to either claim 273 or 274, wherein R_f and R_g are both chloro or fluoro.

15

276. A compound according to either claim 273 or 274, wherein R_f and R_g are both fluoro and are in the 3 and 5 positions with respect to the point of attachment of the phenyl group.

20

277. A compound of the formula:



wherein


R_1 is C_2 - C_3 alkyl;
 R_2 and R_3 are both methyl or
 R_2 , R_3 , and the carbon to which they are attached form a cyclopropyl ring;
 R_f and R_g are independently halogen;
 R_5 and R_6 are independently C_3 - C_4 alkyl; and

R_s is $-NH(C_1-C_4 \text{ hydroxyalkyl})$.

278. A compound according to claim 277, wherein the hydroxyalkyl group is 2-hydroxy-1,1-dimethylethyl.

5

279. A compound of the formula:



wherein

R_1 is C_2-C_3 alkynyl;

10 R_2 and R_3 are both hydrogen; or


R_f and R_g are independently halogen;

R_5 and R_6 are independently C_3-C_4 alkyl; and

R_s is $-NH(C_2-C_4 \text{ hydroxyalkyl})$.

15 280. A compound according to claim 279, wherein the hydroxyalkyl group is 2-hydroxy-1,1-dimethylethyl; or 2-hydroxyethyl.

281. A compound of the formula:



20

wherein,

R_c is C_4-C_5 alkyl; cyclopropyl; tetrahydronaphthyl; $-CH(C_2 \text{ alkyl}-S-(C_1-C_2) \text{ alkyl})C(O)NH(C_4 \text{ alkyl})$; $-CH(C_2 \text{ alkyl}-SO_2-(C_1-C_2) \text{ alkyl})C(O)NH(C_4 \text{ alkyl})$; pyrimidyl optionally

substituted with C₃-C₄ alkyl; thiochroman 1,1-dioxide;
 -CH₂-thiazolyl optionally substituted with C₃-C₄ alkyl;
 R_f and R_g are independently halogen;
 R_p is -NHSO₂CF₃, -SO₂NH(C₃-C₄ hydroxyalkyl), -NHSO₂CH₃; oxazol-2-
 5 yl, and
 R₅ and R₆ are independently C₃-C₄ alkyl.


282. A compound according to claim 281, wherein
 R_c is isobutyl; or 1,2,3,4-tetrahydronaphthylen-1-yl,
 10 -CH(CH₂CH₂-S-CH₃)C(O)NH(isobutyl), 2-tert butylpyrimidin-4yl.

283. A compound according to claim 281, wherein
 R_p is -SO₂NH(2-hydroxy-1,1-dimethylethyl).

15 284. A compound according to claim 282 or 283, wherein R₅
 and R₆ are both C₃ alkyl.

285. A compound according to claim 281, wherein
 R_p is oxazol-2-yl; and
 20 R_c is -CH₂-(2-isobutylthiazol-5-yl).

286. A compound of the formula:




wherein

25 R₁ is C₂-C₃ alkyl, or halogen;
 R₂ and R₃ are both hydrogen;
 R_f and R_g are independently halogen; and
 R_m is -NH-SO₂CF₃, oxazol-2-yl, -N(CH₃)SO₂CH₃, -N(C₃-C₄
 hydroxyalkyl)SO₂(C₁-C₂ alkyl), and R_p is H; or
 30 R_m is H and R_p is -NH-SO₂CF₃, -CH₂SO₂(C₁-C₂ alkyl); or

R_m is $-C(O)\text{pyrrolidinyl}$ and R_p is OH.

287. A compound of the formula:



5 wherein

R_1 is C_2 - C_5 alkyl, C_3 - C_6 cyanoalkyl, C_3 - C_6 alkenyl, $-\text{NHSO}_2(C_1$ - C_2 alkyl), C_4 - C_5 haloalkyl, $-\text{C}_3$ alkyl- CO_2 -(C_1 - C_2 alkyl), CN, $-\text{N}(C_1$ - C_2 alkyl) SO_2 -(C_1 - C_2 alkyl), $-\text{SO}_2$ -(C_1 - C_2 alkyl), $-\text{NH}$ -(C_3 - C_6 cycloalkyl), $-\text{OC}(O)\text{N}(C_1$ - C_2 alkyl) (C_1 - C_2 alkyl),

10 R_2 and R_3 are both hydrogen;

R_f and R_g are independently halogen;

R_p is C_1 - C_2 alkyl;

R_5 and R_6 are independently C_3 - C_5 alkyl, C_1 - C_2 alkoxy C_1 - $C_{2,3}$ alkyl, or

15 R_5 is H and R_6 is $C_{4,5}$ - C_6 alkyl or (C_1 - C_2 alkoxy)-(C_2 - C_3 alkyl);

R_5 is ethyl and R_6 is C_2 - C_3 hydroxyalkyl or $-(C_1$ - C_2 alkyl)- $\text{N}(C_1$ - C_2 alkyl) (C_1 - C_2 alkyl); or

R_5 is CH_3 and R_6 is C_4 - C_5 alkyl, cyclohexyl, $-(C_1$ - C_2 alkyl)-phenyl, $-(C_1$ - C_2 alkyl)-pyridyl, or $-\text{CH}_2$ -furyl; or

20 R_5 is methyl or ethyl and R_6 is (C_1 - C_2 alkoxy)-(C_2 - C_3 alkyl), or

R_5 , R_6 , and the nitrogen to which they are attached form a piperidinyl ring optionally substituted with C_3 - C_4 alkyl or OH, azepanyl, pyrrolidine-2-carboxylic acid amide, 3-hydroxypiperidin-1-yl.

25

288. A compound according to claim 287, wherein

R_1 is C_2 - C_3 alkyl.

289. A compound according to claim 288, wherein


R₅ and R₆ are simultaneously ethoxyethyl or
R₅ is propyl and R₆ is butyl.

290. A compound according to claim 288, wherein
5 R₅, R₆, and the nitrogen to which they are attached form a 2-propyl piperidin-1-yl ring.

291. A compound according to claim 287, wherein
R₁ is cyclopentyl, cyclohexyl, propenyl, allyl, or -(C₃-C₆
10 alkyl)-CN, C₂-C₅ alkyl, 4-chlorobutyl, 3-pyridyl, methyl
2-methylpropanoate, hex-5-enyl, CN, -N(CH₃)SO₂CH₃,
-SO₂CH₂CH₃, 3-methylpyrid-2-yl, oxazol-2-yl, 3,5-
dimethylisoxazol-4-yl, 3-methylthien-2-yl, 2-pyridyl, 4-
carbaldehydefuran-5-yl, and 2-carbaldehydethien-5-yl, 2-
15 carbaldehyde-3-methylthien-5-yl, 2-methoxypyridin-4-yl,
-NH-cyclopropyl, -NHSO₂CH₃; and
R_p is methyl.

292. A compound according to claim 291, wherein
20 R₅ and R₆ are both C₃ alkyl.

293. A compound of the formula:



wherein

25 R₁ is C₂-C₃ alkyl, halogen, -NH(cyclopropyl),
R_f and R_g are independently halogen;
R_p is C₁-C₂ alkyl, oxazolyl, thiazolyl, or C₂-C₃ alkynyl;
R₂, R₃, and the carbon to which they are attached form a
cyclopropyl ring; or

R₂ and R₃ are both methyl;
R₅ and R₆ are independently C₃-C₄ alkyl; or
R₅ is methyl and R₆ is C₃-C₅ alkyl.


5 294. A compound according to claim 293, wherein
R₂ and R₃ are both methyl; and
R₅ and R₆ are independently C₃-C₄ alkyl.

 295. A compound according to claim 294, wherein
10 R_p is oxazol-2-yl or thiazol-2-yl.

 296. A compound according to claim 294, wherein
R_p is C₂-C₃ alkynyl; and
R₅ and R₆ are independently C₃-C₄ alkyl.

15

 297. A compound of the formula:



wherein

R_c is isoxazolyl optionally substituted with C₃-C₅ alkyl,
20 thiazolyl optionally substituted with C₃-C₄ alkyl, or -C₁-
C₃ alkyl-C(O)NH(C₁-C₃ alkyl);

R_f and R_g are independently halogen;

R_p is C₁-C₂ alkyl, oxazolyl, thiazolyl, or C₂-C₄ alkynyl;

R₅ and R₆ are independently C₃-C₄ alkyl.

25

 298. A compound according to claim 297, wherein
R_p is oxazol-2-yl or thiazol-2-yl;

 299. A compound according to claim 298, wherein

R_c is 3-isobutylisoxazol-5-yl or N-isobutyl-2-methylpropion-2-yl amide; and

R_f and R_g are independently Cl or F.

5 300. A compound according to claim 298, wherein

R_c is 2-isobutylthiazol-2-yl; and

R_f and R_g are independently Cl or F.


301. A compound according to claim 297, wherein

10 R_c is 3-isobutylisoxazol-5-yl or N-isobutyl-2-methylpropion-2-yl amide;

R_f and R_g are independently Cl or F; and

R_p is C₂-C₃ alkynyl.

15 302. A compound of the formula:



wherein

Hal is a halogen;

R₁ is C₁-C₂ alkyl, or halogen;

20 R₂ and R₃ are both hydrogen;

R_f and R_g are independently halogen;

R₂ is C₁-C₂ alkyl;

R₅ and R₆ are independently C₃-C₄ alkyl.

25 303. A compound according to claim 302, wherein


Hal is bromo or chloro.

304. A compound according to claim 303, wherein

R₁ is methyl, ethyl, bromo or iodo.

30

305. A compound of the formula:



n is 0 or 1;

R₁ is C₁-C₂ alkyl;

5 R₂ and R₃ are both hydrogen;


R_f and R_g are independently halogen;

R_s is (C₁-C₂)alkoxy(C₁-C₂)alkyl.

306. A compound according to claim 305, wherein

10 R₂ is methoxymethyl.

307. A compound of the formula:



wherein

15 R₁ is C₁-C₂ alkyl;

R₂ and R₃ are both hydrogen;

R_f and R_g are independently halogen;

R_p is isoxazole optionally substituted with C₁-C₂ alkyl;

R₅ and R₆ are independently C₃-C₄ alkyl.

20

308. A compound according to claim 307, wherein R_p is 3-methylisoxazol-4-yl, 5-oxazolyl, 3-oxazolyl, 3-methyloxazol-2-yl, 3-ethyloxazol-2-yl.

309. A compound which is

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(1-isobutylcarbamoyl-3-methylsulfanyl-propylamino)-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N⁴-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)cyclopropyl]amino)-2-hydroxypropyl}-6-methyl-N²,N²-dipropylpyridine-2,4-dicarboxamide;

N¹-butyl-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N¹-methyl-5-(1,3-thiazol-2-yl)isophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³-methyl-N³-propyl-5-(1,3-thiazol-2-yl)isophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³-methyl-5-(1,3-oxazol-2-yl)-N³-propylisophthalamide;

N¹-butyl-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N¹-methyl-5-(1,3-oxazol-2-yl)isophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³-ethyl-5-(1,3-oxazol-2-yl)-N³-propylisophthalamide;

N-[1-(3,5-Difluoro-benzyl)-3-(1-ethylcarbamoyl-ethylamino)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-N'-dimethylcarbamoylmethyl-5,N'-dimethyl-isophthalamide;

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(1-methylcarbamoyl-3-methylsulfanyl-propylamino)-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-[3-(1-Benzylcarbamoyl-ethylamino)-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-{[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methyl}-3-trifluoromethyl-benzamide;

N-{[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methyl}-4-trifluoromethyl-benzamide;

3,4-Dichloro-N-{[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methyl}-benzamide;

N-[3-(1-Carbamoyl-3-methyl-butylamino)-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-{[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methyl}-4-methoxy-benzamide;

N-{[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methyl}-2,6-difluoro-benzamide;

N-[3-(1-Carbamoyl-ethylamino)-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

N-([1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbonyl]-methyl)-2,6-dimethoxy-benzamide;

2-([1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbonyl]-methylsulfanyl)-N-(4-oxazol-5-yl-phenyl)-acetamide;

2-([1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbonyl]-methylsulfanyl)-N-(5-methyl-isoxazol-3-yl)-acetamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-methanesulfonyl-benzenesulfonamide;

2-Cyano-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzenesulfonamide;

2-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-trifluoromethoxy-benzenesulfonamide;

2-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-6-methyl-benzenesulfonamide;

5-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-methoxy-benzenesulfonamide;

2-Chloro-4-cyano-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzenesulfonamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-trifluoromethyl-benzenesulfonamide;

4-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylsulfamoyl]-benzoic acid;

6-Chloro-pyridine-3-sulfonic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2,5-bis-(2,2,2-trifluoro-ethoxy)-benzenesulfonamide;

Pyridine-3-sulfonic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-(2-Chloro-4-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylsulfamoyl]-phenyl)-acetamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-trifluoromethoxy-benzenesulfonamide;

N-(5-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylsulfamoyl]-thiophen-2-ylmethyl)-benzamide;

5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-(5-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylsulfamoyl]-4-methyl-thiazol-2-yl)-acetamide;

4-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzenesulfonamide;

3-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzenesulfonamide;

N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-2-trifluoromethyl-benzenesulfonamide;

6-Chloro-pyridine-3-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;
Pyridine-3-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;
N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-2-methanesulfonyl-benzenesulfonamide;
3,5-Dichloro-N-[1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-benzenesulfonamide;
1,2-Dimethyl-1H-imidazole-4-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;
N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-3,4-dimethoxy-benzenesulfonamide;
2-(2,2,2-Trifluoro-acetyl)-1,2,3,4-tetrahydro-isoquinoline-7-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;
5-Chloro-3-methyl-benzo[b]thiophene-2-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;
3-{4-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylsulfamoyl]-phenyl}-propionic acid methyl ester;
3-Chloro-N-[1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-benzenesulfonamide;
3-Cyano-N-[1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-benzenesulfonamide;
Butane-1-sulfonic acid [1-(3,5-difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propyl]-amide;
N-{1-(3,5-Difluoro-benzyl)-2-hydroxy-3-[(1-methanesulfonyl-piperidin-4-ylmethyl)-amino]-propyl}-5-methyl-N',N'-dipropyl-isophthalamide;
N-[3-Benzenesulfonylamino-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;
N-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzoylamino)-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;
4-(3,5-Difluoro-phenyl)-3-(2,5-dimethyl-4-nitro-2H-pyrazol-3-ylamino)-1-(3-methoxy-benzylamino)-butan-2-ol;
3-(2-Amino-7H-purin-6-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;
3-(4-Chloro-pyrimidin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;
3-(2-Amino-6-methyl-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;
3-(2-Chloro-6-methyl-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;
3-(2-Amino-6-chloro-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;
4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(1-phenyl-1H-tetrazol-5-ylamino)-butan-2-ol;

3-(2-Chloro-7H-purin-6-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-[9-(tetrahydro-pyran-2-yl)-9H-purin-6-ylamino]-butan-2-ol;

3-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylamino]-pyrazine-2-carbonitrile;

4-(3,5-Difluoro-phenyl)-3-(4,6-dimethoxy-[1,3,5]triazin-2-ylamino)-1-(3-methoxy-benzylamino)-butan-2-ol;

2-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylamino]-nicotinonitrile;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(7H-purin-6-ylamino)-butan-2-ol;

3-(Benzothiazol-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(2-phenyl-quinolin-4-ylamino)-butan-2-ol;

6-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylamino]-nicotinonitrile;

2-[1-(3,5-Difluoro-benzyl)-2-hydroxy-3-(3-methoxy-benzylamino)-propylamino]-nicotinic acid ethyl ester;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(3-methyl-5-nitro-3H-imidazol-4-ylamino)-butan-2-ol;

3-(Benzooxazol-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(quinolin-4-ylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-3-(5-ethyl-pyrimidin-2-ylamino)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(4-trifluoromethyl-pyrimidin-2-ylamino)-butan-2-ol;

3-(6-Chloro-2-methylsulfanyl-5-phenyl-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

3-(3-Chloro-quinoxalin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(8-trifluoromethyl-quinolin-4-ylamino)-butan-2-ol;

3-(6-Chloro-2,5-diphenyl-pyrimidin-4-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

3-(3-Chloro-pyrazin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(5-trifluoromethyl-pyridin-2-ylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(quinolin-2-ylamino)-butan-2-ol;

3-(6-Chloro-pyrazin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(3-nitro-pyridin-2-ylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(pyrimidin-2-ylamino)-butan-2-ol;

4-(3,5-Difluoro-phenyl)-1-(3-methoxy-benzylamino)-3-(2-phenyl-quinazolin-4-ylamino)-butan-2-ol;

N-[3-(N'-Acetyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-3-hydroxy-4-(pyrrolidine-1-carbonyl)-benzamide;

3-(4,6-Diamino-[1,3,5]triazin-2-ylamino)-4-(3,5-difluoro-phenyl)-1-(3-methoxy-benzylamino)-butan-2-ol;

5-Acetylamino-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-hydroxy-benzamide;

2-(2,5-Dimethyl-pyrrol-1-yl)-thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-{1-(3,5-Difluoro-benzyl)-2-hydroxy-3-[3-(3-hydroxymethyl-piperidine-1-carbonyl)-phenylamino]-propyl}-5-methyl-N',N'-dipropyl-isophthalamide;

4-Phenyl-[1,2,3]thiadiazole-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[3-(3-Cyclohexyl-1-phenyl-propylamino)-1-(3,5-difluoro-benzyl)-2-hydroxy-propyl]-5-methyl-N',N'-dipropyl-isophthalamide;

2-Methanesulfonylamino-oxazole-4-carboxylic acid {1-benzyl-3-[N-ethyl-N'-(3-ethyl-benzoyl)-hydrazino]-2-hydroxy-propyl}-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(2,6-dimethyl-phenoxy)-propionamide;

2-Methanesulfonylamino-oxazole-4-carboxylic acid {1-benzyl-3-[N-ethyl-N'-(4-methyl-pentanoyl)-hydrazino]-2-hydroxy-propyl}-amide;

4-Acetylamino-1-methyl-1H-pyrrole-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Ethyl-5-thiophen-2-yl-2H-pyrazole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methanesulfonylamino-oxazole-4-carboxylic acid [3-(N'-acetyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-amide;

2-Methanesulfonylamino-oxazole-4-carboxylic acid [3-(N'-benzoyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-amide;

6-Methyl-4-oxo-1-phenyl-1,4-dihydro-pyridazine-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methanesulfonylamino-thiazole-4-carboxylic acid {1-benzyl-3-[N-ethyl-N'-(3-ethyl-benzoyl)-hydrazino]-2-hydroxy-propyl}-amide;

4-Methyl-2-phenyl-oxazole-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methanesulfonylamino-thiazole-4-carboxylic acid [3-(N'-acetyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-pyridin-3-yl-benzamide;

2-p-Tolyl-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-{1-Benzyl-3-[N-ethyl-N'-(3-ethyl-benzoyl)-hydrazino]-2-hydroxy-propyl}-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamide;

2-Phenoxymethyl-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-{1-Benzyl-3-[N-ethyl-N'-(4-methyl-pentanoyl)-hydrazino]-2-hydroxy-propyl}-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamide;

[1,2,5]Thiadiazole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[3-(N'-Acetyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamide;

2-m-Tolyl-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[3-(N'-Benzoyl-N-ethyl-hydrazino)-1-benzyl-2-hydroxy-propyl]-2-[4-(2-oxo-pyrrolidin-1-yl)-phenyl]-acetamide;

2-(2-Chloro-phenyl)-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-{1-Benzyl-3-[N-ethyl-N'-(3-ethyl-benzoyl)-hydrazino]-2-hydroxy-propyl}-3-hydroxy-4-(pyrrolidine-1-carbonyl)-benzamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-phenyl-2-tetrazol-1-yl-propionamide;

N-{1-Benzyl-3-[N-ethyl-N'-(4-methyl-pentanoyl)-hydrazino]-2-hydroxy-propyl}-3-hydroxy-4-(pyrrolidine-1-carbonyl)-benzamide;

4-Chloro-7,7-dimethyl-7,8-dihydro-5H-pyrano[4,3-b]pyridine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Propyl-tetrahydro-pyran-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

5-p-Tolyl-3,4-dihydro-2H-pyrazole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Acetylamino-5-chloro-thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-(4-Methoxy-phenyl)-thiophene-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-N'-(2-fluoro-5-methanesulfonyl-phenyl)-succinamide;

1-(4-Fluoro-phenyl)-5-methyl-1H-[1,2,4]triazole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-(2-Acetyl-thiophen-3-yl)-N'-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-succinamide;

6-Chloro-4-trifluoromethyl-pyridine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(5,7-dimethyl-[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)-acetamide;

N-(1-Cyclopropyl-ethyl)-N'-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-N-phenyl-succinamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(3,4-dimethoxy-phenylsulfanyl)-acetamide;

1-Methyl-5-oxo-2-pyridin-3-yl-pyrrolidine-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-Methoxy-thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2,5-Dimethyl-1-pyridin-4-ylmethyl-1H-pyrrole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methyl-5-thiophen-2-yl-furan-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-(4-Benzyl-[1,4]diazepan-1-yl)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-oxo-butamide;

2-(Benzo[1,2,5]thiadiazol-4-yloxy)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-acetamide;

3-Chloro-5-phenyl-isothiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-5-phenylethynyl-nicotinamide;

4,7-Dimethoxy-benzofuran-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-morpholin-4-ylmethyl-benzamide;

2,2-Dimethyl-4-oxo-chroman-6-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

[1,6]Naphthyridine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

8-Cyano-4-hydroxy-quinoline-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Pyridin-3-yl-thiazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

5-Chloro-benzofuran-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-Dibenzofuran-2-yl-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-oxo-butyramide;

N-{[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methyl}-nicotinamide;

4-tert-Butyl-N-{[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methyl}-benzamide;

4-Chloro-N-{[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propylcarbamoyl]-methyl}-benzamide;

4-Chloro-6-methyl-quinoline-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(2,4-dihydroxy-thiazol-5-yl)-acetamide;

2-Methyl-pyrimidine-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-piperidin-1-yl-benzamide;

4-Acetylamino-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-methoxy-benzamide;

4-Methyl-oxazole-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

1H-Indole-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

6-Chloro-1H-indole-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-(4-Chloro-2-oxo-benzothiazol-3-yl)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-acetamide;

Thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-Methyl-oxazole-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(1-oxy-pyridin-3-yl)-acetamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-hydroxy-2-phenyl-2-thiophen-2-yl-acetamide;

6-Hydroxy-2-methylsulfanyl-pyrimidine-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2,5-Dimethyl-furan-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-nicotinamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-(3-methoxy-phenyl)-4-oxo-butyramide;

4-Acetyl-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-benzamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-hydroxy-3,5-dimethoxy-benzamide;

Furan-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(1,3-dimethyl-2,6-dioxo-1,2,3,6-tetrahydro-purin-7-yl)-acetamide;

4-Acetylamino-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2,6-dimethyl-benzamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-thiophen-2-yl-acetamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-oxo-4-phenyl-butyramide;

1H-Indole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-(1,3-dioxo-1,3-dihydro-isoindol-2-yl)-propionamide;

3-Benzo[1,3]dioxol-5-yl-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-propionamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-morpholin-4-yl-4-oxo-butyramide;

[2,3']Bithiophenyl-5-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

5-Methoxy-thiophene-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-Phenyl-thiophene-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

2-(5-Benzo[1,3]dioxol-5-yl-tetrazol-2-yl)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-acetamide;

2-(Benzothiazol-2-ylmethoxy)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-acetamide;

Pyrrolidine-1,2-dicarboxylic acid 1-([1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide) 2-phenylamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-(6-ethoxy-1H-benzoimidazol-2-yl)-propionamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(3-methyl-2-oxo-2,3-dihydro-benzoimidazol-1-yl)-acetamide;

2-Oxo-2,3-dihydro-benzooxazole-6-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

Thieno[3,2-c]pyridine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

1-Methyl-1H-indole-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

Benzo[b]thiophene-3-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

4-Oxy-3-propyl-pyrazine-2-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

1,1,3-Trioxo-2,3-dihydro-1H-116-benzo[d]isothiazole-6-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(7-hydroxy-5-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-2-ylsulfanyl)-acetamide;

2-Hydroxy-6-methyl-quinoline-4-carboxylic acid [1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-amide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(2-methyl-2,3-dihydro-benzofuran-5-yl)-propionamide;

3-(Benzooxazol-2-ylsulfanyl)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-propionamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-2-(5-o-tolyl-tetrazol-2-yl)-acetamide;

2-Chloro-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-4-tetrazol-1-yl-benzamide;

N-(4-tert-Butyl-thiazol-2-yl)-N'-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-succinamide;

N-(5-Cyclopropyl-[1,3,4]thiadiazol-2-yl)-N'-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-succinamide;

2-(3-Chloro-phenoxy)-N-[1-(3,5-difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-propionamide;

N-[1-(3,5-Difluoro-benzyl)-3-(3-ethyl-benzylamino)-2-hydroxy-propyl]-3-(pyridin-4-ylmethylsulfanyl)-benzamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2-hydroxyethyl)amino]sulfonyl}-N³,N³-dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((2-isobutyl-1,3-thiazol-5-yl)methylamino)propyl)-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((3-isopropylbenzyl)amino)propyl)-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((3-isopropylbenzyl)amino)propyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-5-((2-hydroxy-1,1-dimethylethyl)amino)sulfonyl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-5-(4-methyl-1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((2-isobutyl-1,3-thiazol-5-yl)methylamino)propyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-5-((3-hydroxypropyl)amino)sulfonyl)- N^3,N^3 -dipropylisophthalamide;

methyl [3-(((2R,3S)-4-(3,5-difluorophenyl)-3-((3-((dipropylamino)carbonyl)-5-methylbenzoyl)amino)-2-hydroxybutyl)amino)methyl)phenyl]methylcarbamate;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((4R)-2,2-dioxido-3,4-dihydro-1H-2,1-benzothiazin-4-yl)amino)-2-hydroxypropyl)-5-methyl- N,N -dipropylisophthalamide

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((4S)-2,2-dioxido-3,4-dihydro-1H-2,1-benzothiazin-4-yl)amino)-2-hydroxypropyl)-5-methyl- N,N -dipropylisophthalamide

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-3,3-dimethyl- N^2,N^2 -dipropylcyclopropane-1,2-dicarboxamide

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)- N^2 -(2,2-dimethylpropanoyl)-3-((1-propylbutyl)sulfonyl)-D-alaninamide

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)- N^3,N^3 -dipropyl-5-pyrimidin-2-ylisophthalamide

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((3-propylbenzyl)amino)propyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethynylbenzyl)amino)-2-hydroxypropyl)-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((3-isobutylisoxazol-5-yl)methylamino)propyl)-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-5-((dimethylamino)sulfonyl)- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[3-(5-formylthien-2-yl)benzyl]amino]-2-hydroxypropyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

5-bromo- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-([(1R)-2-hydroxy-1-methylethyl]amino)sulfonyl)- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isobutylbenzyl)amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[3-(trifluoromethyl)benzyl]amino]propyl}-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}-5-methylbenzamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-([(1S)-2-hydroxy-1-methylethyl]amino)sulfonyl)- N^3,N^3 -dipropylisophthalamide;

N^1 -butyl- N^3 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl- N^1 -propylisophthalamide;

N^1,N^1 -dibutyl- N^3 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[3-(3-hydroxyprop-1-ynyl)benzyl]amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]sulfonyl)- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[[3-(cyclopropylamino)benzyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-thien-3-ylbenzyl)amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[3-(trifluoromethyl)benzyl]amino]propyl}-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(piperazin-1-ylsulfonyl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(3-iodophenyl)cyclopropyl]amino)propyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(3-sec-butylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(3-methylisoxazol-4-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino)propyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)cyclopropyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^4 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-methyl- N^2,N^2 -dipropylpyridine-2,4-dicarboxamide;

N^1 -(cyclopropylmethyl)- N^3 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl- N^1 -propylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

5-(aminosulfonyl)- N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((3-[(1Z)-prop-1-enyl]benzyl)amino)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)- N^3,N^3 -dipropyl-5-(1H-pyrazol-4-yl)isophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)-1-methylethyl]amino)-2-hydroxypropyl)-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(3-allylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)cyclopropyl]amino)-2-hydroxypropyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)-1-methylethyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3 -ethyl-5-methyl- N^3 -propylisophthalamide;

N^1 -[(1S,2R)-3-{[3-(cyclopropylamino)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-5-ethynyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino}propyl)-5-methyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-{[3-(5-formyl-4-methylthien-2-yl)benzyl]amino}-2-hydroxypropyl)-5-methyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(methanesulfonyl)amino]benzyl]amino}propyl]-5-methyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopentylbenzyl)amino]propyl)-5-methyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(1,1'-biphenyl-3-ylmethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-5-methyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[(2-(methylamino)ethyl)amino]sulfonyl)- N^3 , N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino}propyl)-5-ethynyl- N^3 , N^3 -dipropylisophthalamide;

N^1 , N^1 -diallyl- N^3 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[1-(2-isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino}propyl)-5-methyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)-1-methylethyl]amino}-2-hydroxypropyl)-5-methyl- N^3 , N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[(2-hydroxyethyl)amino]sulfonyl)- N^3 -propylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)- N^3 ,5-dimethyl- N^3 -propylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)- N^2 -(phenylsulfonyl)-3-[(1-propylbutyl)sulfonyl]alaninamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-diethyl-5-(1,3-oxazol-2-yl)isophthalamide;

N²-[(benzylamino)carbonyl]-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]alaninamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pyridin-3-ylbenzyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[3-(3-formyl-2-furyl)benzyl]amino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1-methyl-1H-imidazol-2-yl)-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-diethyl-5-methylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[3-(ethylsulfinyl)benzyl]amino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

3-[[butyl(ethyl)amino]sulfonyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}propanamide;

N¹-[(1S,2R)-3-[(3-cyanobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]propanamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³-isobutyl-N³,5-dimethylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pyridin-2-ylbenzyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methyl(methylsulfonyl)amino)benzyl]amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N²-(3-phenylpropanoyl)-3-[(1-propylbutyl)sulfonyl]alaninamide trifluoroacetate;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[3-(ethylsulfonyl)benzyl]amino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N²-[(5-chlorothien-2-yl)sulfonyl]-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]alaninamide;

N^1 -[(1S,2R)-3-[[3-(5-acetylthien-2-yl)benzyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -(sec-butyl)- N^3 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methylisophthalamide;

N -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(1,3-oxazol-2-yl)benzamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^3 ,5-dimethyl- N^3 -(2-phenylethyl)isophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[[3-(3,5-dimethylisoxazol-4-yl)benzyl]amino]-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^3 ,5-dimethyl- N^3 -prop-2-ynylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^3 -ethyl- N^3 ,5-dimethylisophthalamide;

3-([[(2R,3S)-4-(3,5-difluorophenyl)-3-([3-[(dipropylamino)carbonyl]-5-methylbenzoyl]amino)-2-hydroxybutyl]amino)methyl)phenyl dimethylcarbamate;

N^1 -benzyl- N^3 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^1 ,5-dimethylisophthalamide;

N^1 -(sec-butyl)- N^3 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl- N^1 -propylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[3-(4-methylthien-2-yl)benzyl]amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

methyl 3-([[(2R,3S)-4-(3,5-difluorophenyl)-3-([3-[(dipropylamino)carbonyl]-5-methylbenzoyl]amino)-2-hydroxybutyl]amino)methyl)phenyl (methyl) carbamate;

N^1 -[(1S,2R)-2-hydroxy-1-(2,3,5-trifluorobenzyl)-3-[[3-(trifluoromethyl)benzyl]amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^3,N^3 -diisobutyl-5-methylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^3 ,5-dimethyl- N^3 -(2-pyridin-2-ylethyl)isophthalamide;

N^1 -[(1S,2R)-1-(3-fluoro-5-hydroxybenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]- N^3,N^3 -dipropylbenzene-1,3,5-tricarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-4-hydroxy-3-(pyrrolidin-1-ylcarbonyl)benzamide;

5-oxo-D-prolyl-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(1-propylbutyl)sulfonyl]alaninamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[[trifluoromethyl)sulfonyl]amino]benzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pyridin-4-ylbenzyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-[(dimethylamino)sulfonyl]benzyl)amino]-2-hydroxypropyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²-(phenylacetyl)-3-[(1-propylbutyl)sulfonyl]alaninamide;

methyl 3-(((2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutyl)amino)methyl)phenylcarbamate;

5-oxo-L-prolyl-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(1-propylbutyl)sulfonyl]alaninamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-isobutyl-5-methylisophthalamide;

4-(((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)-4-oxo-3-[(1-propylbutyl)sulfonyl)methyl]butanoic acid trifluoroacetate;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(methyl(methylsulfonyl)amino)benzamide];

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-ethyl-N³-isopropyl-5-methylisophthalamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(thien-2-ylmethyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2-hydroxyethyl)(propyl)amino]sulfonyl]propanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-isopropyl-N³,5-dimethylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(methylsulfonyl)amino]-1,3-thiazole-4-carboxamide;

N¹-allyl-N¹-cyclopentyl-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisophthalamide;

N-(3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)-3-oxo-2-[(1-propylbutyl)sulfonylmethyl]propylbenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(isopentylsulfonyl)propanamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(5-methylthien-2-yl)benzyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-methylhexyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(1-(aminocarbonyl)cyclohexyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2E)-hex-2-enylamino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-hydroxyisoxazole-5-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-[(1E)-hex-1-enyl]benzyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N³-isopropyl-5-methylisophthalamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(thien-2-ylmethyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

2-[3-(2-amino-2-oxoethoxy)phenyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]acetamide;

N¹-[(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-ethylhexyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(6-methoxypyridin-3-yl)benzyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(2,4-dimethoxypyrimidin-5-yl)benzyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-ethylbutanoyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(4-hydroxypiperidin-1-yl)carbonyl]-5-methylbenzamide;

N¹-((1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

4'-[4-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)amino]-4-oxobutanoyl]-1,1'-biphenyl-2-carboxamide;

1-(3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)carbonyl]-5-methylbenzoyl)-L-prolinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(3-hydroxypiperidin-1-yl)carbonyl]-5-methylbenzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-hydroxy-1-phenylpropyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-[2-(dimethylamino)ethyl]-N³-ethyl-5-methylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-methyl-4H,6H-pyrrolo[1,2-a][4,1]benzoxazepine-4-carboxamide;

2-(5-acetylthien-2-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-diisopropyl-5-methylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(methylsulfonyl)amino]benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-2-[4-(2-oxopyrrolidin-1-yl)phenyl]acetamide;

N-((1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(1-methyl-1H-imidazol-4-yl)sulfonyl]amino)benzamide tri;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(pentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-chloro-5-fluorobenzyl)-2-

hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-cyclohexyl-N³-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N¹-ethyl-5-methylisophthalamide;

2-[(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutyl)amino]ethyl 2,4-difluorophenylcarbamate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl]-5-methylbenzamide;

N¹-[(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,8-dimethylquinoline-3-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-hydroxyhexyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2R)-2-hydroxypropyl]amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(1-propylbutyl)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl]benzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4-phenylbutyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]-7-(1H-imidazol-1-yl)-5,6-dihydronaphthalene-2-carboxamide;

3-(acetylamino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methylbenzamide;

N¹-[(1S,2R)-3-[(2-(aminosulfonyl)ethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-(ethylthio)ethyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[benzyl(cyanomethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-hydroxypropyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(3-butoxypropyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[[2-(2-hydroxyethyl)piperidin-1-yl]carbonyl]-5-methylbenzamide;

methyl N-((2R,3S)-4-(3,5-difluorophenyl)-3-((3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino)-2-hydroxybutyl)-beta-alaninate;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(1-hydroxy-2-propylpentyl)benzamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-chloro-5-fluorobenzyl)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(methylsulfonyl)amino]butanamide;

N¹-[(1S,2R)-3-[[3-(1-benzothien-2-yl)benzyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

3-(benzyloxy)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isoxazole-5-carboxamide;

2-[[[(benzyloxy)carbonyl]amino]-7-[(cyclopropylmethyl)amino]-1,2,4,5,7-pentadeoxy-5-(3,5-difluorobenzyl)-1-[(1-propylbutyl)sulfonyl]-D-threo-hept-3-ulose trifluoroacetate;

1-{3-[[[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)carbonyl]-5-methylbenzoyl}-D-prolinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1H-pyrazol-1-yl)pentanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(2-furylmethyl)-5-oxopyrrolidine-3-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(5-hydroxypentyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

3-[[[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-methyl-1-phenylethyl)amino]propyl]amino)sulfonyl]-N,N-dipropylbenzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N³,N³-dipropylpiperidine-1,3-dicarboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N³,N³-diethylpiperidine-1,3-dicarboxamide;

5-bromo-N¹-((1S,2R)-2-hydroxy-1-(pentafluorobenzyl)-3-[[3-(trifluoromethyl)benzyl]amino]propyl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(methylsulfonyl)amino]benzamide;

N-[(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(dipropylamino)sulfonyl]propanamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(thien-2-ylmethyl)propyl]propanamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethoxypropyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(thien-2-ylmethyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-(phenylsulfonyl)butanamide;

N¹-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3,3-dimethylbutyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-bromobenzyl)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1,3-diphenylpropyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-(hydroxymethyl)propyl]amino]propyl]-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3S)-2-oxoazepan-3-yl]amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-cyclohexyl-N⁵-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]pentanediamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(3-methylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N³-[(2-propylpentyl)sulfonyl]-beta-alaninamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(1,3-thiazol-2-yl)benzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methyl(phenyl)amino)propyl]amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-oxo-1-(thien-2-ylmethyl)pyrrolidine-3-carboxamide;

4-[(butylthio)methyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl-2-furamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2-hydroxyethyl)amino]sulfonylbenzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methylcyclohexyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2-oxo-1,3-oxazolidin-3-yl)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1H-pyrrol-1-yl)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3,4,5-tetrahydrothiopyrano[4,3-b]indole-8-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N⁴-[2-(trifluoromethyl)phenyl]succinamide;

N¹-[(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,5-dimethyl-2-(1H-pyrrol-1-yl)thiophene-3-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2,3-dihydroxypropyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2S)-2-hydroxypropyl]amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R)-1-methylpropyl]amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

2-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(methylsulfonyl)benzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-hydroxyethyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-1-(3-methoxybenzyl)-3-[(3-methoxybenzyl)amino]propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-{methyl[(trifluoromethyl)sulfonyl]amino}benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-hydroxy-6-(1-hydroxy-2,2-dimethylpropyl)pyridine-2-carboxamide;

N¹-[(1S,2R)-3-[(1,3-dicyclohexylpropyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,2'-bithiophene-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1H-imidazol-1-yl)butanamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,3-dihydroxy-N⁴-(4-methoxyphenyl)succinamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-hydroxybenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[3-(trifluoromethyl)benzyl]propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(thien-2-ylmethyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-3-[[2-(aminocarbonyl)-1H-indol-6-yl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-bromobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1-oxo-1,3-dihydro-2H-isoindol-2-yl)butanamide;

3-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(methylsulfonyl)thiophene-2-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-ethylpropyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(5R)-3-ethyl-2-oxo-1,3-oxazolidin-5-ylmethyl]amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl-7-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-2-carboxamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N²-[(methylthio)acetyl]-3-[(1-propylbutyl)sulfonyl]alaninamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2,3-dimethylcyclohexyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,5-dimethoxy-1-benzothiophene-2-carboxamide;

N¹-[(1S,2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-([(5S)-3-ethyl-2-oxo-1,3-oxazolidin-5-yl]methyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3,5-dioxo-1,2,4-triazolidin-4-yl)benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-hydroxy-3-[(3-methoxyphenyl)sulfonyl]propanamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-methylcyclohexyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(2-{4-[(3-chlorobenzyl)oxy]phenyl}ethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-oxo-4-thien-3-ylbutanamide;

N¹-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-oxo-4-[3-(trifluoromethyl)phenyl]butanamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethoxy)benzyl]propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-(hydroxymethyl)-3-(methylthio)propyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

2-(1H-1,2,3-benzotriazol-1-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]hexanamide;

N¹-[(1S,2R)-1-(3-fluoro-4-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(4,4-dimethyl-2,5-dioxoimidazolidin-1-yl)-2-[(1-propylbutyl)sulfonyl]methyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(trifluoromethyl)sulfonyl]amino]butanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(5-methyl-1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)acetamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-(hydroxymethyl)propyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3,5-dichlorobenzyl)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(2-hydroxyethyl)(propyl)amino]sulfonylpropanamide;

5-(benzylthio)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)nicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-pyrazole-5-carboxamide;

6-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-2-oxo-2,3-dihydro-1,3-benzoxazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-benzimidazole-2-carboxamide;

N¹-((1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-hydroxy-4,7-dimethoxy-1-benzofuran-5-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4-methylcyclohexyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-[1,2,4]triazolo[4,3-a]pyridine-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-4-oxo-4-thien-2-ylbutanamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3,5-dichlorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2-hydroxy-5-methylphenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-phenoxybenzamide;

4-[(aminocarbonyl)amino]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-(hydroxymethyl)-3-(methylthio)propyl]amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-7-hydroxy-4-oxochromane-2-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-(hydroxymethyl)-3-methylbutyl]amino}propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R)-1-(hydroxymethyl)propyl]amino}propyl)-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-methyl-3-phenylpropyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2,3-dihydro-1-benzofuran-5-yl)-1,3-thiazole-4-carboxamide;

N¹-((1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(4-chlorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(dipropylamino)sulfonyl]propanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-pentylmalonamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(trifluoromethoxy)benzamide;

3-[(dipropylamino)sulfonyl]-N-((1S,2R)-1-(3-fluoro-4-methylbenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)propanamide;

N-((1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl)-3-[(dipropylamino)sulfonyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(4,4-dimethyl-2,5-dioxoimidazolidin-1-yl)-2-[(1-propylbutyl)sulfonyl]methyl}propanamide;

N¹-[4-(acetylamino)phenyl]-N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

3-(1-cyanoethyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴-(5-phenyl-1,3,4-thiadiazol-2-yl)succinamide;

N¹-((1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethoxy)benzyl]propyl)-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[2-(2-oxo-2-pyrrolidin-1-ylethoxy)phenyl]amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(4-chlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1,1-dioxidotetrahydrothien-2-yl)acetamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(4-chlorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-hex-1-ynylnicotinamide;

N-[(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methoxyisoxazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,3-dimethyl-1H-indole-7-carboxamide;

4-(3-chlorophenyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1-methyl-1H-indol-3-yl)-2-oxoacetamide;

N¹-[(1S,2R)-1-(3-fluoro-4-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]propanamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methylbenzyl)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[5-(4-methylphenyl)-2H-tetraazol-2-yl]acetamide;

N-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(thien-2-ylmethyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl-3-phenylisoxazole-4-carboxamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(4-fluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N²-[(methylsulfonyl)acetyl]-N²-pentylglycinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1H-indol-3-yl)-4-oxobutanamide;

N¹-(5-benzyl-1,3,4-thiadiazol-2-yl)-N⁴-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(3-fluoro-4-methoxyphenyl)-4-oxobutanamide;

ethyl 4-{[(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-{(dipropylamino)carbonyl}-5-methylbenzoyl)amino]-2-hydroxybutyl]amino}piperidine-1-carboxylate;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(2-fluorobenzoyl)-1H-pyrrole-2-carboxamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(4-chlorobenzyl)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-{(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethyl)benzyl]propyl}-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-2-hydroxy-1-(4-hydroxybenzyl)-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(4-morpholin-4-ylphenyl)acetamide;

3-[(dipropylamino)sulfonyl]-N-{(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[3-(trifluoromethoxy)benzyl]propyl}propanamide;

N¹-benzyl-N¹-(1-cyclopropylethyl)-N⁴-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-(2,5-dimethylbenzoyl)-5-methylbenzamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N⁴-(2-methoxy-5-methylphenyl)succinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(3-hydroxyphenyl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[hydroxy(2-methylphenyl)methyl]-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(ethylthio)nicotinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[4-(2-furoyl)piperazin-1-yl]-4-oxobutanamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methylbenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-oxoisindoline-1-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(ethylthio)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thieno[2,3-b]quinoline-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(4-methyl-1,3-oxazol-2-yl)benzamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(4-fluorobenzyl)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-{2-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonyl]phenyl}-N-methyl-2-furamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-4-(3-methoxyphenyl)-4-oxobutanamide;

N¹-[(1S,2R)-3-(cycloheptylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

1 3-[(dipropylamino)sulfonyl]-N-((1S,2R)-1-(3-fluoro-5-hydroxybenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)propanamide;

3-[(dipropylamino)sulfonyl]-N-((1S,2R)-1-(3-fluoro-5-hydroxybenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-hydroxy-1H-indole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,2-dimethylchromane-8-carboxamide;

6-benzyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)pyrazine-2-carboxamide 4-oxide;

2-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino}carbonyl]amino}-N,N-dipropylethanesulfonamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R)-1-(hydroxymethyl)-2-methylpropyl]amino}propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-3-(benzylamino)-1-(3-chloro-5-fluorobenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(4-methoxyphenyl)-4-oxobutanamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-hydroxybenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-4-oxo-3,4-dihydrophthalazine-1-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,4-dihydro-2H-1,5-benzodioxepine-7-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[4-(2,5-dioxopyrrolidin-1-yl)phenoxy]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-4-oxo-3,4-dihydrothieno[2,3-d]pyrimidine-6-carboxamide;

N¹-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N⁵,N⁵-dipropylpentanediamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-fluoro-2-hydroxyquinoline-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxo-4-thien-2-ylbutanamide;

N³-[({(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)amino}carbonyl]-N¹,N¹-dipropyl-beta-alaninamide;

N¹-[(1R,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[(phenylthio)methyl]propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R,2S)-1-(hydroxymethyl)-2-methylbutyl]amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(phenoxymethyl)benzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N⁵-(2,4-difluorophenyl)pentanediamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N⁵-(4,6-dimethylpyrimidin-2-yl)pentanediamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-(3-methoxybenzoyl)-5-methylbenzamide;

N¹-[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

4-(3,4-dichlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxobutanamide;

methyl 4-((2R,3R)-2-((3-((dipropylamino)carbonyl)-5-methylbenzoyl)amino)-3-hydroxy-4-[(3-methoxybenzyl)amino]butyl)benzoate;

N¹-(4-acetylphenyl)-N⁵-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}pentanediamide;

N¹-{(1R,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[(phenylthio)methyl]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

2-[(3-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)-3-oxopropyl]thio}-N-methylbenzamide;

N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(1-propylbutyl)thio]propanamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N⁴-(4-ethoxyphenyl)succinamide;

N¹-[(1S,2R)-1-[(3-(benzyloxy)-5-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

2-[(2R,3S)-4-(3,5-difluorophenyl)-3-((3-((dipropylamino)carbonyl)-5-methylbenzoyl)amino)-2-hydroxybutyl]amino}ethyl 3-methoxyphenylcarbamate;

3-(benzyloxy)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((1S)-2-hydroxy-1-methylethyl)amino)propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-2-hydroxy-1-(pentafluorobenzyl)-3-[(3-(trifluoromethyl)benzyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(4-hydroxyphenyl)-4-oxobutanamide;

3-[(dipropylamino)sulfonyl]-N-((1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[(3-(trifluoromethyl)benzyl)propyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(piperidin-3-ylsulfonyl)benzamide;

6-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxyquinoline-2-carboxamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(thien-2-ylmethyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-((1S)-1-((1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl)-3-methylbutyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(6-oxo-3-phenylpyridazin-1(6H)-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-{4-[(methylsulfonyl)amino]phenyl}propanamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methylbenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

3-(2-chlorophenoxy)-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)propanamide;

N¹-[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

Structure possibly contains peptides which are not supported in current version!;

1 N-((1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(dipropylamino)sulfonyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(4-methylphenyl)-4-oxobutanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴-[3-(trifluoromethyl)phenyl]succinamide;

N¹-((1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(5-pyridin-2-yl-2H-tetraazol-2-yl)acetamide;

Structure possibly contains peptides which are not supported in current version!;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(3-methylbenzyl)propyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isoxazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(3,5-dimethoxyphenoxy)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2,5-dimethyl-1H-pyrrol-1-yl)-3-hydroxybenzamide;

N¹-((1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N⁵,N⁵-dipropylpentanediamide;

N¹-[5-(cyclopentylmethyl)-1,3,4-thiadiazol-2-yl]-N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

N¹-((1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethyl)benzyl]propyl)-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(3-oxo-1,2-benzisothiazol-2(3H)-yl)acetamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-methyl-5-(pyrrolidin-1-ylcarbonyl)-1H-pyrrol-3-yl]amino)propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,4-difluorophenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2-naphthyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4,6-diethoxypyridine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(5-methyl-1H-pyrrol-2-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-([2-(methylamino)ethyl]amino)sulfonylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-methyl-5-(4-methylbenzoyl)benzamide;

N¹-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-3-(benzylamino)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(piperazin-1-ylsulfonyl)benzamide;

N¹-[(1S,2R)-3-([2-[4-(aminosulfonyl)phenyl]ethyl]amino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([2-hydroxy-1-(hydroxymethyl)ethyl]amino)propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(3-oxo-2,1-benzisothiazol-1(3H)-yl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2,6-dihydroxypyrimidin-4-yl)acetamide;

N¹-((1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[3-(trifluoromethyl)benzyl]propyl)-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-hydroxybenzyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,4-difluorophenyl)-2-methyl-4-oxobutanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-

ethylbenzyl) amino]-2-hydroxypropyl}-N⁵-(2-pyridin-2-ylethyl)pentanediamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-2-[2-(4-fluorophenyl)-1,3-benzoxazol-5-yl]acetamide;

N²-(anilinocarbonyl)-N¹-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]glycinamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-2-(1,3-dithian-2-yl)-3-furamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-2-[2-oxo-2-(propylamino)ethyl]benzamide;

N-[(1S, 2R)-3-(benzylamino)-1-(3-bromobenzyl)-2-hydroxypropyl]-3-[(dipropylamino) sulfonyl]propanamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl) amino]propyl]-3-(2-fluorophenyl)propanamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-5-methylthiophene-2-carboxamide;

2-[4-(benzyloxy)phenyl]-N-[(1S, 2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl) amino]propyl]acetamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-2-[(5,7-dimethyl[1,2,4]triazolo[4,3-a]pyrimidin-3-yl)thio]acetamide;

N¹-(1-acetyl-2,3-dihydro-1H-indol-7-yl)-N⁴-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]succinamide;

N¹-(3-acetylphenyl)-N⁵-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]pentanediamide;

3-(4-chlorophenoxy)-N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-2-hydroxypropanamide;

N¹-[(1S, 2R)-3-(benzylamino)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S, 2R)-3-(benzylamino)-2-hydroxy-1-(3-methylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-1H-indole-7-carboxamide;

N¹-[(1S, 2R)-2-hydroxy-3-(isopentylamino)-1-(3-methylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-4-(1,2,3-thiadiazol-4-yl)benzamide;

N-[(1S, 2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-[(3-methoxybenzyl) amino]propyl]-3-[(dipropylamino) sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(4,4-dimethyl-2,5-dioxoimidazolidin-1-yl)-2-[(1-propylbutyl)sulfonylmethyl]propanamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-(benzylamino)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[1-methyl-3-(methylthio)-1H-indol-2-yl]acetamide;

N¹-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2-furyl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(3-pyridin-2-yl-1,2,4-oxadiazol-5-yl)propanamide;

2-[2-(acetylamino)-1,3-thiazol-4-yl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[4-methyl-4H-1,2,4-triazol-3-yl]thio]-2-phenylacetamide;

N¹-[(1S,2R)-1-(4-chlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

4-(1,3-benzothiazol-2-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]butanamide;

N¹-(3-chloro-4-fluorophenyl)-N⁴-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]succinamide;

N¹-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[2-oxo-2,3-dihydroquinazolin-4-yl]thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-methyl-5-(2-methylbenzoyl)benzamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-propoxybenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-1H-indole-2-carboxamide;

5-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(3-methyl-4H-1,2,4-triazol-4-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,4-difluorophenyl)-2-methoxy-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(3-thien-2-yl-1H-pyrazol-1-yl)acetamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁵-phenylpentanediamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-thioxo-1,3-benzothiazol-3(2H)-yl)acetamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-2-hydroxy-1-(4-methoxybenzyl)-3-[(3-methoxybenzyl)amino]propyl)-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(3-hydroxy-4-methylphenyl)acetamide;

N¹-[(1S,2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-7-fluoro-4H-imidazo[5,1-c][1,4]benzoxazine-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-benzofuran-3-carboxamide;

N¹-(3,4-dichlorophenyl)-N³-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)malonamide;

N¹-((1S,2R)-3-(benzylamino)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxypropyl)-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R)-2-hydroxy-1-methylethyl]amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methylbenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁵-pyridin-3-ylpentanediamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-4-oxo-4H-chromene-6-carboxamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([3-(1H-imidazol-1-yl)propyl]amino)propyl)-5-methyl-N³, N³-dipropylisophthalamide;

3-[(dipropylamino)sulfonyl]-N-((1S, 2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-([3-methoxybenzyl]amino)propyl)propanamide;

3-[(dipropylamino)sulfonyl]-N-[(1S, 2R)-2-hydroxy-1-(4-hydroxybenzyl)-3-(isopentylamino)propyl]propanamide;

N¹-[(1S, 2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³, N³-dipropylisophthalamide;

3-[(dipropylamino)sulfonyl]-N-[(1S, 2R)-2-hydroxy-3-(isopentylamino)-1-(thien-2-ylmethyl)propyl]propanamide;

N-((1S, 2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-4-[(2,2-dimethylpropanoyl)amino]-2-hydroxybenzamide;

N¹-[(1S, 2R)-2-hydroxy-3-(isopentylamino)-1-(3-methoxybenzyl)propyl]-5-methyl-N³, N³-dipropylisophthalamide;

N-((1S, 2R)-1-(4-fluorobenzyl)-2-hydroxy-3-([3-(trifluoromethyl)benzyl]amino)propyl)-3-([3-methoxybenzyl]amino)sulfonylbenzamide;

N¹-((1S, 2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethyl)benzyl]propyl)-5-methyl-N³, N³-dipropylisophthalamide;

N-[6-((1S, 2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)amino]-6-oxohexyl]-2-furamide;

N-((1S, 2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-2-[(1-phenyl-4,5-dihydro-1H-tetraazol-5-yl)thio]acetamide;

4-acetyl-4-amino-N-((1S, 2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)cyclohexa-1,5-diene-1-sulfonamide;

N-((1S, 2S)-1-benzyl-2-hydroxy-3-([3-(trifluoromethyl)benzyl]amino)propyl)-3-([3-methoxybenzyl]amino)sulfonylbenzamide;

N-((1S, 2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-4-(3,4-dihydro-2H-chromen-6-yl)-4-oxobutanamide;

N¹-[(1S, 2R)-2-hydroxy-3-(isopentylamino)-1-(3-methoxybenzyl)propyl]-N³, N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-((1S, 2R)-1-(3-fluoro-4-methylbenzyl)-2-hydroxy-3-([3-methoxybenzyl]amino)propyl)-N⁵, N⁵-dipropylpentanediamide;

N-((1S, 2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)indolizine-2-carboxamide;

N¹-((1S, 2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethoxy)benzyl]propyl)-5-methyl-N³, N³-dipropylisophthalamide;

N-((1S, 2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)nicotinamide 1-oxide;

N-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

2-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl]amino)-2-oxoethyl carbamate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,3-dihydro-1H-cyclopenta[b]quinoline-9-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-1H-pyrazole-5-carboxamide;

N-[5-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)-5-oxopentyl]benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methoxymethyl)thio]benzamide;

3-(1,3-benzothiazol-2-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methoxypropanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(methylamino)carbonyl]amino)-3-thien-3-ylpropanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-pyridin-2-ylthiophene-2-carboxamide;

N¹-[(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(5,6-dimethyl-2,4-dioxo-1,2,3,4-tetrahydropyridin-3-yl)acetamide;

N¹-[(1S,2R)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-isobutyl-1,3-dioxoisindoline-5-carboxamide;

3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)sulfonyl]benzoic acid;

5-(acetylamino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-furamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N²-(4-methoxyphenyl)acetyl]glycinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]isoquinoline-4-carboxamide;

N¹-[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(4-hydroxy-3-

methoxyphenyl) acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(4-phenyl-4H-1,2,4-triazol-3-yl)thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3,5-dimethoxyphenyl)acetamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methoxybenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2-ethyl-4H-[1,2,4]triazolo[1,5-a]benzimidazol-4-yl)acetamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(2-furylmethyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

7-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-benzofuran-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-oxo-2H-1,3-benzoxazin-3(4H)-yl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(pyrimidin-2-ylthio)acetamide;

N¹-[3-(aminocarbonyl)-4,5,6,7-tetrahydro-1-benzothien-2-yl]-N⁴-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(5-phenyl-1,3,4-oxadiazol-2-yl)thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]quinoline-6-carboxamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(2-furylmethyl)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2,3-dihydro-1,4-benzodioxin-6-yl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(1H-indol-3-yl)-1H-pyrazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-4-[(methyamino)carbonothioyl]amino)benzamide;

6-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]nicotinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3-hydroxyphenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(phthalazin-1-ylthio)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(1-oxidopyridin-2-yl)thio]acetamide;

3-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-fluoro-1H-indole-2-carboxamide;

N-((1S,2S)-1-benzyl-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)-3-[(3-chlorobenzyl)amino]sulfonylbenzamide;

N¹-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-3-(benzylamino)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

4-(3,4-dichlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-3-methyl-4-oxobutanamide;

3-[(dipropylamino)sulfonyl]-N-((1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethoxy)benzyl]propyl)propanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴-(5-methyl-1,3,4-thiadiazol-2-yl)succinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-ethyl-1H-benzimidazol-1-yl)acetamide;

N-((1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(dipropylamino)sulfonyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(2-oxo-1,3-benzoxazol-3(2H)-yl)propanamide;

N-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴-(6-methylpyridin-2-yl)succinamide;

ethyl (4R)-4-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)carbonyl]-1,3-oxazolidine-3-carboxylate;

N-((1R,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-glycylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(1-methyl-1H-imidazol-2-yl)benzamide;

4-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)butanamide trifluoroacetate;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-D-leucinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(pyrrolidin-3-ylsulfonyl)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(dipropylamino)methyl]benzamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R)-1-(hydroxymethyl)-3-methylbutyl]amino}propyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[tert-butyl(cyclohexyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-(hydroxymethyl)-2,2-dimethylpropyl]amino}propyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-([(2R)-1-ethylpyrrolidin-2-yl]methyl)amino]-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[3-(dimethylamino)-2,2-dimethylpropyl]amino]-2-hydroxypropyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[2-(diisopropylamino)ethyl]amino]-2-hydroxypropyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-ethylpyrrolidin-2-yl)methyl]amino]-2-hydroxypropyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(1-benzylpyrrolidin-3-yl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pyrrolidin-1-ylpropyl)amino]propyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[3-(dimethylamino)propyl]amino]-2-hydroxypropyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[[2-(acetylamino)ethyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[2-(6-oxo-1,4,5,6-tetrahydropyridazin-3-yl)phenyl]amino]propyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[7-chloro-1-(2-hydroxy-3-methoxyphenyl)-3,4-dihydroisoquinolin-2(1H)-yl]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[[4-(1-cyanocyclopentyl)phenyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N¹-[(1S,2R)-3-({4-[4-(acetylamino)phenoxy]phenyl}amino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(4-benzoyl-2,3-dimethylphenyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(2-amino-2-oxo-1-phenylethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{4-[(1-methyl-1H-imidazol-2-yl)methyl]piperazin-1-yl}propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-[3,5-bis(trifluoromethyl)benzyl]-2-hydroxy-3-{[3-(trifluoromethyl)benzyl]amino}propyl]-5-methyl-N³,N³-dipropylisophthalamide;

(1S,2R)-N¹-[2-(tert-butylthio)ethyl]-N²-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]cyclopropane-1,2-dicarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,5-dihydronaphtho[2,1-d]isoxazole-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-1H-benzo[g]indazole-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methyl-1,3-thiazole-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methoxy-1H-pyrrole-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-9-oxo-1,2,3,9-tetrahydrocyclopenta[b]chromene-7-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)acetamide;

2-[2-(1,3-benzoxazol-2-yl)phenoxy]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]acetamide;

5-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-morpholin-4-ylbenzamide;

3-(3-chloroisoxazol-5-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(6-methoxy-1,1'-biphenyl-3-yl)-4-oxobutanamide;

4-(1-benzofuran-2-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-oxo-1,2,3,4-tetrahydroquinoline-3-carboxamide;

2-(1-benzofuran-2-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methylpropanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-methoxy-1-benzofuran-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[4-(1H-pyrrol-1-yl)phenyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-imidazo[1,2-b]pyrazole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(4-methyl-1,3-thiazol-2-yl)thio]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methoxy-4-(methylthio)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-4-(propionylamino)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-[[4-methylphenyl)sulfonyl]amino]-4-oxohexanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-benzimidazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-2-(1-oxo-1,3-dihydro-2H-indol-2-yl)propanamide;

7-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methylquinoline-5-carboxamide;

N³-(tert-butoxycarbonyl)-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-b-alaninamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxy-3-propylhexanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenyl-2-(1H-pyrrol-1-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-5-phenyl-1H-pyrazole-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(3-oxo-2,3-dihydro-1H-isoindol-1-yl)acetamide;

4-[2-(acetylamino)-4,5-dimethylphenyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-oxobutanamide;

6-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}pyrazine-2-carboxamide 4-oxide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-methoxypyrazine-2-carboxamide 4-oxide;

2-(1H,1'H-2,2'-biimidazol-1-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

5-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,3-dihydro-1-benzofuran-7-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-([1,2,4]triazolo[4,3-b]pyridazin-6-ylthio)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-1-pyridin-4-yl-1H-1,2,3-triazole-4-carboxamide;

2-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-oxo-3,4-dihydroquinazoline-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(7-methoxy-1-benzofuran-2-yl)-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[(2-ethyl-1-oxo-2,3-dihydro-1H-isoindol-5-yl)oxy]propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}pyrazine-2-carboxamide 4-oxide;

7-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}quinoline-2-carboxamide;

2-cyano-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(3,4-dimethoxyphenyl)-2-methylpropanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxy-5-(propionylamino)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[2-oxo-5-(trifluoromethyl)pyridin-1(2H)-yl]propanamide;

5-(4-chlorophenyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-furamide;

4-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(1H-pyrrol-1-yl)thiophene-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,5-bis(methylthio)isothiazole-4-carboxamide;

2-chloro-4-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(methoxyacetyl)amino]-3-phenylpropanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-fluoro-4-morpholin-4-ylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(1-oxidothiomorpholin-4-yl)butanamide;

4-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-dimethyl-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

N-{2-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonylphenyl-5-methyl-2-furamide;

1-(cyanomethyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-pyrrole-2-carboxamide;

N¹-(2-chloropyridin-3-yl)-N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

3-(cyclopentyloxy)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-methoxybenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(5-pyrrolidin-1-yl-2H-tetraazol-2-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,5-dimethyl-1-phenyl-1H-pyrrole-3-carboxamide;

1-(4-acetylphenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)piperidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-2-(1H-1,2,4-triazol-1-yl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(piperidin-1-ylmethyl)-2-furamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-2,3-dihydro-1-benzothiophene-2-carboxamide 1,1-dioxide;

2-(2,1,3-benzoxadiazol-5-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-thiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4,5-dihydrofuro[2,3-g][2,1]benzisoxazole-8-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(4-methyl-1,2,3-thiadiazol-5-yl)thio]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(2-furoyl)-4-hydroxyprolinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-carboxamide;

4,5-dichloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isothiazole-3-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁵-(1,3-thiazol-2-yl)pentanediamide;

N-acetyl-4-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)phenylalaninamide;

8-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxycinnoline-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,6-dioxohexahydropyrimidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(5-methyl-4-phenyl-1,3-oxazol-2-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenylimidazo[1,2-a]pyridine-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[3-(4-methoxyphenyl)-1,2,4-oxadiazol-5-yl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4-methyl-1,2,3-thiadiazol-5-yl)-1,3-thiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-2-phenyl-2H-1,2,3-triazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3-pyridin-2-yl-1,2,4-oxadiazol-5-yl)butanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-dimethyl-1H-thieno[2,3-c]pyrazole-5-carboxamide;

4-(1,3-benzodioxol-5-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)butanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-5-(4-methyl-1,2,3-thiadiazol-5-yl)isoxazole-4-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[2-(dimethylamino)-1-methylethyl]amino}-2-hydroxypropyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(2-methylmorpholin-4-yl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(2-[hydroxy(phenyl)methyl]-4-methylpiperazin-1-yl)propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2R)-2-methylbutyl]amino)propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-{[4-(diethylamino)-1-methylbutyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-hydroxy-1,1-dimethylethyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(2-methylpiperidin-1-yl)propyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl]amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methyl-4,5,6,7-tetrahydro-3H-3lambda4-[1,3]thiazolo[5,4-c]pyridin-2-yl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(3-ethylbenzyl)amino]-2-hydroxy-1-(1H-pyrazol-1-ylmethyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

3,5-bis(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N¹-[4-(aminosulfonyl)phenyl]-N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[methyl(methylsulfonyl)amino]benzamide;

1-acetyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)piperidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(4-methoxyphenoxy)propanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴-methylsuccinamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N⁴-(2,6-dimethylphenyl)succinamide;

N-acetyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-D-phenylalaninamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[(4-methylphenyl)sulfonyl]acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[[(ethylamino) carbonyl] amino] benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-phenyl-1,4,5,6-tetrahydrocyclopenta[c]pyrazole-3-carboxamide;

4-(cyclopentyloxy)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N⁴-pyridin-3-ylsuccinamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N⁴-phenylsuccinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3,4-dihydroxybenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1H-1,2,4-triazol-1-yl)pentanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-phenyl-1,3-oxazole-4-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-7-methoxy-4-oxo-1,2,3,4-tetrahydronaphthalene-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-{4-[(methylsulfonyl)amino]phenyl}-4-oxobutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-hydroxy-7-methoxy-1-benzofuran-5-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-hydroxy-7-methoxy-1-benzothiophene-5-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3,6,6-trimethyl-4-oxo-4,5,6,7-tetrahydro-1-benzofuran-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5,6-dihydro-4H-cyclopenta[b]thiophene-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1,3-thiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-pyridin-2-yl-1,3-thiazol-4-yl)acetamide;

N¹-[5-(aminosulfonyl)-1,3,4-thiadiazol-2-yl]-N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxy-6-neopentylpyridine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(4-fluorophenyl)-1,4,5,6-tetrahydrocyclopenta[c]pyrazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a]azepine-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-3-furamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-furamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2-hydroxyethoxy)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-2-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²,N²-dimethylphthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-2-phenyl-1,3-oxazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)-2-hydroxybutanamide;

2-(2H-1,2,3-benzotriazol-2-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)butanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-indazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxyquinoxaline-2-carboxamide;

2-(acetyl amino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4,5-dimethylthiophene-3-carboxamide;

N¹-(2-cyanophenyl)-N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-ethyl-1H-indole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-benzofuran-2-carboxamide;

1-benzyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,5-dimethyl-1H-pyrazole-4-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²-[(4-methylphenyl)sulfonyl]glycinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4,8-dihydroxyquinoline-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1,1-dioxidotetrahydrothien-3-yl)acetamide;

methyl 5-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)carbonyl]-1H-benzimidazol-2-ylcarbamate;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-methyl-1,3-benzoxazol-5-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[ethyl(methyl)amino]-4-hydroxypyrimidine-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-pyridin-4-yl-1,3-benzoxazol-5-yl)acetamide;

4-[2-(diethylamino)ethoxy]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

3-(aminosulfonyl)-4-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

2-(diethylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxypyrimidine-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5,6,7,8-tetrahydro-4H-cyclohepta[c]isoxazole-3-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴,N⁴-diphenylsuccinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-hydroxy-4-methylpyridine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenylimidazo[1,2-a]pyridine-7-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)quinoline-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1,3-dimethyl-2,6-dioxo-1,2,3,6-tetrahydro-9H-purin-9-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methoxy-1H-indole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,5-dimethyl-1H-pyrazol-1-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylisoxazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methylisoxazole-5-carboxamide;

2-(1-benzothien-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-4-oxo-4,5,6,7-tetrahydro-1H-indole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-benzothiophene-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-hydroxynicotinamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-(4-methylphenyl)sulfonyl-beta-alaninamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxyquinoline-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(5-phenyl-1H-tetrazol-1-yl)acetamide;

4-[[cyclobutylcarbonyl)amino)methyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2-oxo-1,3-benzoxazol-3(2H)-yl)butanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1,3-dioxooctahydro-2H-isoindol-2-yl)butanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²-(tetrahydrofuran-2-ylmethyl)phthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2,3-dihydro-1H-indol-1-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thieno[3,2-b]pyridine-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-2-[(6-methoxy-1H-benzimidazol-2-yl)thio]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)thieno[2,3-c]pyridine-2-carboxamide;

2-(1H-benzimidazol-2-ylthio)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-3-[(2,4-difluorobenzyl)oxy]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-5,6-dimethyl-4-oxo-3,4-dihydrothieno[2,3-d]pyrimidine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-1-(2-fluorophenyl)-5-oxopyrrolidine-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-4-(5-methyl-1H-tetrazol-1-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-2-(4,4-dimethyl-4,5-dihydro-1,3-oxazol-2-yl)thiophene-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-5-(trifluoromethoxy)-1H-indole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-1-phenyl-5-propyl-1H-pyrazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-5-[(pyridin-2-ylthio)methyl]-2-furamide;

5-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-2-morpholin-4-ylpyrimidine-4-carboxamide;

5-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-3-methyl-1-phenyl-1H-pyrazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-4-methyl-1,2,3-thiadiazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-2,1,3-benzoxadiazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-((3-ethylbenzyl)amino)-2-hydroxypropyl)-2-[(imidazo[1,2-a]pyridin-2-ylmethyl)thio]acetamide;

2-(acetylamino)-N-((1R,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-1,3-oxazole-4-carboxamide;

N-((1S,2R)-1-[3-(cyclohexylmethyl)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)acetamide;

1 2-{[({(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)amino)carbonyl]amino)-N,N-dipropylethanesulfonamide;

2-(3-azabicyclo[3.2.2]non-3-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)acetamide;

2-(4-benzoylphenoxy)-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-4-(7-methoxy-2,3-dihydro-1-benzofuran-4-yl)-4-oxobutanamide;

N-((1S,2R)-1-[3-(cyclohexylmethyl)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[[({(trifluoromethyl)sulfonyl]amino)benzamide];

N¹-((1S,2R)-1-[3-(cyclohexylmethyl)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

3-chloro-N-((1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)benzamide;

3-chloro-N-((1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)benzamide;

3-chloro-N-((1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)benzamide;

3-chloro-N-((1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)benzamide;

N-((1S,2S)-1-benzyl-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)-3-chlorobenzamide;

N-((1S,2S)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-chlorobenzamide;

3-[[({(3-chlorobenzyl)amino)sulfonyl}-N-((1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)benzamide];

3-[[({(3-chlorobenzyl)amino)sulfonyl}-N-((1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)benzamide];

3-[[({(3-chlorobenzyl)amino)sulfonyl}-N-((1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)benzamide];

3-[[({(3-chlorobenzyl)amino)sulfonyl}-N-((1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)benzamide];

N-((1S,2S)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[[({(3-chlorobenzyl)amino)sulfonyl]benzamide];

N-((1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[[3-methoxybenzyl)amino]sulfonyl}benzamide;

N-((1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)-3-[[3-methoxybenzyl)amino]sulfonyl}benzamide;

N-((1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[[3-methoxybenzyl)amino]sulfonyl}benzamide;

N-((1S,2S)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[[3-methoxybenzyl)amino]sulfonyl}benzamide;

N¹-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

3-[(dipropylamino)sulfonyl]-N-[(1R,2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]propanamide;

3-[(dipropylamino)sulfonyl]-N-[(1R,2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]propanamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methylbenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methylbenzyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]propanamide;

N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-(4,5-dimethyl-2-furoyl)-5-methylbenzamide;

N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-hydroxy-3-(isopentylsulfonyl)propanamide;

N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(2-methoxyethyl)(propyl)amino]sulfonyl}propanamide;

N¹-{(1R, 2R)-3-(benzylamino)-2-hydroxy-1-[(phenylthio)methyl]propyl}-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-{(1R, 2R)-2-hydroxy-3-(isopentylamino)-1-[(phenylthio)methyl]propyl}-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-{(1S, 2R)-3-(benzylamino)-1-[4-(benzyloxy)benzyl]-2-hydroxypropyl}-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-[(1S, 2R)-1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-[(1S, 2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(1-naphthylmethyl)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-[(1S, 2R)-3-(benzylamino)-2-hydroxy-1-(1-naphthylmethyl)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-[(1S, 2R)-2-hydroxy-3-(isopentylamino)-1-(1-naphthylmethyl)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-[(1S, 2R)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-{(1S, 2R)-3-(benzylamino)-1-[3-(benzyloxy)benzyl]-2-hydroxypropyl}-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-[(1S, 2R)-2-hydroxy-1-(4-hydroxybenzyl)-3-(isopentylamino)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-((1S)-1-((1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl)but-3-ynyl)-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-{(1S)-1-[(1R)-2-(benzylamino)-1-hydroxyethyl]but-3-ynyl}-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-{(1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]but-3-ynyl}-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-[(1S, 2R)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-[(1S, 2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-((1S)-1-((1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl)-3-methylbutyl)-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-{(1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]-3-methylbutyl}-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;

N¹-{(1R, 2R)-3-(benzylamino)-2-hydroxy-1-[(phenylthio)methyl]propyl}-5-methyl-N³, N³-dipropylisophthalamide;

N^1 -{(1R,2R)-2-hydroxy-3-(isopentylamino)-1-[(phenylthio)methyl]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-3-(benzylamino)-1-[4-(benzyloxy)benzyl]-2-hydroxypropyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(1-naphthylmethyl)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(1-naphthylmethyl)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(1-naphthylmethyl)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)benzyl]-2-hydroxypropyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(thien-2-ylmethyl)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S)-1-[(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl]but-3-ynyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S)-1-[(1R)-2-(benzylamino)-1-hydroxyethyl]but-3-ynyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]but-3-ynyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]-3-methylbutyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1R,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[(phenylthio)methyl]propyl}- N^5,N^5 -dipropylpentanediamide;

N^1 -{(1R,2R)-3-(benzylamino)-2-hydroxy-1-[(phenylthio)methyl]propyl}- N^5,N^5 -dipropylpentanediamide;

N^1 -{(1R,2R)-2-hydroxy-3-(isopentylamino)-1-[(phenylthio)methyl]propyl}- N^5,N^5 -dipropylpentanediamide;

N^1 -{(1S,2R)-3-(benzylamino)-1-[4-(benzyloxy)benzyl]-2-hydroxypropyl}- N^5,N^5 -dipropylpentanediamide;

N^1 -[(1S,2R)-1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]- N^5,N^5 -dipropylpentanediamide;

N^1 -[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(1-naphthylmethyl)propyl]- N^5,N^5 -dipropylpentanediamide;

N^1 -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(1-naphthylmethyl)propyl]- N^5,N^5 -dipropylpentanediamide;

N^1 -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(1-naphthylmethyl)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-3-(benzylamino)-1-(2-furylmethyl)-2-hydroxypropyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)benzyl]-2-hydroxypropyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-3-(benzylamino)-1-(4-fluorobenzyl)-2-hydroxypropyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(thien-2-ylmethyl)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(thien-2-ylmethyl)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-hydroxybenzyl)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-2-hydroxy-1-(4-hydroxybenzyl)-3-(isopentylamino)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S)-1-[(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl]but-3-ynyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-isopropylbenzyl)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S)-1-[(1R)-2-(benzylamino)-1-hydroxyethyl]but-3-ynyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-isopropylbenzyl)propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]but-3-ynyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]- N^5,N^5 -dipropylpentanediamide;
 N -[(1S,2R)-1-(4-chlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;
 N^1 -[(1S,2R)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl]- N^5,N^5 -dipropylpentanediamide;
 N^1 -[(1S,2R)-3-(benzylamino)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxypropyl]- N^5,N^5 -dipropylpentanediamide;

N-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-3-(benzylamino)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S)-1-[(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl]-3-methylbutyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[3-(trifluoromethoxy)benzyl]propyl]-N⁵,N⁵-dipropylpentanediamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]propanamide;

N¹-[(1S)-1-[(1R)-2-(benzylamino)-1-hydroxyethyl]-3-methylbutyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethoxy)benzyl]propyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-3-(benzylamino)-1-(4-fluoro-3-methylbenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]-3-methylbutyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethoxy)benzyl]propyl]-N⁵,N⁵-dipropylpentanediamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]propanamide;

3-[(dipropylamino)sulfonyl]-N-[(1R,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-[(phenylthio)methyl]propyl]propanamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methylbenzyl)-2-hydroxypropyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1R,2R)-3-(benzylamino)-2-hydroxy-1-[(phenylthio)methyl]propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethyl)benzyl]propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-1-(3-fluoro-4-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;


3-[(dipropylamino)sulfonyl]-N-[(1R,2R)-2-hydroxy-3-(isopentylamino)-1-[(phenylthio)methyl]propyl]propanamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethyl)benzyl]propyl]propanamide;

N¹-[(1S,2R)-2-hydroxy-1-(4-methoxybenzyl)-3-[(3-methoxybenzyl)amino]propyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methylbenzyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;
N-[(1S,2R)-3-(benzylamino)-1-[4-(benzyloxy)benzyl]-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;
N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;
3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methylbenzyl)propyl]propanamide;
N-[(1S,2R)-1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;
N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methoxybenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;
N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(1-naphthylmethyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;
N-[(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;
N¹-[(1S,2R)-1-(4-chlorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N⁵,N⁵-dipropylpentanediamide;
3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(1-naphthylmethyl)propyl]propanamide;
3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]propanamide;
N¹-[(1S,2R)-3-(benzylamino)-1-(4-chlorobenzyl)-2-hydroxypropyl]-N⁵,N⁵-dipropylpentanediamide;
N-[(1S,2R)-3-(benzylamino)-1-(2-furylmethyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;
N-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;
N¹-[(1S,2R)-1-(4-chlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;
3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]propanamide;
3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-(isopentylamino)propyl]propanamide;
N¹-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N⁵,N⁵-dipropylpentanediamide;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-phenyl-2-(4H-1,2,4-triazol-3-ylthio)acetamide;
N¹-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-3-(benzylamino)-2-hydroxypropyl]-N⁵,N⁵-dipropylpentanediamide;
1-acetyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-phenylprolinamide;
N-[(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)benzyl]-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-1-(1,3-benzodioxol-5-ylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;



N-[(1S,2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-{(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-3-(benzylamino)-1-(4-fluorobenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(4-fluoro-3-methylbenzyl)-2-hydroxypropyl]-N⁵,N⁵-dipropylpentanediamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(4-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]propanamide;

N'-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R,4S)-3-(hydroxymethyl)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N¹-[(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;

N'-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R,4S)-6-isopropyl-3-methyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(thien-2-ylmethyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-{(1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethyl)benzyl]propyl}-N⁵,N⁵-dipropylpentanediamide;

3-[(dipropylamino)sulfonyl]-N-[(1S)-1-[(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl]but-3-ynyl]propanamide;

N'-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R,4S)-6-isopropyl-2,2-dioxido-3-propyl-3,4-dihydro-1H-isothiochromen-4-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N¹-{(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethyl)benzyl]propyl}-N⁵,N⁵-dipropylpentanediamide;

N-[(1S)-1-[(1R)-2-(benzylamino)-1-hydroxyethyl]but-3-ynyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(3-methylbenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

3-[(dipropylamino)sulfonyl]-N-[(1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]but-3-ynyl]propanamide;

N'-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3S,4R)-3-(hydroxymethyl)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}propyl)-5-methyl-N,N-dipropylisophthalamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methylbenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[(3S,4R)-3-(2-hydroxyethyl)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino]propyl)-5-methyl-N,N-dipropylisophthalamide;

N-((1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methylbenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N⁵,N⁵-dipropylpentanediamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[(3S,4S)-6-isopropyl-2,2-dioxido-3-propyl-3,4-dihydro-1H-isothiochromen-4-yl]amino]propyl)-5-methyl-N,N-dipropylisophthalamide;

N-[(1S,2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxypropyl]-N⁵,N⁵-dipropylpentanediamide;

3-[(dipropylamino)sulfonyl]-N-((1S)-1-[(1R)-1-hydroxy-2-[(3-methoxybenzyl)amino]ethyl]-3-methylbutyl)propanamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[(3S,4S)-6-isopropyl-3-methyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino]propyl)-5-methyl-N,N-dipropylisophthalamide;

N¹-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[(4R)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino]propyl)-5-methyl-N,N-dipropylisophthalamide;

N-((1S)-1-[(1R)-2-(benzylamino)-1-hydroxyethyl]-3-methylbutyl)-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N⁵,N⁵-dipropylpentanediamide;

3-[(dipropylamino)sulfonyl]-N-((1S)-1-[(1R)-1-hydroxy-2-(isopentylamino)ethyl]-3-methylbutyl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(3-methoxypropyl)(methylsulfonyl)amino]benzamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxypropyl]-N⁵,N⁵-dipropylpentanediamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(3-methoxypropyl)(methylsulfonyl)amino]benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-1,3-dihydro-2,1-benzisothiazole-5-carboxamide 2,2-dioxide;

N¹-[(1S,2R)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methoxybenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(2-methoxyethyl)(methylsulfonyl)amino]benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,2-dimethylchromane-6-carboxamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-bromobenzyl)-2-hydroxypropyl]-N⁵,N⁵-dipropylpentanediamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(2-methoxyethyl)(methylsulfonyl)amino]nicotinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,2-dimethylchromane-7-carboxamide;

N¹-[(1S,2R)-1-(3-bromobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-isopropylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

benzyl (3R)-4-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino)-2,2,3-trimethyl-4-oxobutanoate;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methoxybenzyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(3-hydroxypropyl)(methylsulfonyl)amino]nicotinamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-isopropylbenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methoxybenzyl)propyl]propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(2-hydroxyethyl)(methylsulfonyl)amino]nicotinamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-4-(phenylsulfonyl)butanamide;

(3S)-tetrahydrofuran-3-yl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

N-[(1S,2R)-3-(benzylamino)-1-(3,5-dichlorobenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-[(2-methoxyethyl)(methylsulfonyl)amino]nicotinamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-1-(4-isopropylbenzyl)-3-[(3-methoxybenzyl)amino]propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(2-methoxyethyl)(methylsulfonyl)amino]isonicotinamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methoxybenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³-(phenylsulfonyl)-beta-alaninamide;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-isopropylbenzyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(2-methoxyethyl)(methylsulfonyl)amino]nicotinamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(4-fluoro-3-methylbenzyl)-2-hydroxypropyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³-[(4-methylphenyl)sulfonyl]-beta-alaninamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-isopropylbenzyl)propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(3-hydroxypropyl)(methylsulfonyl)amino]isonicotinamide;

N¹-[(1S,2R)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³-[(4-fluorophenyl)sulfonyl]-beta-alaninamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(2-hydroxyethyl)(methylsulfonyl)amino]isonicotinamide;

N-[(1S,2R)-3-(benzylamino)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-isopropylbenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³-[(4-methoxyphenyl)sulfonyl]-beta-alaninamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-[3-fluoro-5-(trifluoromethyl)benzyl]-2-hydroxy-3-(isopentylamino)propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(2-hydroxyethyl)(methylsulfonyl)amino]nicotinamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-isopropylbenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N²-[(4-methylphenyl)sulfonyl]glycinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(3-hydroxypropyl)(methylsulfonyl)amino]nicotinamide;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-[3-(trifluoromethoxy)benzyl]propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N²-[(4-fluorophenyl)sulfonyl]glycinamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-[3-(trifluoromethoxy)benzyl]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methylbenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(3-methoxypropyl)(methylsulfonyl)amino]isonicotinamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N²-[(4-methoxyphenyl)sulfonyl]glycinamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-1-(3-fluoro-4-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(3-methoxypropyl)(methylsulfonyl)amino]nicotinamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(4-chlorophenyl)sulfonyl]propanamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methoxybenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-1-(4-methoxybenzyl)-3-[(3-methoxybenzyl)amino]propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(methylsulfonyl)-1H-indole-5-carboxamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(4-fluoro-3-methylbenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N²-(benzylsulfonyl)glycinamide;

N-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(methylsulfonyl)indoline-5-carboxamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(4-fluorophenyl)sulfonyl]propanamide;

N¹-[(1S,2R)-1-(4-fluoro-3-methylbenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

3-[(dipropylamino)sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methoxybenzyl)propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(methylsulfonyl)indoline-4-carboxamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³-[(4-chlorophenyl)sulfonyl]-beta-alaninamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-[(3-(trifluoromethyl)benzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-3-(benzylamino)-1-(4-chlorobenzyl)-2-hydroxypropyl]-3-[(dipropylamino)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(methylsulfonyl)indoline-6-carboxamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methylbenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³-(benzylsulfonyl)-beta-alaninamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(methylsulfonyl)-1H-indole-4-carboxamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(4-methoxyphenyl)sulfonyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[1-methyl-1-(methylsulfonyl)ethyl]benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-[(4-methylphenyl)sulfonyl]propanamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-fluoro-4-methoxybenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[1-methyl-1-(methylsulfonyl)ethyl]benzamide;

N¹-[(1S,2R)-2-hydroxy-1-(3-methoxybenzyl)-3-[(3-methoxybenzyl)amino]propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-benzyl-N⁴-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2,2-dimethylsuccinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(ethylsulfonyl)benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-(1,1-dioxido-3-oxo-1,2-benzisothiazol-2(3H)-yl)propanamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(3-methoxybenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(propylsulfonyl)benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-3-(1,3-dioxo-1,3-dihydro-2H-isoindol-2-yl)propanamide;

N¹-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methoxybenzyl)propyl]-N⁵,N⁵-dipropylpentanediamide;

(2R)-N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-methyl-3-(phenylsulfonyl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(pentylsulfonyl)benzamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3-chloro-5-fluorobenzyl)-2-hydroxypropyl]-N⁵,N⁵-dipropylpentanediamide;

(2S)-N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-methyl-3-(phenylsulfonyl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(2-hydroxyethyl)sulfonyl]benzamide;

N¹-[(1S,2R)-1-(3-chloro-5-fluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(2-methoxyethyl)sulfonyl]benzamide;

N¹-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-benzyl-N⁵-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]pentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(2-ethoxyethyl)sulfonyl]benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-[(phenylsulfonyl)methyl]acrylamide;

N¹-[(1S,2R)-3-(benzylamino)-1-(3,5-dichlorobenzyl)-2-hydroxypropyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(3-hydroxypropyl)sulfonyl]benzamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-[(isopentylsulfonyl)methyl]acrylamide;

N¹-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N⁵-dipropylpentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,3-dihydro-1-benzothiophene-5-carboxamide 1,1-dioxide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N³-[(dipropylamino)carbonyl]-beta-alaninamide;

N¹-[(1S,2R)-2-hydroxy-1-(4-isopropylbenzyl)-3-[(3-methoxybenzyl)amino]propyl]-N⁵,N⁵-dipropylpentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-benzothiophene-5-carboxamide 1,1-dioxide;

N¹-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-N²-[(dipropylamino)carbonyl]glycinamide;

benzyl (4R)-4-[[[(1S,2R)-1-benzyl-3-[(3-(dimethylamino)-2,2-dimethylpropyl)amino]-2-hydroxypropyl)amino]carbonyl]-1,3-oxazolidine-3-carboxylate compound with methyl hydroperoxide (1:2);

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,3-dihydro-1-benzothiophene-6-carboxamide 1,1-dioxide;

tert-butyl (2R,3S)-2-hydroxy-3-[(2-hydroxy-3-[(3-methoxyphenyl)sulfonyl]propanoyl)amino]-4-phenylbutyl (3-methoxybenzyl) carbamate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-benzothiophene-6-carboxamide 1,1-dioxide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methyl-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-methyl-2,3-dihydro-1,2-benzisothiazole-5-carboxamide 1,1-dioxide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-1,3-dihydro-2,1-benzisothiazole-6-carboxamide 2,2-dioxide;

N¹-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-(benzylamino)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-[3-(benzyloxy)-5-fluorobenzyl]-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-((1S, 2R)-1-[3-(benzyloxy)benzyl]-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[(dipropylamino)sulfonyl]propanamide;
 N¹-[(1S, 2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³, N³-dipropylisophthalamide;
 N¹-[(1S, 2R)-1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³, N³-dipropylisophthalamide;
 N¹-[(1S, 2R)-1-(cyclohexylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;
 N¹-[(1S, 2R)-3-(benzylamino)-1-(cyclohexylmethyl)-2-hydroxypropyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;
 N¹-[(1S, 2R)-3-(benzylamino)-1-[3-(benzyloxy)benzyl]-2-hydroxypropyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;
 N¹-[(1S, 2R)-1-[4-(benzyloxy)benzyl]-2-hydroxy-3-(isopentylamino)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;
 N-((1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-[hydroxy(2-methylphenyl)methyl]-5-methylbenzamide;
 N¹-[(1R, 2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-5-methyl-N³, N³-dipropylisophthalamide;
 N¹-[(1R, 2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-5-methyl-N³, N³-dipropylisophthalamide;
 N¹-[(1R, 2S)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;
 N¹-[(1R, 2S)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(4-methylbenzyl)propyl]-N³, N³-dipropylbenzene-1, 3, 5-tricarboxamide;
 3-chloro-N-((1S, 2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)benzamide;
 3-chloro-N-((1S, 2R)-1-(cyclohexylmethyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)benzamide;
 benzyl (2R, 3S)-4-(3, 5-difluorophenyl)-3-[(3-(4, 4-dimethyl-2, 5-dioxoimidazolidin-1-yl)-2-[(1-propylbutyl)sulfonyl]methyl)propanoyl]amino]-2-hydroxybutyl (3-ethylbenzyl) carbamate;
 N-((1S, 2R)-1-(3, 5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-7-(1H-imidazol-1-yl)-5, 6-dihydronaphthalene-2-carboxamide;
 2-[[[(1S, 2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino]carbonyl]amino]-N, N-dipropylethanesulfonamide;
 benzyl (2R, 3S)-4-(3, 5-difluorophenyl)-2-hydroxy-3-[(N-(3-phenylpropanoyl)-3-[(1-propylbutyl)sulfonyl]alanyl)amino]butyl (3-ethylbenzyl) carbamate;
 N¹-[(1S, 2R)-3-[[[(benzyloxy)carbonyl](3-ethylbenzyl)amino]-1-(3, 5-difluorobenzyl)-2-hydroxypropyl]-N²-[(3S)-tetrahydrofuran-3-yloxy]carbonyl]-D-leucinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-([1,3]oxazolo[4,5-b]pyridin-2-ylthio)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(imidazo[1,2-a]pyridin-2-ylmethyl)thio]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(5,7-dimethyl[1,2,4]triazolo[4,3-a]pyrimidin-3-yl)thio]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,3-dihydro-1H-cyclopenta[b]quinoline-9-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxy-6-oxo-1-phenyl-1,6-dihydropyridazine-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-dioxoisindoline-5-carboxamide;

1-benzyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-imidazole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4,4-dimethyl-4,5-dihydro-1,3-oxazol-2-yl)thiophene-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-isobutyl-1,3-dioxoisindoline-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-oxo-2-phenylpyrazolidine-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5,6-dimethyl-4-oxo-3,4-dihydrothieno[2,3-d]pyrimidine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2,4-difluorobenzyl)oxy]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thieno[2,3-c]pyridine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2-methyl-1H-benzimidazol-1-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(2,5-dioxopyrrolidin-1-yl)-4-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thieno[3,2-b]pyridine-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2,3-dihydro-1H-indol-1-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1,3-dioxooctahydro-2H-isoindol-2-yl)butanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-[(4-methylphenyl)sulfonyl]-beta-alaninamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(1H-indol-3-yl)-4-oxobutanamide;

N²-(anilino)carbonothioyl)-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)glycinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-4-oxo-4,5,6,7-tetrahydro-1H-indole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5,6,7,8-tetrahydro-4H-cyclohepta[c]isoxazole-3-carboxamide;

4-[2-(diethylamino)ethoxy]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²-[(4-methylphenyl)sulfonyl]glycinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,5-dioxo-1,2,4-triazolidin-4-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2-hydroxyethoxy)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1,3-dithian-2-yl)-3-furamide;

4-(3-chlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-4-oxobutanamide or 2479;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-5,6,7,8-tetrahydro-4H-pyrazolo[1,5-a]azepine-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(4-fluorophenyl)-1,4,5,6-tetrahydrocyclopenta[c]pyrazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5,6-dihydro-4H-cyclopenta[b]thiophene-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,6,6-trimethyl-4-oxo-4,5,6,7-tetrahydro-1-benzofuran-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-7-methoxy-4-oxo-1,2,3,4-tetrahydronaphthalene-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,3-dioxo-1,2,3,4-tetrahydroquinoxaline-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4,5,6,7-tetrahydro-2H-indazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-4-oxo-3,4-dihydrothieno[2,3-d]pyrimidine-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-7-fluoro-4H-imidazo[5,1-c][1,4]benzoxazine-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3-fluoro-4-methoxyphenyl)-4-oxobutanamide;

methyl 4-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)-4-oxobutyl-(dithiocarbamate);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)[1,2,4]triazolo[4,3-a]pyridine-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-phenyl-1,4,5,6-tetrahydrocyclopenta[c]pyrazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(4-methylphenyl)sulfonyl]acetamide;

3-(2-chlorophenyl)-2-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(4-methylphenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2-hydroxy-5-methylphenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(2,5-dioxo-2,5-dihydro-1H-pyrrol-1-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxo-4-thien-2-ylbutanamide or 2379;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2,5-dioxo-2,5-dihydro-1H-pyrrol-1-yl)-2-hydroxybenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2,5-dioxopyrrolidin-1-yl)benzamide;

4-[(aminocarbonyl)amino]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(trifluoroacetyl)amino]butanamide;

5-bromo-N¹-[(1S,2R)-2-hydroxy-1-(pentafluorobenzyl)-3-[(3-(trifluoromethyl)benzyl)amino]propyl]-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(1-hydroxycyclopentyl)thio]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-oxocyclohexyl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2-naphthyl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-oxo-2,3-dihydro-1H-indazole-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3-dimethyl-1H-thieno[2,3-c]pyrazole-5-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N²-(dimethylamino)sulfonylvalinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(2-furyl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(5-methyl-4-phenyl-1,3-oxazol-2-yl)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,6-dioxohexahydropyrimidine-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5,7-dimethoxy-1-oxoindane-2-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N⁵-(2-pyridin-2-ylethyl)pentanediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[4-(2-furoyl)piperazin-1-yl]-4-oxobutanamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((3-[(1Z)-prop-1-en-1-yl]benzyl)amino)propyl]-5-methyl-N,N-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-4,5,6,7-tetrahydro-1-benzofuran-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-oxo-1-(thien-2-ylmethyl)pyrrolidine-3-carboxamide;

2-[(cyanomethyl)thio]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]nicotinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-(2-furoyl)-4-hydroxyprolinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4,5-dihydrofuro[2,3-g][2,1]benzisoxazole-8-carboxamide;

methyl 3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)carbonyl]-5-methylthiophene-2-sulfenate;

2-(acetamino)-2-(1H-1,2,3-benzotriazol-1-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]acetamide;

1-[(cyclohexylamino)carbonyl]amino)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]cyclopropanecarboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2-ethyl-4H-[1,2,4]triazolo[1,5-a]benzimidazol-4-yl)acetamide;

(2E)-N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N⁴-[4-(1,3-oxazol-5-yl)phenyl]but-2-enediamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3,4,5-tetrahydrothiopyrano[4,3-b]indole-8-carboxamide;

4-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3-dimethyl-1H-pyrazolo[3,4-b]pyridine-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(3,4-dihydro-2H-1,5-benzodioxepin-7-yl)-4-oxobutanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1-oxidothiomorpholin-4-yl)butanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-oxo-4-(2-thioxo-1,3-benzothiazol-3(2H)-yl)butanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-8H-thieno[2,3-b]indole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,4-dihydro-2H-1,5-benzodioxepine-7-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4H-chromeno[3,4-d]isoxazole-4-carboxamide;

4-(3,4-dichlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,4-difluorophenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,4-difluorophenyl)-2-methyl-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,4-difluorophenyl)-2-methoxy-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-4-oxo-4-[3-(trifluoromethyl)phenyl]butanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-4-oxo-4-thien-2-ylbutanamide;

4-(3,4-dichlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-3-methyl-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(2-ethyl-1-oxo-2,3-dihydro-1H-indol-5-yl)oxy]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-oxoisindoline-1-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(7-methoxy-1-benzofuran-2-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4H-chromeno[3,4-d]isoxazole-8-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-4-oxo-4H-chromene-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-([1,2,4]triazolo[4,3-b]pyridazin-6-ylthio)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1,1-dioxidotetrahydrothien-2-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,4-dihydro-2H-chromen-6-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-ethyl-3-oxoisindoline-1-carboxamide;

4-[2-(acetylamino)-4,5-dimethylphenyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(4-hydroxyphenyl)-4-oxobutanamide;

2-[(6-chloro[1,2,4]triazolo[4,3-b]pyridazin-3-yl)oxy]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-4-(3-methoxyphenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-4-oxo-4-thien-3-ylbutanamide;

3-chlorophenyl 4-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)-4-oxobutanoate;

4-(4-chloro-2-hydroxyphenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-[(4-methylphenyl)sulfonyl]amino)-4-oxohexanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(6-hydroxy-3-oxo-2,3-dihydroimidazo[2,1-b][1,3]thiazol-2-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4,5-dihydro-1,3-thiazol-2-ylthio)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-imidazo[1,2-b]pyrazole-6-carboxamide;

4-(1-benzofuran-2-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(6-methoxy-1,1'-biphenyl-3-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(4-methoxyphenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(2,3-dihydro-1,4-benzodioxin-6-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-oxo-2,3-dihydro-1,3-benzoxazol-5-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-9-oxo-1,2,3,9-tetrahydrocyclopenta[b]chromene-7-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-1H-benzo[g]indazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4,5-dihydronaphtho[2,1-d]isoxazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(tetraazolo[1,5-b]pyridazin-6-ylthio)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(5-methyl-1H-pyrrol-2-yl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(trifluoromethyl)sulfonyl]amino)butanamide;

N-[(1S,2R)-3-(2-acetyl-1-ethylhydrazino)-1-benzyl-2-hydroxypropyl]-2-[(methylsulfonyl)amino]-1,3-thiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(1-hydroxy-2-propylpentyl)benzamide;

N¹-[(1S,2R)-3-[(2-{4-[(3-chlorobenzyl)oxy]phenyl}ethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-morpholin-4-ylpropyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

ethyl 4-[[{(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutyl]amino]piperidine-1-carboxylate;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²-[(methylsulfonyl)acetyl]-N²-pentylglycinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]sulfonyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]sulfonyl]propanamide;

ethyl 4-[[{(2R,3S)-3-[(3-[(dipropylamino)carbonyl]benzoyl)amino]-2-hydroxy-4-phenylbutyl]amino]piperidine-1-carboxylate;

N¹-[(1S,2R)-1-benzyl-3-[(3R)-1-benzylpyrrolidin-3-yl]amino]-2-hydroxypropyl)-N³,N³-dipropylisophthalamide;

methyl (2E)-2-[2-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)amino)-2-oxoethyl]-4-methylpent-2-enoate;

N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N⁴-(4-methoxybenzyl)succinamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(4-fluorophenyl)sulfonyl]amino)-3-methylbutanamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-9,10-dioxo-9,10-dihydroanthracene-2-carboxamide;

N-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-4-(benzyloxy)benzamide;

N'-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N-methyl-N-phenylurea

N'-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N,N-diisopropylurea

N'-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N,N-diphenylurea

N'-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N,N-dimethylurea

methyl 2-[[[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)amino]carbonyl]amino]benzoate;

phenyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

2-methoxyethyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

2-(benzyloxy)ethyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

prop-2-ynyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

(1R,2S,5R)-2-isopropyl-5-methylcyclohexyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

pentyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

neopentyl (1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propylcarbamate;

N¹-[(1S,2R)-3-[[[(6-chloroimidazo[2,1-b][1,3]thiazol-5-yl)methyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4-oxo-4H-chromen-3-yl)methyl]amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1,7,7-trimethylbicyclo[2.2.1]hept-2-yl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-4-(3-methyl-5-oxo-4,5-dihydro-1H-pyrazol-1-yl)benzamide;

N^1 -[(1S,2R)-3-[(1-acetylpiperidin-3-yl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^3 -ethoxy-5-methylisophthalamide;

N^1 -(allyloxy)- N^3 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^3 -isobutoxy-5-methylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl- N^3 -(2,2,3,3,3-pentafluoropropyl)isophthalamide;

ethyl 4-[(3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)carbonyl]-5-methylbenzoyl)amino)butanoate;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl- N^3,N^3 -bis(2,2,2-trifluoroethyl)isophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^3 -ethyl- N^3 -(1-ethylpiperidin-4-yl)carbonyl]-5-methylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^3 -(2,2,3,3,4,4,4-heptafluorobutyl)-5-methylisophthalamide;

N^1 -(1-benzylpyrrolidin-3-yl)- N^3 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]- N^1 -ethyl-5-methylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methyl- N^3 -(tetrahydrofuran-2-ylmethyl)isophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R)-2-oxoazepan-3-yl]amino)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1,1-dioxido-3,4-dihydro-2H-1,2-benzothiazin-4-yl)amino]-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[2-(4-methylpentanoyl)hydrazino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(3-ethylphenyl)sulfonyl]propanamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,2,3,3,4,4-hexafluoro- N^5,N^5 -dipropylpentanediamide;

N^5 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-phenyl- N^1,N^1 -dipropylpentanediamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(3-hydroxypropyl)(methylsulfonyl)amino]benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(2-hydroxyethyl)(methylsulfonyl)amino]benzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]sulfonyl]-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(3-hydroxypropyl)(methylsulfonyl)amino]benzamide;

5-bromo-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[[(trifluoromethyl)sulfonyl]amino]benzamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl)amino]-1-(thien-2-ylmethyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(4-methyl-1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(methylsulfonyl)amino]benzamide;

4-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)-4-oxo-3-[[(1-propylbutyl)sulfonyl]methyl]butanoic acid trifluoroacetate;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-[(methylsulfonyl)amino]-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(1-propylbutyl)sulfonyl]propanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-2-[(methylsulfonyl)amino]-1,3-thiazole-4-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropyl-5-[[(trifluoromethyl)sulfonyl]amino]isophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(isopentylsulfonyl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[[1-methyl-1H-imidazol-4-yl)sulfonyl]amino]benzamide tri;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[[1-(trifluoromethyl)sulfonyl]amino]benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2-hydroxyethyl)(propyl)amino]sulfonyl)propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(1,3-oxazol-2-yl)benzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[[2-hydroxy-1,1-dimethylethyl)amino]sulfonyl)-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[[2-hydroxy-1,1-dimethylethyl)amino]sulfonyl]benzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[[3-hydroxypropyl)amino]sulfonyl)-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[(methylsulfonyl)amino]-1,3-thiazole-4-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N²-(phenylacetyl)-3-[(1-propylbutyl)sulfonyl]alaninamide;

N¹-[(1R,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N²-benzyloxycarbonyl-3-[(1-propylbutyl)sulfonyl]alaninamide trifluoroacetate;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(3-methylisoxazol-4-yl)-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[[2-(methylamino)ethyl]amino]sulfonyl)-N³,N³-dipropylisophthalamide;;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[[2-hydroxyethyl)amino]sulfonyl)-N³,N³-dipropylisophthala;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(methylsulfonyl)amino]butanamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(piperazin-1-ylsulfonyl)-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[methyl(methylsulfonyl)amino]benzamide;

5-{[bis(2-hydroxyethyl)amino]sulfonyl}-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,8-dimethylquinoline-3-carboxamide;

2-[(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutyl]amino)ethyl 2,4-difluorophenylcarbamate;

5-(aminosulfonyl)-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-dipropyl-5-(1H-pyrazol-4-yl)isophthala;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-hydroxyisoxazole-5-carboxamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1-methyl-1H-imidazol-2-yl)-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}-5-methylbenzamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2-hydroxyethyl)amino]sulfonyl}-N³-propylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-([(1S)-2-hydroxy-1-methylethyl]amino)sulfonyl)-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-diethyl-5-(1,3-oxazol-2-yl)isophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}-5-methylbenzamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]sulfonyl}-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-([(1R)-2-hydroxy-1-methylethyl]amino)sulfonyl)-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-2-hydroxy-1-(2,3,5-trifluorobenzyl)-3-[(3-(trifluoromethyl)benzyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(2-ethyl-1-hydroxybutyl)benzamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(dimethylamino)sulfonyl]-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(1-(aminocarbonyl)cyclohexyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(2-(aminosulfonyl)ethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-methylhexyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-hydroxypropyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-ethylhexyl)amino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4-phenylbutyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(pentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(5-hydroxypentyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-hydroxyhexyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(3-butoxypropyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2R)-2-hydroxypropyl]amino}propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³-ethyl-N³-methyl-5-(1,3-oxazol-2-yl)isophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³-methyl-5-(1,3-oxazol-2-yl)-N³-propylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,NA-dipropyl-5-(pyrrolidin-1-ylsulfonyl)isophthalamide hydrochlormide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-5-[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl}-N³,N³-dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-5-yl)- N^3,N^3 -dipropylisophthalamide hydrochlormide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide hydrochlormide;

N^1 -butyl- N^3 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^1 -methyl-5-(1,3-oxazol-2-yl)isophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3,N^3 -dimethyl-5-(1,3-oxazol-2-yl)isophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3 -ethyl-5-(1,3-oxazol-2-yl)- N^3 -propylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl}- N^3,N^3 -dipropyl-5-(1,3-thiazol-2-yl)isophthalamide hydrochlormide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)amino]sulfonylpropanamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]sulfonyl}- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl}-5-[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl}- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(isobutylamino)propyl]-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide hydrochlormide;

5-bromo- N^1 -{(1S,2R)-1-[3-fluoro-4-(trifluoromethyl)benzyl]-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl}- N^3,N^3 -dipropylisophthalamide;

5-bromo- N^1 -{(1S,2R)-2-hydroxy-1-(2,3,4-trifluorobenzyl)-3-[(3-(trifluoromethyl)benzyl)amino]propyl}- N^3,N^3 -dipropylisophthalamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(2-ethylbutanoyl)-5-methylbenzamide hydrochlormide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-5-[(2-propylpiperidin-1-yl)carbonyl]benzamide hydrochlormide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-5-[(2-methylpyrrolidin-1-yl)carbonyl]benzamide hydrochlormide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2,6-dimethylpiperidin-1-yl)carbonyl]-5-methylbenzamide hydrochlormide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2-methoxyethyl)amino]sulfonyl)-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)-N³,N³-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide dihydrochlormide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl}-5-[(2-hydroxyethyl)amino]sulfonyl)-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-methyl-5-(2-propylpentanoyl)benzamide hydrochlormide;

N¹-(sec-butyl)-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-N¹-propylisophthalamide;

N¹-butyl-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-N¹-propylisophthalamide;

N¹-allyl-N¹-cyclopentyl-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisophthalamide;

N¹,N¹-dibutyl-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-diisobutyl-5-methylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-[(1Z)-prop-1-enyl]benzyl)amino]propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(ethylsulfonyl)benzyl)amino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-(3-iodophenyl)cyclopropyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-(1-(3,5-difluorobenzyl)-3-[(2-(ethylamino)-1-methyl-2-oxoethyl)amino]-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(1,1'-biphenyl-3-ylmethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-hydroxy-1-phenylpropyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-cyclohexyl-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N¹,5-dimethylisophthalamide;

N¹-cyclohexyl-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N¹-ethyl-5-methylisophthalamide;

N^1 -[(1S,2R)-3-{[3-(1-benzothien-2-yl)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(trifluoromethyl)benzyl]amino}propyl]-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(3-thien-3-ylbenzyl)amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(5-methylthien-2-yl)benzyl]amino}propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(pyridin-4-ylbenzyl)amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(4-methylthien-2-yl)benzyl]amino}propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[3-(2,4-dimethoxypyrimidin-5-yl)benzyl]amino}-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[3-(3,5-dimethylisoxazol-4-yl)benzyl]amino}-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^4 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[3-(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-methyl- N^2,N^2 -dipropylpyridine-2,4-dicarboxamide;

N^1 -[(1S,2R)-3-{[3-(cyclopropylamino)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-{[3-(cyclopropylamino)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[1-(2-isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino}propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

methyl 3-({[(2R,3S)-4-(3,5-difluorophenyl)-3-({[3-((dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutyl]amino}methyl)phenyl(methyl)carbamate;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-({[3-[methyl(methylsulfonyl)amino]benzyl]amino}propyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-({[3-((dimethylamino)sulfonyl]benzyl)amino]-2-hydroxypropyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)cyclopropyl]amino}-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([2-isobutyl-1,3-thiazol-5-yl)methyl]amino)propyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)-1-methylethyl]amino)-2-hydroxypropyl)-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)-1-methylethyl]amino)-2-hydroxypropyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)-1-methylethyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino)propyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino)propyl)-5-ethynyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-({3-[(methylsulfonyl)amino]benzyl}amino)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino)propyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([3-(trifluoromethyl)benzyl]amino)propyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(3-cyanobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([(1S)-1-[(isobutylamino)(oxo)methyl]-3-(methylthio)propyl]amino)propyl)-5-methyl- N,N -dipropylisophthalamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-([3-[(1E)-hex-1-enyl]benzyl]amino)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-([3-(5-acetylthien-2-yl)benzyl]amino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(3-allylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(6-methoxy-pyridin-3-yl)benzyl)amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N -[(1S,2R)-3-[(2-tert-butylpyrimidin-4-yl)methyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^4 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl]-6-methyl- N^2,N^2 -dipropylpyridine-2,4-dicarboxamide;

N^1 -[(1S,2R)-3-[(3-butylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pentylbenzyl)amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-pent-4-enylbenzyl)amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(3-cyclopentylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(3-cyclohexylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(3-(cyclohexylmethyl)benzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-hex-5-enylbenzyl)amino]-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

methyl (2S)-3-[3-[(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutyl]amino]methyl]phenyl]-2-methylpropanoate;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(3-methylthien-2-yl)benzyl)amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(3-methylpyridin-2-yl)benzyl)amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(4-methylpyridin-2-yl)benzyl)amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(5-methylpyridin-2-yl)benzyl)amino]propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[(3-(4-chlorobutyl)benzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-{[3-(3-cyanopropyl)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-{[3-(4-cyanobutyl)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-{[3-(6-cyanoethyl)benzyl]amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(6-methylpyridin-2-yl)benzyl]amino}propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(1,3-oxazol-2-yl)benzyl]amino}propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

methyl 3-{[(2R,3S)-4-(3,5-difluorophenyl)-3-{[3-[(dipropylamino)carbonyl]-5-(1,3-oxazol-2-yl)benzoyl]amino}-2-hydroxybutyl]amino}methyl]phenyl(methyl)carbamate;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[(1S)-1-[(isobutylamino)carbonyl]-3-(methylsulfonyl)propyl]amino}propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -butyl- N^3 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(3-isopropylbenzyl)amino]propyl}]- N^1 ,5-dimethylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)-1-methylethyl]amino}-2-hydroxypropyl]-5-{[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl}- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[3-(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-{[methyl[(trifluoromethyl)sulfonyl]amino]}]- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-(cyclopropylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-{[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl}- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)-1-methylethyl]amino}-2-hydroxypropyl]- N^3,N^3 -dipropyl-5-(1,3-thiazol-2-yl)isophthalamide;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[3-(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-{[methyl(methylsulfonyl)amino]}]- N^3,N^3 -dipropylisophthalamide;

N^1 -butyl- N^3 -[(1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethylphenyl)-1-methylethyl]amino}-2-hydroxypropyl]- N^1 ,5-dimethylisophthalamide;

N^1 -[(1S,2R)-1-(2,4-difluorobenzyl)-2-hydroxy-3-{[3-(trifluoromethyl)benzyl]amino}propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

5-bromo- N^1 -[(1S,2R)-1-(2,4-difluorobenzyl)-2-hydroxy-3-{[3-(trifluoromethyl)benzyl]amino}propyl]- N^3,N^3 -dipropylisophthalamide;

N-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2-ethylpiperidin-1-yl)sulfonyl]propanamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)cyclopropyl)amino]-2-hydroxypropyl)-5-ethynyl-N³, N³-dipropylisophthalamide;

N¹-cyclobutyl-N³-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylisophthalamide;

N¹-cyclopentyl-N³-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-N³-pentylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-isopentyl-5-methylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-ethyl-N³-(2-hydroxyethyl)-5-methylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-(2-ethoxyethyl)-5-methylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-(2-methoxyethyl)-N³, 5-dimethylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-(2-furylmethyl)-N³, 5-dimethylisophthalamide;

N-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2R, 5R)-2,5-dimethylpyrrolidin-1-yl]carbonyl)-5-methylbenzamide;

N¹-cyclopentyl-N³-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N¹, 5-dimethylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³, 5-dimethyl-N³-pentylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-(2-hydroxyethyl)-5-methyl-N³-propylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-ethyl-N³-(2-methoxyethyl)-5-methylisophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-N³-(2-methylcyclohexyl)isophthalamide;

N¹-((1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-(2-methoxyethyl)-5-methyl-N³-propylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3,N^3 -bis(2-methoxyethyl)-5-methylisophthalamide;

N^1 -allyl- N^1 -cyclohexyl- N^3 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl- N^3,N^3 -dipentylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3,N^3 -bis(2-ethoxyethyl)-5-methylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-naphthylmethyl)amino]propyl}-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -butyl- N^3 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl}- $N^1,5$ -dimethylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-5-[(2-hydroxy-1,1-dimethylethyl)amino]sulfonyl}- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1,2,3,4-tetrahydronaphthalen-1-ylamino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2S)-tetrahydrofuran-2-ylmethyl]amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(3-hydroxypropyl)sulfonyl]- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1H-imidazol-4-yl)- N^3,N^3 -dipropylisophthalamide trifluoroacetate;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-isoxazol-3-yl- N^3,N^3 -dipropylisophthalamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}-5-(1,3-oxazol-2-yl)benzamide;

N^4 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl}-6-methyl- N^2,N^2 -dipropylpyridine-2,4-dicarboxamide;

N^4 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[3-(trifluoromethyl)benzyl]amino]propyl}-6-methyl- N^2,N^2 -dipropylpyridine-2,4-dicarboxamide;

N^4 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-6-methyl- N^2,N^2 -dipropylpyridine-2,4-dicarboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)cyclopropyl]amino)-2-hydroxypropyl)-N³,N³-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-5-[methyl(thien-2-yl)sulfonyl]amino]-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-5-([[(2R)-2-hydroxypropyl]amino]sulfonyl)-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(2-isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino)propyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-3-hydroxy-N⁵,N⁵-dipropylpentanediamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-2-(2-dipropylamine-2-oxoethoxy)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-2-[(2-dipropylamine-2-oxoethyl)thio]acetamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([2-(isobutylamino)-1,1-dimethyl-2-oxoethyl]amino)propyl)-5-(1,3-oxazol-2-yl)-N,N-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-4-[(methylsulfonyl)methyl]benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-3-methyl-5-(2-methylpentanoyl)benzamide hydrochlormide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-5-[(methylsulfonyl)amino]-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-3-[(1-propylbutyl)sulfonyl]-D-alaninamide dihydrochlormide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-N²-propionyl-3-[(1-propylbutyl)sulfonyl]-D-alaninamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(2-isobutylamino)-1-methyl-2-oxoethyl]amino)propyl)-N,N-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(2-isobutylamino)-1-methyl-2-oxoethyl]amino)propyl)-N-methyl-N-propyl-5-(1,3-thiazol-2-yl)isophthalamide;

N¹-butyl-N³-((1S,2R)-1-(3,5-difluorobenzyl)-3-([3-ethylbenzyl]amino)-2-hydroxypropyl)-N¹-methyl-5-(1,3-thiazol-2-yl)isophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(3-hydroxypropyl)(methylsulfonyl)amino]benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(methylsulfonyl)benzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N²-(1-oxobutyl)-3-[(1-propylbutyl)sulfonyl]-D-alaninamide hydrochlormide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N³,N³-dipropyl-5-pyrimidin-2-ylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-([(2S)-2-hydroxypropyl]amino)sulfonyl)-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N³-methyl-N³-propyl-5-(1,3-thiazol-2-yl)isophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-methylpentanoyl)-5-(1,3-oxazol-2-yl)benzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([(3-[(methylsulfonyl)amino]benzyl)amino]propyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N²-(2,2-dimethylpropanoyl)-3-[(1-propylbutyl)sulfonyl]-D-alaninamide hydrochlormide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-([(2R)-2-(methoxymethyl)pyrrolidin-1-yl]sulfonyl)-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[(3-hydroxypropyl)(methylsulfonyl)amino]benzamide;

N²-acetyl-N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(1-propylbutyl)sulfonyl]-D-alaninamide hydrochlormide;

2-[allyl(methylsulfonyl)amino]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,3-thiazole-5-carboxamide;

3-(butylsulfonyl)-N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-D-alaninamide bis(trifluoroacetate);

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethylphenyl)cyclopropyl]amino)-2-hydroxypropyl]-3-[(1-propylbutyl)sulfonyl]-D-alaninamide bis(trifluoroacetate);

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N²-isobutyryl-3-[(1-propylbutyl)sulfonyl]-D-alaninamide hydrochlormide;

N-[(1S,2R)-3-(butylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-4-(ethylthio)benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-(2-fluorophenyl)-5-oxopyrrolidine-3-carboxamide;

N¹-(4-tert-butyl-1,3-thiazol-2-yl)-N⁴-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}succinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-hydroxy-6-(1-hydroxy-2,2-dimethylpropyl)pyridine-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[(ethylamino)carbonyl]amino}benzamide;

3-(1-cyanoethyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;

1-(cyanomethyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1H-pyrrole-2-carboxamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(1H-imidazol-1-yl)propyl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-([(2R)-1-ethylpyrrolidin-2-yl]methyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

3-acetyl-N-[(1S,2R)-3-(benzylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]benzamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2E)-hex-2-enylamino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-([(5R)-3-ethyl-2-oxo-1,3-oxazolidin-5-yl]methyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-([(5S)-3-ethyl-2-oxo-1,3-oxazolidin-5-yl]methyl)amino]-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2,2-dioxido-3,4-dihydro-1,2-benzoxathiin-4-yl)amino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1,1-dioxido-3,4-dihydro-2H-1,2-benzothiazin-4-yl)amino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N⁵-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-phenyl-N¹,N¹-dipropylpentanediamide;

N¹-{(1S,2R)-1-[(5-(cyanomethyl)-1H-imidazol-1-yl)methyl]-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3,N^3 -dipropyl-5-pyrimidin-2-ylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-ethylpyrimidin-4-yl)methyl]amino}-2-hydroxypropyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -(2,2-dimethylpropanoyl)-3-[(1-propylbutyl)sulfonyl]-D-alaninamide hydrochlormide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(ethyl(methyl)amino)sulfonyl]- N^3,N^3 -dipropylisophthalamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2-hydroxyethyl)(methylsulfonyl)amino]benzamide;

5-bromo- N^1 -{(1S,2R)-1-(2,4-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3,N^3 -dipropylisophthalamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2-methoxyethyl)(methylsulfonyl)amino]benzamide hydrochlormide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(methylsulfonyl)methyl]benzamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(4-hydroxybutyl)sulfonyl]- N^3,N^3 -dipropylisophthalamide hydrochlormide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-(dipropylamino)isoquinoline-7-carboxamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(2-hydroxyethyl)(methyl)amino)sulfonyl]- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[(ethylamino)sulfonyl]- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(5-methyl-1,2,4-oxadiazol-3-yl)- N^3,N^3 -dipropylisophthalamide hydrochlormide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[methyl(methylsulfonyl)amino]-1,3-oxazole-4-carboxamide;

3-(butylsulfonyl)- N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}propanamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3,N^3 -dipropylmalonamide;

N²-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-dipropylbicyclo[2.2.1]hept-5-ene-2,3-dicarboxamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-dipropylcyclopentane-1,3-dicarboxamide;

N²-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3,4-dimethyl-N⁵,N⁵-dipropylthieno[2,3-b]thiophene-2,5-dicarboxamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-phenyl-N⁵,N⁵-dipropylpentanediamide;

N²-benzyl-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N²-[2-(dipropylamino)-2-oxoethyl]glycinamide;

3-(4-chlorophenyl)-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N⁵,N⁵-dipropylpentanediamide;

(2E)-N⁵-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(methoxyimino)-N¹,N¹-dipropylpentanediamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N²-[2-(dipropylamino)-2-oxoethyl]-N²-phenylglycinamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N²,N²-dipropylcyclohexane-1,2-dicarboxamide;

N¹-[(1S,2R)-3-[(benzyloxy)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-phenylpropanamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1,1-dioxido-3,4-dihydro-2H-1,2-benzothiazin-4-yl)amino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1H-imidazol-2-yl)-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(1-hydroxy-2-propylpentyl)benzamide;

N-[(1R,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-isobutyrylbenzamide; hydrochlormide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-propylpentanoyl)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-ethylbutanoyl)benzamide hydrochlormide;

N³-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(1,2,3,4-tetrahydronaphthalen-1-ylamino)propyl]-N⁵,N⁵-diisopropylpyridine-3,5-dicarboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1S)-2-(ethylamino)-1-methyl-2-oxoethyl]amino]-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-hydroxy-1-phenylpropyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-[(1S)-2-(benzylamino)-1-methyl-2-oxoethyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,3-dimethyl-N²,N²-dipropylcyclopropane-1,2-dicarboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,3-dimethyl-N²,N²-dipropylcyclopropane-1,2-dicarboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,3-dimethyl-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-ethyl-3-methyl-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxy-3-methyl-N⁵,N⁵-dipropylpentanediamide;

2-[allyl(methylsulfonyl)amino]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-oxazole-4-carboxamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-(dimethylamino)ethyl)amino]-2-hydroxypropyl)-5-methyl-N³,N³-dipropylisophthalamide;


N¹-[(1S,2R)-3-[(2-[bis(2-hydroxyethyl)amino]ethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-(cyclopropylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl)-3-[(1-propylbutyl)sulfonyl]-D-alaninamide dihydrochloride;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[4-(hydroxymethyl)-1,3-oxazol-2-yl]benzamide hydrochloride;

or a pharmaceutically acceptable salt thereof.

310. A compound of the formula:



wherein

R_a and R_d are independently C_1 - C_6 alkyl;

X is O or S;

5 R_b and R_c are independently hydrogen or halogen;

R_e is C_1 - C_6 alkyl or an optionally substituted phenyl.

311. A compound according to claim 310, wherein R_a is methyl and R_d is ethyl.

10 312. A compound according to claim 311, wherein X is O.

313. A compound according to claim 312, wherein R_b and R_c are F.

314. A compound according to claim 312, wherein R_b and R_c are hydrogen.

15 315. A compound according to claim 314, wherein R_e is meta-substituted ethyl phenyl group.

316. A compound according to claim 314, wherein R_e is $-CH_2CH_2CH(CH_3)_2$.

20 317. A compound according to claim 314, wherein R_e is methyl.

318. A compound according to claim 314, wherein R_e is phenyl.

319. A compound according to claim 311, wherein X is S.


25 320. A compound according to claim 319, wherein R_b and R_c are F.

321. A compound according to claim 319, wherein R_b and R_c are hydrogen.


322. A compound according to claim 321, wherein R_e is meta-substituted ethyl phenyl group.

323. A compound according to claim 321, wherein R_e is methyl.

324. A compound of the formula:



5 wherein



Y_a is or $-N(CH_2CH_2CH_3)_2$;

R_f and R_g are both hydrogen or together with the carbon to which they are attached form a carbonyl;

X_a is a covalent bond or a carbonyl;

10 R_n is hydrogen or hydroxy;

R_i and R_j are independently hydrogen or a halogen;

R_k is C_1 - C_6 alkyl;

R_l is C_1 - C_6 alkyl or an optionally substituted phenyl; and

m is 0 or 1.

15

325. A compound according to claim 324, wherein R_f and R_g , taken together with the carbon to which they are attached, are a carbonyl.

20 326. A compound according to claim 325, wherein X_a is a covalent bond.

327. A compound according to claim 326, wherein R_h is hydrogen.

328. A compound according to claim 327, wherein m is 1.

25 329. A compound according to claim 328, wherein R_i and R_j are F.

330. A compound according to claim 328, wherein R_i and R_j are hydrogen.

331. A compound according to claim 330, wherein R_k is ethyl.

332. A compound according to claim 330, wherein R_e is meta-substituted ethyl phenyl group.

333. A compound according to claim 330, wherein R_e is $-\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$.

5 334. A compound according to claim 330, wherein R_e is methyl.

335. A compound according to claim 330, wherein R_e is phenyl.

336. A compound according to claim 324, wherein R_f and R_g
10 are hydrogen.

337. A compound according to claim 336, wherein X_a is a carbonyl.

338. A compound according to claim 337, wherein R_h is hydroxyl.

15 339. A compound according to claim 338, wherein R_i and R_j are F.

340. A compound according to claim 338, wherein R_i and R_j are hydrogen.

341. A compound according to claim 338, wherein R_k is
20 ethyl.

342. A compound according to claim 338, wherein R_e is meta-substituted ethyl phenyl group.

343. A compound according to claim 338, wherein R_e is $-\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$.

25 344. A compound according to claim 338, wherein R_e is methyl.

345. A compound which is:

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2-hydroxyethyl)(methylsulfonyl)amino]benzamide;

5-bromo-N¹-{(1S,2R)-1-(2,4-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2-methoxyethyl)(methylsulfonyl)amino]benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(methylsulfonyl)methyl]benzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[(4-hydroxybutyl)sulfonyl]-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(dipropylamino)isoquinoline-7-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[(2-hydroxyethyl)(methyl)amino]sulfonyl)-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[(ethylamino)sulfonyl]-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(5-methyl-1,2,4-oxadiazol-3-yl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[methyl(methylsulfonyl)amino]-1,3-oxazole-4-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropylmalonamide;

N²-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropylbicyclo[2.2.1]hept-5-ene-2,3-dicarboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropylcyclopentane-1,3-dicarboxamide;

N²-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,4-dimethyl-N⁵,N⁵-dipropylthieno[2,3-b]thiophene-2,5-dicarboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenyl-N⁵,N⁵-dipropylpentanediamide;

N²-benzyl-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²-[2-(dipropylamino)-2-oxoethyl]glycinamide;

3-(4-chlorophenyl)-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁵,N⁵-dipropylpentanediamide;

(2E)-N⁵-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(methoxyimino)-N¹,N¹-dipropylpentanediamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²-[2-(dipropylamino)-2-oxoethyl]-N²-phenylglycinamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²,N²-dipropylcyclohexane-

1,2-dicarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-phenylpropanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(2,2-dioxido-3,4-dihydro-1,2-benzoxathiin-4-yl)amino]-2-hydroxypropyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(2,2-dioxido-3,4-dihydro-1,2-benzoxathiin-4-yl)amino]-2-hydroxypropyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1H-imidazol-2-yl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-propyl-1,3-benzoxazole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-1,3-benzoxazole-6-carboxamide;

5-[(tert-butylamino)sulfonyl]-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-6-methyl-N²,N²-dipropylpyridine-2,4-dicarboxamide;

N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-6-methyl-N²,N²-dipropylpyridine-2,4-dicarboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-ethynyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl)-5-ethynyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide;

N¹-butyl-N³-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N¹-methyl-5-(1,3-thiazol-2-yl)isophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-methyl-N³-propyl-5-(1,3-

thiazol-2-yl)isophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(4-methyl-1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3 -methyl-5-(1,3-oxazol-2-yl)- N^3 -propylisophthalamide;

N^1 -butyl- N^3 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^1 -methyl-5-(1,3-oxazol-2-yl)isophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3 -ethyl-5-(1,3-oxazol-2-yl)- N^3 -propylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[3-(trifluoromethyl)benzyl]amino]propyl}- N^3,N^3 -dipropyl-5-(1,3-thiazol-2-yl)isophthalamide; and

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

5-[[tert-butyl(methyl)amino]sulfonyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3,N^3 -dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-isopropyl-1,3-benzoxazole-6-carboxamide;

(2S)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxy-2-(1-naphthyl)ethanamide;

(2R)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-hydroxy-2-(1-naphthyl)ethanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}isonicotinamide;

N^1 -{(1S,2R)-1-benzyl-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3 -methyl-5-(1,3-oxazol-2-yl)- N^3 -propylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[1-(ethoxymethyl)-1H-imidazol-2-yl]- N^3,N^3 -dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-propyl-1,3-benzoxazole-5-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-isopropyl-1,3-benzoxazole-5-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[[ethyl(methyl)amino]sulfonyl]benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-

ethylbenzyl) amino]-2-hydroxypropyl}-2-methyl-1,3-benzoxazole-5-carboxamide;

N¹-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-5-(methylsulfonyl)-N³,N³-dipropylisophthalamide;

N¹-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-5-(methylsulfonyl)-N³,N³-dipropylisophthalamide;

N-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-2-methyl-1,3-benzoxazole-7-carboxamide;

methyl 3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl) amino] carbonyl] benzoate;

N¹-(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(5-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl) amino] propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(5-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl) amino] propyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1S)-2,3-dihydro-1H-inden-1-ylamino]-2-hydroxypropyl}-5-methyl-N³,N³-dipropylisophthalamide;

N¹-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-N²,N²-dipropylcyclohexane-1,2-dicarboxamide;

N-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-3-[(2R)-2-(methoxymethyl) pyrrolidin-1-yl] sulfonyl] benzamide;

N-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-[[ethyl(methyl) amino] sulfonyl] benzamide;

formic acid compound with N-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-[[ethyl(methyl) amino] sulfonyl] benzamide (1:1);

N-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-3,5-dimethylbenzamide;

N¹-butyl-N³-(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl) cyclopropyl] amino]-2-hydroxypropyl)-N¹-methyl-5-(1,3-thiazol-2-yl) isophthalamide;

N¹-butyl-N⁵-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-N¹-methylpentanediamide;

N¹-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-N⁵,N⁵-dipropylpentanediamide;

(2R)-N⁵-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2-methyl-N¹,N¹-dipropylpentanediamide;

(2S)-N⁵-(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2-methyl-N¹,N¹-dipropylpentanediamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^4,N^4 -dipropylsuccinamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -[2-(dipropylamino)-2-oxoethyl]- N^2 -methylglycinamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -[2-(dipropylamino)-2-oxoethyl]glycinamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[2-(methoxymethyl)pyrrolidin-1-yl]-5-oxopentanamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^5 -(2-furylmethyl)- N^5 -methylpentanediamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(4-ethylpyridin-2-yl)methyl]amino]-2-hydroxypropyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^4 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-6-methyl- N^2,N^2 -dipropylpyridine-2,4-dicarboxamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,2-dimethylchromane-7-carboxamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,2-dimethylchromane-6-carboxamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-methyl-1,3-benzoxazole-4-carboxamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-propyl-1,3-benzoxazole-4-carboxamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]sulfonylbenzamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-{dihydroxy[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]- λ^4 -sulfanyl}benzamide;

1-butyl- N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1H-indole-6-carboxamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-propyl-1H-indole-6-carboxamide;

1-butyl- N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1H-indole-5-carboxamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[4-(2-hydroxyethyl)-1,3-oxazol-2-yl]benzamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl}- N^3,N^3 -dipropyl-5-(1,3-thiazol-2-

yl)isophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl}-N³,N³-dipropyl-5-(1,3-thiazol-2-yl)isophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[4-ethylpyridin-2-yl)methyl]amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-4-(ethoxymethyl)benzamide;

1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}indoline-6-carboxamide;

3-[(tert-butylamino)sulfonyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2,3-dihydro-1,4-benzodioxine-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[[2-(2-hydroxymethyl)pyrrolidin-1-yl]sulfonyl]benzamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N³,N³-dipropyl-5-pyridin-4-ylisophthalamide;

N¹-butyl-N³-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl}-N¹,5-dimethylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl}-3-[[2-(2-methoxymethyl)pyrrolidin-1-yl]carbonyl]-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl}-3-[[2-(2-methoxymethyl)pyrrolidin-1-yl]carbonyl]-5-methylbenzamide;

3-(1-butyl-1H-pyrazol-4-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}propanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl}-3-[[2-(2-methoxymethyl)pyrrolidin-1-yl]carbonyl]-5-methylbenzamide;

1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1H-indazole-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-thien-2-yl-1,3-thiazole-4-carboxamide;

5-(aminosulfonyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-methyl-1H-pyrrole-2-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[[2-furylmethyl)sulfonyl]methyl]-1,3-thiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[[4-fluorobenzyl)sulfonyl)methyl]-1,3-thiazole-4-carboxamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[methyl(methylsulfonyl)amino]-1H-indole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-4-(2-methoxyethyl)benzamide;

N¹-butyl-N³-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-phenylcyclopropyl)amino]propyl)-N¹-methyl-5-(1,3-thiazol-2-yl)isophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-phenylcyclopropyl)amino]propyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(ethylamino)sulfonyl]benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(methylamino)sulfonyl]benzamide;

(2E)-3-(1-butyl-1H-pyrazol-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)prop-2-enamide or (2E)-3-(1-butyl-1H-pyrazol-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)prop-2-enamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isoquinoline-7-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(propylamino)isoquinoline-7-carboxamide or N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(propylamino)isoquinoline-7-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl)-5-[[2-hydroxy-1,1-dimethylethyl)amino]sulfonyl)-N³,N³-dipropylisophthalamide;

methyl 3-(2-{3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)carbonyl]phenyl)-1,3-oxazol-5-yl)propanoate;

3-(2-{3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)carbonyl]phenyl)-1,3-oxazol-5-yl)propanoic acid;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(3-hydroxypropyl)-1H-indole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-ethoxybenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-6-(pyrrolidin-1-ylcarbonyl)isonicotinamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[[(6-ethylpyridin-2-yl)methyl]amino]-2-hydroxypropyl)-5-methyl- N^3,N^3 -dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(dipropylamino)sulfonyl]benzamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[[(6-ethylpyridin-2-yl)methyl]amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

tert-butyl (1R)-1-[((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino)carbonyl]-3-(methylsulfinyl)propylcarbamate;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(dipropylamino)isonicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(dipropylamino)isonicotinamide;

(2R)-2-amino-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(methylsulfinyl)butanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[[ethyl(methyl)amino]sulfonyl]-5-[[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl]benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-[methyl(propyl)amino]isoquinoline-7-carboxamide or N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-[methyl(propyl)amino]isoquinoline-7-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(1,3-oxazol-2-yl)benzamide;

N^1 -[(1S,2R)-3-[[1-(3-bromophenyl)cyclopropyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -[(1S,2R)-3-[[1-(3-bromophenyl)cyclopropyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^5 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)- N^3,N^3 -dipropyl-1H-pyrazole-3,5-dicarboxamide;

N^1 -((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)- N^2,N^2 -dipropylcyclobutane-1,2-dicarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(dipropylamino)carbonothioyl]benzamide;

3-[(E)-(cyanoimino)(dipropylamino)methyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-

hydroxypropyl)benzamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(1-propylbutoxy)benzamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(5-ethylpyridin-3-yl)methyl]amino}-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-(2-methoxyethyl)-1H-indole-6-carboxamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}-5-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]sulfonyl)benzamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(1,3-thiazol-2-yl)benzamide;

N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4,8-diethoxyquinoline-2-carboxamide;

2-(4-butyl-3-oxopiperazin-1-yl)- N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^3 -[2-(dimethylamino)ethyl]- N^3 ,5-dimethylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methylbutanoyl)amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4-methylpentanoyl)amino]propyl}-5-methyl- N^3,N^3 -dipropylisophthalamide;

isobutyl (2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutylcarbamate;

ethyl (2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino]-2-hydroxybutylcarbamate;

N^1 -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(pyrimidin-2-ylamino)propyl]-5-methyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-

ethylbenzyl) amino]-2-hydroxypropyl}-5-methyl-N³-[(1S)-1-methylpropyl]isophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-5-methyl-N³-[(1R)-1-methylpropyl]isophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-2-(dipropylamino)-6-methylpyrimidine-4-carboxamide;

1-[butyl(methyl) amino]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}isoquinoline-7-carboxamide or 1-[butyl(methyl) amino]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}isoquinoline-7-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-1,3-dihydro-2-benzothiophene-5-carboxamide 2,2-dioxide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl) cyclopropyl] amino]-2-hydroxypropyl}-3-[(2R)-2-(methoxymethyl) pyrrolidin-1-yl]carbonyl}-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl) cyclopropyl] amino]-2-hydroxypropyl}-3-[(2R)-2-(methoxymethyl) pyrrolidin-1-yl]carbonyl}-5-methylbenzamide trifluoroacetate;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-1-isobutyl-1H-indole-6-carboxamide;

1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-(2,5-dimethyl-1H-pyrrol-1-yl)-1H-indole-6-carboxamide;

1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-methyl-1H-indole-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-3-oxo-2-propyl-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-(1,3-oxazol-2-yl)-1H-indole-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-2-(dipropylamino)-6-methylisonicotinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-2-[(methylsulfonyl)methyl]-1,3-thiazole-4-carboxamide;

4-amino-1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-1H-indole-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-2-ethyl-3-oxo-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

3-[(tert-butylamino) sulfonyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-5-

{[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]carbonyl}benzamide;
3-([(2S)-2-butylpyrrolidin-1-yl]carbonyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-methylbenzamide;
4-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-5-[(2R)-2-(propoxymethyl)pyrrolidin-1-yl]carbonyl}benzamide;
2-(1-butyl-2-oxopiperidin-4-yl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]acetamide;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-pentylbenzamide;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-ethylhexyl)benzamide;
ethyl 5-{3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonyl}phenyl}-2-furoate;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,1'-biphenyl-3-carboxamide;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2'-(methylthio)-1,1'-biphenyl-3-carboxamide;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(2-fluorobenzyl)benzamide;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-(4-fluorobenzyl)benzamide;
ethyl 3'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonyl]-1,1'-biphenyl-2-carboxylate;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3',5'-difluoro-1,1'-biphenyl-3-carboxamide;
N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-phenylacetamide;
tert-butyl 4-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino}carbonyl}benzylcarbamate;
(2R)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-2-phenylethanamide;
(2S)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-2-phenylethanamide;
3-(5-chloropentyl)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-

[(3-ethylbenzyl) amino]-2-hydroxypropyl}benzamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-3-(1-phenylethyl)benzamide trifluoroacetate;

3-(cyclohexylmethyl)-N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}benzamide;

3-cyclopentyl-N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}benzamide;

N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-3-hex-5-enylbenzamide;

3-(6-cyanoethyl)-N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}benzamide;

N¹-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-{[3-(2-formylthien-3-yl)benzyl] amino}-2-hydroxypropyl]-5-methyl-N³, N³-dipropylisophthalamide;

N¹-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-{[3-(5-formylthien-3-yl)benzyl] amino}-2-hydroxypropyl]-5-methyl-N³, N³-dipropylisophthalamide;

N¹-[(1S, 2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-(6-methoxypyridin-2-yl)benzyl] amino}propyl]-5-methyl-N³, N³-dipropylisophthalamide;

N¹-[(1S, 2R)-3-{[3-(5-cyanopyridin-3-yl)benzyl] amino}-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N³, N³-dipropylisophthalamide;

N¹-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-{[3-(6-fluoropyridin-3-yl)benzyl] amino}-2-hydroxypropyl]-5-methyl-N³, N³-dipropylisophthalamide;

N¹-[(1S, 2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-pyrimidin-4-ylbenzyl] amino}propyl]-5-methyl-N³, N³-dipropylisophthalamide;

N¹-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-{[3-(5-ethylpyrimidin-2-yl)benzyl] amino}-2-hydroxypropyl]-5-methyl-N³, N³-dipropylisophthalamide;

N¹-[(1S, 2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-{[3-pyrimidin-2-ylbenzyl] amino}propyl]-5-methyl-N³, N³-dipropylisophthalamide;

methyl 2-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]amino) carbonyl]-6-methylisonicotinate;

N⁴-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-6-methyl-N², N²-dipropylpyridine-2,4-dicarboxamide 1-oxide;

1-butyl-4-cyano-N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-1H-indole-6-carboxamide;

1-butyl-4-cyano-N-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-1H-indole-6-carboxamide;

5-(diethylamino)-N¹-[(1S, 2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]-N³, N³-dipropylisophthalamide;

N¹-[(1S, 2R)-3-{[3-(diethylamino)benzyl] amino}-1-(3,5-

difluorobenzyl)-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(dimethylamino)-N³,N³-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-ethylpyridin-4-yl)methyl]amino}-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N²-(tert-butoxycarbonyl)-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-L-norleucinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(3H-[1,2,3]triazolo[4,5-b]pyridin-3-yl)oxy)methyl]benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-[(2-hydroxyethyl)(propyl)amino]methyl}-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-[(ethyl(propyl)amino)methyl]-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1-methyl-1,3-dihydro-2,1-benzisothiazole-5-carboxamide 2,2-dioxide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-L-norleucinamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(dimethylamino)benzyl)amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

2-chloro-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-6-methylisonicotinamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-[(2-hydroxyethyl)(propyl)amino]methyl}benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(3-fluoro-4-propoxyphenyl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(3-methoxy-4-propoxyphenyl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-methyl-5-[(methyl(propyl)amino)methyl]benzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-3-[(dipropylamino)methyl]-5-methylbenzamide;

3-[(butyl(methyl)amino)methyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-(piperidin-1-

ylsulfonyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]propyl)-3-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-4-(3-methoxypropyl)benzamide;

5-amino-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-[(dimethylamino)methyl]benzyl)amino]-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N-(tert-butoxycarbonyl)-3-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-L-histidinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-isopentyl-1H-indole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-propyl-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-ethyl-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

6-bromo-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,2-dimethylchromane-8-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(methylsulfonyl)methyl]cyclohexanecarboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-piperidin-4-yl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-5-(1,3-oxazol-2-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[(methylsulfonyl)methyl]thiophene-2-carboxamide;

3-[(cyclohexylamino)methyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-5-methylbenzamide;

2-(2-chlorophenoxy)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)pyrazine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(phenylsulfonyl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]-6-methylisonicotinamide;

3-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino]carbonyl]-5-methylbenzoic acid;

6-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,2-dimethylchromane-8-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-5-(1,3-thiazol-2-yl)benzamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4-ethoxyphenyl)acetamide (1:1);

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-5-[(2S)-2-propylpyrrolidin-1-yl]carbonyl)benzamide (1:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2R)-2-(2-methoxyethyl)pyrrolidin-1-yl]carbonyl)-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(methylsulfonyl)methyl]cyclohexanecarboxamide;

3-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-1H-indole-5-carboxamide;

formic acid compound with 2-(1-butyl-2-oxo-1,2-dihydropyridin-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide (1:1);

3-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-L-histidinamide;

5-[(diethylamino)methyl]-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[(dimethylamino)methyl]-N³,N³-dipropylisophthalamide;

N-((1S,2R)-3-[(3-ethylbenzyl)amino]-1-[3-(hexyloxy)benzyl]-2-hydroxypropyl)-3-(1,3-oxazol-2-yl)benzamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(3-hydroxy-4-methoxyphenyl)acetamide (1:1);

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(1,3-thiazolidin-3-ylsulfonyl)benzamide (1:1);

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-

(3,4-dihydroisoquinolin-2(1H)-ylsulfonyl)benzamide (1:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(4-phenylpiperazin-1-yl)sulfonyl]benzamide;

3-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-indole-5-carboxamide;

N-((1S,2R)-3-[(3-ethylbenzyl)amino]-1-[3-(hexyloxy)benzyl]-2-hydroxypropyl)acetamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-1H-benzimidazole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[(methylsulfonyl)methyl]nicotinamide;

N¹-[(1S,2R)-3-[(3-[(diethylamino)methyl]benzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[1-methyl-5-(4-methylbenzoyl)-1H-pyrrol-2-yl]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(dipropylamino)-6-(1,3-oxazol-2-yl)isonicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-6-(1,3-oxazol-2-yl)isonicotinamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-1H-benzimidazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]propyl)-3-methylbenzamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-piperidin-3-yl-N³,N³-dipropylisophthalamide;

3-[[benzyl(methyl)amino]methyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-5-methylbenzamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[[4-(4-fluorophenyl)piperazin-1-yl]sulfonyl]benzamide (2:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(pyrrolidin-1-ylsulfonyl)benzamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(pyrrolidin-1-ylsulfonyl)benzamide (1:1);

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-((4-[3-(trifluoromethyl)phenyl]piperazin-1-

yl)sulfonyl)benzamide (2:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(dimethylamino)sulfonyl]benzamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[(dimethylamino)sulfonyl]benzamide (1:1);

N-((1S,2R)-3-[(3-ethylbenzyl)amino]-1-[3-(hexyloxy)benzyl]-2-hydroxypropyl)-2-[(methylsulfonyl)amino]-1,3-oxazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-[(methylsulfonyl)methyl]nicotinamide;

N-[(1S,2R)-3-[(3-bromobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-4-methylpentanamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-1H-pyrrole-2-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1H-pyrrol-2-ylmethyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-piperazin-1-yl-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-3-[(3-bromobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]acetamide;

N²-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-methyl-N⁴,N⁴-dipropylpyridine-2,4-dicarboxamide;

N²-(tert-butoxycarbonyl)-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-D-norleucinamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-D-norleucinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4R)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)propyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(4S)-6-isopropyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)propyl)acetamide;

formic acid compound with 4-[[4-(chlorophenyl)(methyl)amino]sulfonyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide (1:1);

formic acid compound with 4-[[benzyl(phenyl)amino]sulfonyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide (1:1);

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-

(morpholin-4-ylsulfonyl)benzamide (1:1);

N-[(1S,2R)-3-[(3-bromobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3-oxo-4-propylcyclohexyl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(3-oxocyclohexyl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,1-dipropyl-3,4-dihydro-1H-isochromene-7-carboxamide;

formic acid compound with 4-[[2-cyanoethyl(methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);

formic acid compound with 4-[[cyclohexyl(methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[[methyl(2-pyridin-2-ylethyl)amino]sulfonyl]benzamide (2:1);

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[[methyl(phenyl)amino]sulfonyl]benzamide (1:1);

formic acid compound with 4-[[benzyl(methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[[methyl(2-phenylethyl)amino]sulfonyl]benzamide (1:1);

formic acid compound with 4-[[allyl(methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);

formic acid compound with 4-[[[2-(diethylamino)ethyl](methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (2:1);

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[[methyl(propyl)amino]sulfonyl]benzamide (1:1);

formic acid compound with 4-[[butyl(methyl)amino]sulfonyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide (1:1);

formic acid compound with N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-[[methyl(pentyl)amino]sulfonyl]benzamide (1:1);

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[[isopentyl(methyl)amino]sulfonyl]benzamide (1:1);

2-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,2,3,4-tetrahydroisoquinoline-7-carboxamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[[methyl(1-methylpyrrolidin-3-yl)amino]sulfonyl]benzamide (2:1);

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(4-ethylpyridin-2-yl)cyclopropyl]amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-3-(2-methoxyethyl)benzamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-2-(2-methoxyethyl)-1H-benzimidazole-6-carboxamide;

L-alpha-glutamyl-L-valyl-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-L-methioninamide;

3-[[cyclohexyl(methyl)amino]methyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-5-methylbenzamide;

N-((1S,2R)-1-(3-butoxybenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

formic acid compound with 2-(4-butyl-2,5-dioxopiperazin-1-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide (1:1);

3-bicyclo[2.2.1]hept-2-yl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

3-(butylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-4-(2-methoxyethyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-2-(dipropylamino)-6-(1,3-oxazol-2-yl)isonicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1,2,3,4-tetrahydronaphthalen-1-ylamino]propyl)-3-methylbenzamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[[dipropylamino]sulfonyl]benzamide (1:1);

formic acid compound with 4-[(diethylamino)sulfonyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide (1:1);

4-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(methylsulfonyl)-1,2,3,4-

tetrahydroquinoxaline-6-carboxamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isoquinoline-7-carboxamide;

5-([butyl(methyl)amino]methyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-2-carboxamide;

3-([butyl(methyl)amino]methyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-5-methylbenzamide;

3-([butyl(methyl)amino]methyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(trifluoromethyl)benzyl)amino]propyl)-5-methylbenzamide;

3-bromo-5-([butyl(methyl)amino]methyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)benzamide;

3-([butyl(methyl)amino]methyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-5-methylbenzamide;

(2R)-2-(4-butyl-3-oxopiperazin-1-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)propanamide;

3-([butyl(methyl)amino]methyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(dipropylamino)-6-(1,3-thiazol-2-yl)isonicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)-3-([isopentyl(methyl)amino]methyl)-5-methylbenzamide;

N-((1S,2R)-1-(3-butoxybenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(methylsulfonyl)amino]-1,3-oxazole-4-carboxamide;

3-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)imidazo[1,2-a]pyridine-6-carboxamide;

2-[butyl(methyl)amino]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-(1,3-oxazol-2-yl)isonicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-benzodioxole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[methyl(propyl)amino]-6-

(1,3-oxazol-2-yl)isonicotinamide;

3-([butyl(methyl)amino]methyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-phenylcyclopropyl)amino]propyl)-5-methylbenzamide;

3-([butyl(methyl)amino]methyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl)-5-methylbenzamide;

N-[(1S,2R)-3-[[1-(3-bromophenyl)cyclopropyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]acetamide;

3-([butyl(methyl)amino]methyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[2-(methylsulfonyl)-1-phenylethyl]amino]propyl)acetamide;

3-([butyl(methyl)amino]methyl)-5-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-[(methylsulfonyl)methyl]benzyl)amino]propyl]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[[2-furylmethyl(methyl)amino]methyl]-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[[2-methoxyethyl(methyl)amino]methyl]-5-methylbenzamide;

3-[[2-(diethylamino)ethyl(methyl)amino]methyl]-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylbenzamide;

N-[(1S,2R)-3-[(3-bromobenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-2-methoxyacetamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[4-(ethoxymethyl)piperidin-1-yl]pentanamide (2:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-oxoindane-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxyindane-5-carboxamide;

formic acid compound with N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4-propoxypiperidin-1-yl)acetamide (2:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[[isobutyl(methyl)amino]methyl]-5-methylbenzamide;

formic acid compound with 2-(1-butyl-2-oxopiperidin-4-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide (1:1);

formic acid compound with 2-(4-butylpiperazin-1-yl)-N-

{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide (3:1);

4-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,4-dihydro-2H-1,4-benzothiazine-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]amino]propyl}acetamide;

2-[(2S)-4-butyl-2-methyl-3-oxopiperazin-1-yl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

2-[(2R)-4-butyl-2-methyl-3-oxopiperazin-1-yl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(2,3-dioxo-4-propylpiperazin-1-yl)acetamide;

4-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1,2,3,4-tetrahydroquinoxaline-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-methyl-5-[[methyl(pentyl)amino]methyl]benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(2R)-2-(methoxymethyl)pyrrolidin-1-yl]methyl]-5-methylbenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl]-2-(dipropylamino)isonicotinamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-{4-[(dimethylamino)methyl]pyridin-2-yl}cyclopropyl)amino]-2-hydroxypropyl]-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-(dipropylamino)-4-methyl-1,3-thiazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-[(4-ethylbenzyl)sulfonyl]ethyl)amino]-2-hydroxypropyl]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-3-phenyl-1H-thieno[2,3-c]pyrazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino]-2-hydroxypropyl]-3,5-dimethylbenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1,2,3,4-tetrahydronaphthalen-1-ylamino]propyl}acetamide;

3-bromo-5-[[butyl(methyl)amino]methyl]-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]benzamide;

1-butyl-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl]-1H-indole-6-

carboxamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(4-[(dimethylamino)methyl]pyridin-2-yl)methyl]amino}-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)- N^3,N^3 -dipropylisophthalamide;

3-[(butylamino)methyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-methylbenzamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]methyl}-5-methylbenzamide;

formic acid compound with N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[4-(2-methoxyethyl)piperidin-1-yl]acetamide (2:1);

1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1,2,3,4-tetrahydroisoquinoline-7-carboxamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- $N^1,5$ -dimethyl- N^3,N^3 -dipropylisophthalamide;

N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[3-(dimethylamino)prop-1-ynyl]- N^3,N^3 -dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-phenoxyphenyl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2,5-dimethylphenyl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[2-(trifluoromethoxy)phenyl]acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-ethoxyphenyl)acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[2-(trifluoromethyl)phenyl]acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2-methoxyphenyl)acetamide;

2-[2-(benzyloxy)phenyl]-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-phenylbutanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-mesitylacetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-(2,4-dimethoxyphenyl)acetamide;

2-(2-chlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

2-cyclohexyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

2-cyclopent-2-en-1-yl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1-methyl-5-oxo-2-thioxoimidazolidin-4-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-fluorophenyl)acetamide;

2-cyclopropyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

2-cyclohex-1-en-1-yl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

2-(1-adamantyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

(2S)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenylpropanamide;

(2R)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenylpropanamide;

2-(2,4-dichlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2,3-dimethoxyphenyl)acetamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[3-(dimethylamino)propyl]-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]-2-hydroxypropyl)acetamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(4-ethynylpyridin-2-yl)cyclopropyl)amino]-2-hydroxypropyl)-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

4-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,4-dihydro-2H-1,4-benzothiazine-6-carboxamide 1-oxide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-heptyl-4-hydroxy-L-prolinamide;

2-[butyl(methyl)amino]-6-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isonicotinamide;

2-[butyl(methyl)amino]-6-cyano-N-((1S,2R)-1-(3,5-

difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}isonicotinamide;

N'-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-[(dimethylamino)methyl]pyridin-4-yl)methyl]amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-N,N-dipropylisophthalamide;

4-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-8-(1,3-oxazol-2-yl)-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide or 4-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-8-(1,3-oxazol-2-yl)-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-(4-ethyl-1,3-oxazol-2-yl)-5-(1,3-oxazol-2-yl)benzamide;

3-benzyl-4-(4-butylphenyl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4-oxobutanamide;

2-(4-butyl-2-oxopiperazin-1-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}acetamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2-[4-(ethoxymethyl)piperidin-1-yl]acetamide;

2-(4-butyl-2,3-dioxopiperazin-1-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}hexanamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl}acetamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(4-ethynylpyridin-2-yl)cyclopropyl]amino]-2-hydroxypropyl}-5-(1,3-oxazol-2-yl)-N³,N³-dipropylisophthalamide;

5-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl]amino]-5-oxopentanoic acid;

1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1,2,3,4-tetrahydroquinoline-7-carboxamide or 1-butyl-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1,2,3,4-tetrahydroquinoline-7-carboxamide;

4-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl]amino]-4-oxobutanoic acid;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-propyl-1,2-benzisoxazole-5-carboxamide;

2-[allyl(methyl)amino]-N-{(1S,2R)-1-[3-(allyloxy)-5-fluorobenzyl]-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}isonicotinamide;

1-allyl-N-{(1S,2R)-1-[4-(allyloxy)-3-fluorobenzyl]-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-1H-indole-6-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-

ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-4-phenyl-2-(1H-pyrrol-1-yl)-1,3-thiazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl)-2-(dipropylamino)-4-(trifluoromethyl)-1,3-thiazole-5-carboxamide;

(2S)-2-([2-(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino)-N-isobutyl-4-(methylsulfonyl)butanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([3-(3-hydroxyprop-1-ynyl)benzyl]amino)propyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl)-2,6-dimorpholin-4-ylpyrimidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2S)-2-ethylpyrrolidin-1-yl]carbonyl)-5-methylbenzamide;

(2S)-2-(4-butyl-3-oxopiperazin-1-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)tetrahydrofuran-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)-2-(1H-imidazol-4-yl)acetamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)-N²,2-dimethylalaninamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)cyclopentanecarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)cyclopropanecarboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)-2-phenylacetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)tetrahydrofuran-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)-1,3-thiazolidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)-3-hydroxybutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([(4R)-6-ethyl-2,2-

dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-3-hydroxypropanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-3-hydroxy-2,2-dimethylpropanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-3-methylbutanamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)glycinamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[(4R)-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino}-2-hydroxypropyl)-N²-methylglycinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-1-methyl-3-(trifluoromethyl)-1H-thieno[2,3-c]pyrazole-5-carboxamide;

2-[allyl(methyl)amino]-N-((1S,2R)-1-[4-(allyloxy)-3-fluorobenzyl]-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)isonicotinamide;

3-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,2-benzisoxazole-5-carboxamide;

5-(3-aminopropyl)-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[3-(methylamino)propyl]-N³,N³-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-[3-(methylamino)prop-1-ynyl]-N³,N³-dipropylisophthalamide;

5-(3-aminoprop-1-ynyl)-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-{[1-(3-ethynylphenyl)cyclopropyl]amino}-2-hydroxypropyl)-5-pyrrolidin-1-ylpyrazine-2-carboxamide;

4-butoxy-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)quinoline-2-carboxamide;

2-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-[methyl(propyl)amino]isonicotinamide;

3-acetyl-1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-indole-6-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1H-indol-6-ylmethyl)amino]propyl)-5-methyl-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-isobutyl-1,2-

benzisoxazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(2S)-pyrrolidin-2-yl]acetamide;

2-[2-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino]-2-oxoethyl]-N-(6-methoxypyridin-3-yl)benzamide;

2-[2-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino]-2-oxoethyl]-N-(2,4-difluorophenyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-pyridin-3-ylacetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1H-imidazol-5-yl)acetamide;

2-cyclopentyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-hydroxyphenyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-methylphenyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2-iodophenyl)acetamide;

1-(4-chlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-oxopyrrolidine-3-carboxamide;

4-(2,4-dichlorophenoxy)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)butanamide;

4,5-dibromo-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(5-methyl-2-phenyl-1,3-oxazol-4-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-2,6-bis(dimethylamino)pyrimidine-4-carboxamide;

4-butyl-8-cyano-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,4-dihydro-2H-1,4-benzoxazine-6-carboxamide;

3-(allylsulfonyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)benzamide;

3-(allylthio)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl)acetamide;

formic acid compound with N¹-[(3S)-1-azabicyclo[2.2.2]oct-3-yl]-N⁵-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)pentanediamide (1:1);

formic acid compound with N¹-[(3R)-1-azabicyclo[2.2.2]oct-3-yl]-N⁵-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)pentanediamide (1:1);

formic acid compound with N¹-[(3S)-1-azabicyclo[2.2.2]oct-3-yl]-N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)succinamide (1:1);

formic acid compound with N¹-[(3R)-1-azabicyclo[2.2.2]oct-3-yl]-N⁴-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)succinamide (1:1);

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[4R]-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)pentanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[4R]-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)-3-phenylpropanamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[4-(dimethylamino)but-1-ynyl]-N³,N³-dipropylisophthalamide;

1-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(trifluoroacetyl)-1H-indole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-3-[[isopentyl(methyl)amino]methyl]-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-3-[[isopentyl(methyl)amino]methyl]-5-methylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-4-(dipropylamino)-1-methyl-1H-pyrrole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[4R]-6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl]amino)-2-hydroxypropyl)-4-(2-methoxyethyl)benzamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[4-(dimethylamino)butyl]-N³,N³-dipropylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[6-ethyl-2-(methylsulfonyl)-1,2,3,4-tetrahydroisoquinolin-4-yl]amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[6-ethyl-2-(methylsulfonyl)-1,2,3,4-tetrahydroisoquinolin-4-yl]amino]-2-

hydroxypropyl)acetamide;

2,6-dichloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl)pyrimidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(1S)-7-ethyl-1,2,3,4-tetrahydronaphthalen-1-yl]amino)-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(1R)-7-ethyl-1,2,3,4-tetrahydronaphthalen-1-yl]amino)-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl)-2-morpholin-4-yl-4-(trifluoromethyl)-1,3-thiazole-5-carboxamide;

N-((1S,2R)-1-benzyl-3-[(6-ethyl-2,2-dioxido-3,4-dihydro-1H-isothiochromen-4-yl)amino]-2-hydroxypropyl)acetamide;

N-[(1S,2R)-3-([1-(3-bromophenyl)cyclopropyl]amino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]acetamide;

N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)-1H-tetrazol-5-yl]methyl)amino)-2-hydroxypropyl]-5-methyl-N³,N³-dipropylisophthalamide;

3-(allylsulfinyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-ethylphenyl)cyclopropyl]amino)-2-hydroxypropyl)benzamide;

methyl 3-[3'-(acetylamino)-1,1'-biphenyl-3-yl]-3-[(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino)propanoate;

methyl 3-[(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino)-3-[3-(5-formylthien-2-yl)phenyl]propanoate;

methyl 3-[(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino)-3-(2'-acetyl-1,1'-biphenyl-3-yl)propanoate;

methyl 3-[(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino)-3-[3'-(hydroxymethyl)-1,1'-biphenyl-3-yl]propanoate;

N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(3'-methoxy-1,1'-biphenyl-3-yl)cyclopropyl]amino)propyl)acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-(3'-(hydroxymethyl)-1,1'-biphenyl-3-yl)cyclopropyl]amino)propyl]acetamide;

N-[(1S,2R)-3-([1-(2'-acetyl-1,1'-biphenyl-3-yl)cyclopropyl]amino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-(5-formylthien-2-yl)phenyl)cyclopropyl]amino)-2-hydroxypropyl]acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-(9H-fluoren-9-ylamino)-2-hydroxypropyl]acetamide;

methyl 3-[(2R,3S)-3-(acetylamino)-4-(3,5-

difluorophenyl)-2-hydroxybutyl]amino}-3-[3-(trifluoromethyl)phenyl]propanoate;

methyl 3-[[(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino}-3-(3-cyanophenyl)propanoate;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-[3-(dimethylamino)propyl]-N³,N³-dipropylisophthalamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3'-(hydroxymethyl)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

3'-cyano-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2'-ethoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-thiazol-2-yl)-3'-(trifluoromethoxy)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4'-propoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4'-(dimethylamino)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-2'-propoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3'-propoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3'-ethoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4'-ethoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4'-isopropoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4'-(hydroxymethyl)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

4'-butoxy-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-4'-methoxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-thiazol-2-yl)-4'-(trifluoromethoxy)-1,1'-biphenyl-3-carboxamide;

4'-butyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

3'-butoxy-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3'-isopropyl-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

3'-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2'-methyl-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

2'-acetyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4'-hydroxy-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

4'-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(1,3-thiazol-2-yl)-1,1'-biphenyl-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(1H-pyrrol-2-yl)-5-(1,3-thiazol-2-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(E)-2-(4-fluorophenyl)ethenyl]-5-(1,3-thiazol-2-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)pyrimidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)cyclopropyl]amino]-2-hydroxypropyl)acetamide;

methyl 3-[[2R,3S]-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino]-3-(3-bromophenyl)propanoate;

2-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-6-morpholin-4-ylpyrimidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-2-(dipropylamino)-6-morpholin-4-ylpyrimidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethynylphenyl)cyclopropyl]amino]-2-hydroxypropyl)-2,6-bis(dipropylamino)pyrimidine-4-carboxamide;

methyl 3-([(2R,3S)-3-(acetylamino)-4-(3,5-difluorophenyl)-2-hydroxybutyl]amino)-3-(3-bromophenyl)propanoate;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(1-(3-ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl)acetamide;
or pharmaceutically acceptable salts thereof.

346. A compound which is:

N'-[(1S,2S)-3-(benzylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-ethynyl-N,N-dipropylisophthalamide;

N-(1-cyclopropylethyl)-N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N-phenylsuccinamide

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-[(1E)-prop-1-en-1-yl]benzyl)amino]propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl]-5-(1,3-oxazol-2-yl)-N,N-dipropylisophthalamide;

methyl 3-([(2R,3S)-4-(3,5-difluorophenyl)-3-[(3-[(dipropylamino)carbonyl]-5-(1,3-oxazol-2-yl)benzoyl]amino)-2-hydroxybutyl]amino)methyl]phenyl)methylcarbamate;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-[(methylsulfonyl)amino]benzyl)amino]propyl]-5-(1,3-oxazol-2-yl)-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl]-N,N-dipropylpyridine-3,5-dicarboxamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N,N-dipropylpyridine-3,5-dicarboxamide 1-oxide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethynylbenzyl)amino]-2-hydroxypropyl]-5-ethynyl-N,N-dipropylisophthalamide;

N⁴-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-isopropylbenzyl)amino]propyl]-6-methyl-N²,N²-dipropylpyridine-2,4-dicarboxamide;

N'-[(1S,2R)-3-[(2-tert-butylpyrimidin-4-yl)methyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-ethylpyrimidin-4-yl)methyl]amino]-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S)-1-[(isobutylamino)carbonyl]-3-(methylsulfonyl)propyl]amino]propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-hydroxy-1-phenylpropyl)amino]propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-(6,7,8,9-

tetrahydro-5H-benzo[7]annulen-5-ylamino)propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-((1S,2S)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((1R)-6-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino)propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((1R)-6-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino)propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((1S)-2-oxo-1-methyl-2-(methylamino)ethyl)amino)propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-3-((1S)-1-benzyl-2-oxo-2-(methylamino)ethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N²-{oxo[3-(trifluoromethyl)phenyl)methyl]glycinamide};

2-[[2-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)amino]-2-oxoethyl]thio]-N-(5-methylisoxazol-3-yl)acetamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((1S)-1-[oxo(methylamino)methyl]-3-(methylthio)propyl)amino)propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-((1R)-1-(hydroxymethyl)-2-oxo-2-(methylamino)ethyl)amino)propyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-3-((1S)-1-[amino(oxo)methyl]-3-methylbutyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N'-[(1S,2R)-3-[(2-amino-2-oxo-1-methylethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

tert-butyl (1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropylcarbamate;

tert-butyl (1S,2R)-3-(cyclopropylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropylcarbamate;

tert-butyl (1S,2R)-3-[(cyclopropylmethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropylcarbamate;

tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[2-oxo-2-(isobutylamino)-1-methylethyl]amino]propyl)carbamate;

benzyl (1S,2R)-1-benzyl-3-[(3-ethylbenzyl)amino]-2-hydroxypropylcarbamate;

(2R,3S)-3-amino-4-(3,5-difluorophenyl)-1-[[1-(3-ethynylphenyl)cyclopropyl]amino]butan-2-ol;

tert-butyl [(1S,2R)-3-((1S)-2-(benzylamino)-2-oxo-1-methylethyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]carbamate;

N²-[(2R,3S)-3-amino-4-(3,5-difluorophenyl)-2-hydroxybutyl]-N¹-benzyl-L-alaninamide bis(trifluoroacetate) (salt);

tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[1-(2-isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino]propyl)carbamate;

(2R,3S)-3-amino-4-(3,5-difluorophenyl)-1-[[1-(2-isobutyl-1,3-thiazol-5-yl)cyclopropyl]amino]butan-2-ol bis(trifluoroacetate) (salt);

tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 {[1-(3-isobutylisoxazol-5-yl)cyclopropyl]amino}propyl) carbamate;
 (2R,3S)-3-amino-4-(3,5-difluorophenyl)-1-([1-(3-
 isobutylisoxazol-5-yl)cyclopropyl]amino)butan-2-ol
 bis(trifluoroacetate) (salt);
 tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-3-[(2-
 ethylpyrimidin-4-yl)methyl]amino)-2-hydroxypropyl carbamate;
 (2R,3S)-3-amino-4-(3,5-difluorophenyl)-1-[(2-
 ethylpyrimidin-4-yl)methyl]amino)butan-2-ol
 bis(trifluoroacetate) (salt);
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 [(7-methoxy-1,2,3,4-tetrahydronaphthalen-1-yl)amino]propyl} carbamate;
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 (6,7,8,9-tetrahydro-5H-benzo[7]annulen-5-ylamino)propyl] carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 [(3-hydroxy-1-phenylpropyl)amino]propyl} carbamate;
 tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 {[1-(1-oxo(isobutylamino)methyl]-3-(methylthio)propyl]amino}propyl) carbamate;
 tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 {[1-(1-[(isobutylamino)carbonyl]-3-(methylsulfonyl)propyl]amino}propyl) carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2,2-
 dioxido-3,4-dihydro-1,2-benzoxathiin-4-yl)amino]-2-
 hydroxypropyl} carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-3-[(2,2-
 dioxido-3,4-dihydro-1H-2,1-benzothiazin-4-yl)amino]-2-
 hydroxypropyl} carbamate;
 tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-
 ethylphenyl)cyclopropyl]amino)-2-hydroxypropyl) carbamate;
 tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-3-([1-(3-
 ethynylphenyl)cyclopropyl]amino)-2-hydroxypropyl) carbamate;
 tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 {[1-(3-methylphenyl)cyclopropyl]amino}propyl) carbamate;
 tert-butyl ((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 {[1-(3-iodophenyl)cyclopropyl]amino}propyl) carbamate;
 tert-butyl [(1S,2R)-3-([3-(cyclopropylamino)benzyl]amino)-1-(3,5-difluorobenzyl)-2-
 hydroxypropyl] carbamate;
 methyl 3-([[(2R,3S)-3-[(tert-butoxycarbonyl)amino]-4-
 (3,5-difluorophenyl)-2-hydroxybutyl]amino)methyl)benzoate;
 methyl [3-([[(2R,3S)-3-[(tert-butoxycarbonyl)amino]-4-
 (3,5-difluorophenyl)-2-hydroxybutyl]amino)methyl)phenyl] carbamate;
 methyl [3-([[(2R,3S)-3-[(tert-butoxycarbonyl)amino]-4-
 (3,5-difluorophenyl)-2-hydroxybutyl]amino)methyl)phenyl]methyl carbamate;
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-3-([3-
 [(dimethylamino)sulfonyl]benzyl]amino)-2-hydroxypropyl] carbamate;
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-
 ([3-[(methylsulfonyl)amino]benzyl]amino)propyl] carbamate;
 tert-butyl [(1S,2R)-3-[(3-cyanobenzyl)amino]-1-(3,5-

difluorobenzyl)-2-hydroxypropyl]carbamate;
 3-(((2R,3S)-3-[(tert-butoxycarbonyl)amino]-4-(3,5-difluorophenyl)-2-hydroxybutyl)amino)methyl)phenyl dimethylcarbamate;
 tert-butyl [(2R,3S)-4-(3,5-difluorophenyl)-3-((3-[(dipropylamino)carbonyl]-5-methylbenzoyl)amino)-2-hydroxybutyl][3-(ethylthio)benzyl]carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1R)-2,3-dihydro-1H-inden-1-ylamino]-2-hydroxypropyl}carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-3-[(1S)-2,3-dihydro-1H-inden-1-ylamino]-2-hydroxypropyl}carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1S,2R)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]amino}propyl)carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1R,2S)-2-hydroxy-2,3-dihydro-1H-inden-1-yl]amino}propyl)carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3S)-2-oxoazepan-3-yl]amino}propyl)carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R)-2-oxoazepan-3-yl]amino}propyl)carbamate;
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-3-(((5S)-3-ethyl-2-oxo-1,3-oxazolidin-5-yl)methyl)amino)-2-hydroxypropyl]carbamate;
 tert-butyl [(1S,2R)-1-(3,5-difluorobenzyl)-3-(((5R)-3-ethyl-2-oxo-1,3-oxazolidin-5-yl)methyl)amino)-2-hydroxypropyl]carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-3-[[1-(3-ethylphenyl)-1-methylethyl]amino]-2-hydroxypropyl)carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(2-naphthylmethyl)amino]propyl}carbamate;
 tert-butyl {(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[2-oxo-2-(isobutylamino)-1,1-dimethylethyl]amino]propyl)carbamate;
 tert-butyl [(1S,2R)-3-[(benzyloxy)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]carbamate;
 tert-butyl 4-[[[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)carbonyl]piperidine-1-carboxylate trifluoroacetate;
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-fluoro-1-naphthamide;
 N-[(1S,2R)-1-benzyl-3-(2-butyryl-1-ethylhydrazino)-2-hydroxypropyl]-2-(3-methylisoxazol-5-yl)acetamide;
 N'-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-N-hexyl-N,5-dimethylisophthalamide;
 N'-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzoyl)amino]propyl]-5-methyl-N,N-dipropylisophthalamide;
 N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-1H-imidazole-2-carboxamide;
 N¹-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3,3-dimethyl-N²,N²-dipropylcyclopropane-1,2-dicarboxamide;
 tert-butyl 2-[[[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-

ethylbenzyl) amino]-2-hydroxypropyl) amino) carbonyl]-1-methyl-1H-imidazol-4-ylcarbamate;

N⁵-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2,2-dimethyl-N¹,N¹-dipropylpentanediamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(2-morpholin-4-ylethyl) amino]propyl)-2-(4-chlorophenoxy)-2-methylpropanamide compound with methyl hydroperoxide (1:2);

N-[(1S,2R)-3-(benzylamino)-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-4-fluoro-1-naphthamide;

3-[(dipropylamino) sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-isopropylbenzyl)propyl]propanamide;

3-[(dipropylamino) sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(3-methoxybenzyl)propyl]propanamide;

N¹-[(1S,2R)-1-(3,5-dichlorobenzyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-3-(benzylamino)-2-hydroxy-1-(4-methoxybenzyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-2-hydroxy-1-(4-isopropylbenzyl)-3-[(3-methoxybenzyl) amino]propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

3-[(dipropylamino) sulfonyl]-N-[(1S)-1-[(1R)-1-hydroxy-2-[(3-methoxybenzyl) amino]ethyl]but-3-ynyl]propanamide;

N¹-[(1S,2R)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N⁵,N⁵-dipropylpentanediamide;

N¹-[(1S,2R)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl) amino]-1-(1-naphthylmethyl)propyl]-5-methyl-N³,N³-dipropylisophthalamide;

N¹-[(1S)-1-[(1R)-1-hydroxy-2-[(3-methoxybenzyl) amino]ethyl]-3-methylbutyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-1-(2-furylmethyl)-2-hydroxy-3-(isopentylamino)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N¹-[(1S,2R)-2-hydroxy-3-[(3-methoxybenzyl) amino]-1-(1-naphthylmethyl)propyl]-N³,N³-dipropylbenzene-1,3,5-tricarboxamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl) amino]propyl)-3-[(2-methoxyethyl) (propyl) amino]sulfonyl]propanamide;

N-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl) amino]propyl)-3-(4,5-dimethyl-2-furoyl)-5-methylbenzamide;

3-[(dipropylamino) sulfonyl]-N-[(1S,2R)-2-hydroxy-3-(isopentylamino)-1-(4-methylbenzyl)propyl]propanamide;

1 3-[(dipropylamino) sulfonyl]-N-[(1S,2R)-1-(3-fluoro-5-hydroxybenzyl)-2-hydroxy-3-[(3-methoxybenzyl) amino]propyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl) amino]propyl]-1,3-benzothiazole-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl) amino]propyl]-5-(2,5-dimethylphenoxy)-2,2-

dimethylpentanamide;

N-[(1S,2R)-3-amino-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-3-(isopentylsulfonyl)propanamide trifluoroacetate;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]-2-hydroxy-5-methylbenzamide;

4-amino-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]butanamide bis(trifluoroacetate);

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-[(pyridin-4-ylmethyl)thio]benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,1,3-benzoxadiazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-methyl-1,2,3-thiadiazole-5-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-[(pyridin-2-ylthio)methyl]-2-furamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-phenyl-5-propyl-1H-pyrazole-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-5-(trifluoromethoxy)-1H-indole-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(5-methyl-1H-tetraazol-1-yl)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2,8-dimethylquinoline-3-carboxamide;

2-(3-chlorophenoxy)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]propanamide;

2-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-4-(1H-tetraazol-1-yl)benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-[5-(2-methylphenyl)-2H-tetraazol-2-yl]acetamide;

3-(1,3-benzoxazol-2-ylthio)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]propanamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-2-hydroxy-6-methylquinoline-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-3-propylpyrazine-2-carboxamide 4-oxide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-benzothiophene-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]-1-methyl-1H-indole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-methoxy-1,3-benzothiazole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(6-methoxy-1H-benzimidazol-2-yl)thio]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-phenylthiophene-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methoxythiophene-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,3'-bithiophene-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-morpholin-4-yl-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-indole-3-carboxamide;

4-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,6-dimethylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-furamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxy-3,5-dimethoxybenzamide;

4-acetyl-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)nicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxyquinoline-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-hydroxynicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-benzothiophene-2-carboxamide;

7-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxyquinoline-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methylisoxazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methylisoxazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3,5-dimethyl-1H-pyrazol-1-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methoxy-1H-indole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,5-dimethyl-3-furamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-hydroxy-2-(methylthio)pyrimidine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-1,3-oxazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-1H-pyrazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-3-carboxamide;

6-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-indole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-indole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-methyl-1,3-oxazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-methoxybenzamide;

4-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-piperidin-1-ylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methylpyrimidine-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)quinoline-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenylimidazo[1,2-a]pyridine-7-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-hydroxy-4-methylpyridine-2-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴,N⁴-diphenylsuccinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[ethyl(methyl)amino]-4-hydroxypyrimidine-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4,8-dihydroxyquinoline-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-benzofuran-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-ethyl-1H-indole-2-carboxamide;

2-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4,5-dimethylthiophene-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxyquinoxaline-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-indazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-2-phenyl-1,3-oxazole-4-carboxamide;
4-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-methylquinoline-2-carboxamide;
N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²,N²-dimethylphthalamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-2-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-furamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-methyl-3-furamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxy-6-neopentylpyridine-2-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-thiazole-4-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxy-7-methoxy-1-benzothiophene-5-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxy-7-methoxy-1-benzofuran-5-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenyl-1,3-oxazole-4-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,4-dihydroxybenzamide;
N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴-phenylsuccinamide;
N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴-pyridin-3-ylsuccinamide;
N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴-(2,6-dimethylphenyl)succinamide;
N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁴-methylsuccinamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(4-methoxyphenoxy)propanamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxy-7-methoxyquinoline-3-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[methyl(methylsulfonyl)amino]benzamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(pyrrolidin-3-ylsulfonyl)benzamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-5-(4-methyl-1,2,3-thiadiazol-5-yl)isoxazole-4-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-2-phenyl-2H-1,2,3-

triazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4-methyl-1,2,3-thiadiazol-5-yl)-1,3-thiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-phenylimidazo[1,2-a]pyridine-6-carboxamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N⁵-(1,3-thiazol-2-yl)pentanediamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(4-methyl-1,2,3-thiadiazol-5-yl)thio]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-(piperidin-1-ylmethyl)-2-furamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,5-dimethyl-1-phenyl-1H-pyrrole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-1-phenyl-1H-pyrazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-fluoro-4-morpholin-4-ylbenzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3,5-bis(methylthio)isothiazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-5-(trifluoromethyl)isoxazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-5-(propionylamino)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-phenyl-1H-pyrrole-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)pyrazine-2-carboxamide 4-oxide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-1-pyridin-4-yl-1H-1,2,3-triazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-methoxypyrazine-2-carboxamide 4-oxide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-5-phenyl-1H-pyrazole-3-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-hydroxy-3-propylhexanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1H-benzimidazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-

ethylbenzyl) amino]-2-hydroxypropyl)-2-hydroxy-4-(propionylamino) benzamide;

5-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-1-benzofuran-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2-pyridin-3-yl-1,3-thiazole-4-carboxamide;

8-cyano-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-4-hydroxyquinoline-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-1,6-naphthyridine-2-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2,2-dimethyl-4-oxochromane-6-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-3-(morpholin-4-ylmethyl) benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-4,7-dimethoxy-1-benzofuran-5-carboxamide;

3-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-5-phenylisothiazole-4-carboxamide;

2-(2,1,3-benzothiadiazol-4-yloxy)-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl) acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2-methoxy-4-(methylthio) benzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2-[(4-methyl-1,3-thiazol-2-yl) thio] acetamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-6-methoxy-1-benzofuran-2-carboxamide;

5-chloro-N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2-morpholin-4-ylbenzamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-4-methoxy-1H-pyrrole-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2-methyl-1,3-thiazole-4-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2-methyl-5-(2-thienyl)-3-furamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-4-methoxythiophene-3-carboxamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-N'-(3,5-dimethylpyrazin-2-yl) succinamide;

N-[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)-2-[(3,4-

dimethoxyphenyl)thio]acetamide;
6-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(trifluoromethyl)pyridine-2-carboxamide;
N-(2-acetyl-3-thienyl)-N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(4-fluorophenyl)-5-methyl-1H-1,2,4-triazole-3-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N'-[2-fluoro-5-(methylsulfonyl)phenyl]succinamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(4-methoxyphenyl)thiophene-2-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-[5-(methylsulfinyl)-2,3-dihydro-1H-indol-1-yl]-4-oxobutanamide;
2-(acetylamino)-5-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thiophene-3-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-propyltetrahydro-2H-pyran-4-carboxamide;
4-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-7,7-dimethyl-7,8-dihydro-5H-pyrano[4,3-b]pyridine-2-carboxamide;
2-(2-chlorophenyl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,3-thiazole-4-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(3-methylphenyl)-1,3-thiazole-4-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1,2,5-thiadiazole-3-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(phenoxymethyl)-1,3-thiazole-4-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(4-methylphenyl)-1,3-thiazole-4-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-pyridin-3-ylbenzamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-methyl-2-phenyl-1,3-oxazole-5-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-ethyl-3-(2-thienyl)-1H-pyrazole-5-carboxamide;
4-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-1H-pyrrole-2-carboxamide;
N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2,6-

dimethylphenoxy)propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-phenyl-1,2,3-thiadiazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2,5-dimethyl-1H-pyrrol-1-yl)thiophene-3-carboxamide;

5-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxybenzamide;

4-(acetylamino)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)butanamide trifluoroacetate;

N-((1S,2R)-1-benzyl-3-[1-ethyl-2-(4-methylpentanoyl)hydrazino]-2-hydroxypropyl)-2-[(methylsulfonyl)amino]-1,3-oxazole-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(1-methyl-1H-imidazol-2-yl)benzamide;

N'-[(1S,2R)-3-[(1R)-3-cyclohexyl-1-phenylpropyl]amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³,N³-dipropyl-5-pyridin-3-ylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-fluoro-1-naphthamide;

N-cyclohexyl-N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N,5-dimethylisophthalamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-1H-imidazole-2-carboxamide;

N¹-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N³-[oxo(phenyl)methyl]-β-alaninamide;

N¹-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N²-[imino(phenyl)methyl]glycinamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N³-(2-propylpentanimidoyl)-β-alaninamide;

6-(4-benzylpiperazin-1-yl)-N-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-iodobenzyl)amino]propyl)nicotinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(3-methoxyphenyl)sulfonyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-5-methyl-7-(trifluoromethyl)pyrazolo[1,5-a]pyrimidine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N'-(5-phenyl-1,3,4-thiadiazol-2-yl)succinamide;

N-(5-cyclopropyl-1,3,4-thiadiazol-2-yl)-N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(3-methyl-5-oxo-4,5-dihydro-1H-pyrazol-1-yl)benzamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thieno[2,3-b]quinoline-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-5-oxo-2-phenylprolinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-methyl-4H,6H-pyrrolo[1,2-a][4,1]benzoxazepine-4-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[(7-hydroxy-5-methyl[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)thio]acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-oxo-2,3-dihydro-1,2-benzisothiazole-6-carboxamide 1,1-dioxide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)thieno[3,2-c]pyridine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-oxo-2,3-dihydro-1,3-benzoxazole-6-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-[oxo(phenoxy)methyl]prolinamide;

6-chloro-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-2-oxo-2,3-dihydro-1,3-benzoxazole-5-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-[4-(2,5-dioxopyrrolidin-1-yl)phenoxy]acetamide;

N²-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N¹-phenylpyrrolidine-1,2-dicarboxamide;

2-(1,3-benzothiazol-2-ylmethoxy)-N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-methyl-4-oxo-3,4-dihydrophthalazine-1-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)indolizine-2-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxo-4-phenylbutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(1,3-dimethyl-2,6-dioxo-1,2,3,6-tetrahydro-7H-purin-7-yl)acetamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3-hydroxyphenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-(3-methoxyphenyl)-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3',4'-dihydro-1'H-spiro[1,3-dioxolane-2,2'-naphthalene]-8'-carboxamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-

ethylbenzyl) amino]-2-hydroxypropyl]-3',4'-dihydro-1'H-spiro[1,3-dioxolane-2,2'-naphthalene]-7'-carboxamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]- N^2 -[mercapto(methylthio)methyl]-D-alaninamide;
 N^2 -[(4-chlorophenyl)(oxo)methyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}glycinamide;
 N^2 -[(4-tert-butylphenyl)(oxo)methyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}glycinamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]- N^2 -[oxo(pyridin-3-yl)methyl]glycinamide;
2-[[2-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)amino)-2-oxoethyl]thio}-N-[4-(1,3-oxazol-5-yl)phenyl]acetamide;
 N^2 -[(4-chlorophenyl)(oxo)methyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-D-alaninamide;
 N^2 -[(3,4-dichlorophenyl)(oxo)methyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}glycinamide;
N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-(5a,9a-dihydrodibenzo[b,d]furan-2-yl)-4-oxobutanamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]- N^2 -[oxo[4-(trifluoromethyl)phenyl]methyl]glycinamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]- N^2 -[(2,6-difluorophenyl)(oxo)methyl]glycinamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]- N^2 -[oxo(4-methoxyphenyl)methyl]glycinamide;
N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-(2-oxo-1,3-oxazolidin-3-yl)benzamide;
N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-5-(phenylethynyl)nicotinamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl]- N^3 -[oxo(1H-1,2,4-triazol-5-yl)methyl]- β -alaninamide;
2-[[2-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl)amino)-2-oxoethyl]thio}-N-(pyridin-4-ylmethyl)acetamide;
N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-[(methoxymethyl)thio]benzamide;
N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-(1,5-dimethyl-3-oxo-2-phenyl-2,3-dihydro-1H-pyrazol-4-yl)-4-oxobutanamide;
4-(4-benzyl-1,4-diazepan-1-yl)-N-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl) amino]-2-hydroxypropyl}-4-oxobutanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,5-dimethyl-1-(pyridin-4-ylmethyl)-1H-pyrrole-3-carboxamide;
 N-[(dimethylamino)sulfonyl]glycyl-N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)glycinamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-hydroxy-1-[(1R,2R)-2-hydroxycyclohexyl]prolinamide;
 (2S,3S)-N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-methyl-5-oxo-2-pyridin-3-ylpyrrolidine-3-carboxamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(2,5-dioxopyrrolidin-1-yl)benzamide;
 N-(2-cyano-4,5,6,7-tetrahydro-1-benzothien-3-yl)-N'-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)succinamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(2,5-dioxoimidazolidin-4-yl)acetamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-(5,7-dimethyl[1,2,4]triazolo[1,5-a]pyrimidin-2-yl)acetamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-1-(2-furylmethyl)-5-oxopyrrolidine-3-carboxamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxo-4-(5-oxo-1,4-diazepan-1-yl)butanamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(4-methylphenyl)-4,5-dihydro-1H-pyrazole-5-carboxamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2,1,3-benzoxadiazole-5-carboxamide 1-oxide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(2-pyridin-3-ylpiperidin-1-yl)propanamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4-oxo-4-(2-propyl-1H-imidazol-1-yl)butanamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-4a,9a-dihydro-9H-carbazole-9-carboxamide;
 N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-6-methyl-4-oxo-1-phenyl-1,4-dihydropyridazine-3-carboxamide;
 N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([1-methyl-5-(pyrrolidin-1-yl)carbonyl]-1H-pyrrol-3-yl)amino)propyl)-5-methyl-N,N-dipropylisophthalamide;
 N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-([2-(2-oxo-2-pyrrolidin-1-ylethoxy)phenyl]amino)propyl)-5-methyl-N,N-dipropylisophthalamide;
 N'-((1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-[(3-hydroxymethyl)piperidin-1-yl]carbonyl)phenyl]amino)propyl)-5-

methyl-N,N-dipropylisophthalamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)- N^2 -[3-(methylthio)-1-oxopropyl]- N^2 -pentylglycinamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)- N^2 -[3-(methylsulfonyl)-1-oxopropyl]- N^2 -pentylglycinamide;
 N -{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-(phenylsulfonyl)propanamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(7-oxabicyclo[2.2.1]hept-2-ylmethyl)amino]propyl)-5-methyl-N,N-dipropylisophthalamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3R)-2-oxo-1-propylazepan-3-yl]amino)propyl)-5-methyl-N,N-dipropylisophthalamide;
 N' -[(1S,2R)-3-[(1-acetylpiperidin-4-yl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N-[2-(dimethylamino)-2-oxoethyl]-N,5-dimethylisophthalamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N-[2-(dimethylamino)ethyl]-N-ethyl-5-methylisophthalamide;
 N -benzyl- N' -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N,5-dimethylisophthalamide;
 N -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(2-(2-hydroxyethyl)piperidin-1-yl]carbonyl)-5-methylbenzamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N,5-dimethyl-N-(2-phenylethyl)isophthalamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(3-formyl-2-furyl)benzyl)amino]-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(5-formyl-2-thienyl)benzyl)amino]-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N,5-dimethyl-N-(2-pyridin-2-ylethyl)isophthalamide;
 N' -[(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(1-(methylsulfonyl)piperidin-4-yl)methyl]amino)propyl]-5-methyl-N,N-dipropylisophthalamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)- N^3 , N^3 -diethylpiperidine-1,3-dicarboxamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)- N^3 , N^3 -dipropylpiperidine-1,3-dicarboxamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-(5-formyl-4-methyl-2-thienyl)benzyl)amino]-2-hydroxypropyl)-5-methyl-N,N-dipropylisophthalamide;
 N' -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[(3-(1-phenylvinyl)benzyl)amino]propyl)-5-methyl-N,N-dipropylisophthalamide;

N' -[(1S,2R)-3-[(3-bicyclo[2.2.1]hept-2-ylbenzyl)amino]-1-(3,5-difluorobenzyl)-2-hydroxypropyl]-5-methyl-N,N-dipropylisophthalamide;
 ethyl 3-[3-({[(2R,3S)-4-(3,5-difluorophenyl)-3-({3-[(dipropylamino)carbonyl]-5-methylbenzoyl}amino)-2-hydroxybutyl]amino}methyl)phenyl]propanoate;
 ethyl 4-[3-({[(2R,3S)-4-(3,5-difluorophenyl)-3-({3-[(dipropylamino)carbonyl]-5-methylbenzoyl}amino)-2-hydroxybutyl]amino}methyl)phenyl]butanoate;
 methyl (2R)-3-[3-({[(2R,3S)-4-(3,5-difluorophenyl)-3-({3-[(dipropylamino)carbonyl]-5-methylbenzoyl}amino)-2-hydroxybutyl]amino}methyl)phenyl]-2-methylpropanoate;
 ethyl 3'-({[(2R,3S)-4-(3,5-difluorophenyl)-3-({3-[(dipropylamino)carbonyl]-5-methylbenzoyl}amino)-2-hydroxybutyl]amino}methyl)biphenyl-2-carboxylate;
 2-[1-[2-({[(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl]amino)-2-oxoethyl]cyclopentyl]-N,N-dipropylacetamide;
 N^2 -[(benzyloxy)carbonyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^2 -[(benzyloxy)carbonyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-methylbutyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;
 N^2 -[(benzyloxy)carbonyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-(cyclopropylamino)-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^2 -[(benzyloxy)carbonyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(cyclopropylmethyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3R)-tetrahydrofuran-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-benzyl-3-[(3-methoxybenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3S)-1,1-dioxidotetrahydrothien-3-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3S)-tetrahydrothiophen-3-yloxy]carbonyl}-3-[(1-

propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[tetrahydropyran-4-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[1-(methylsulfonyl)piperidin-4-yloxy]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^2 -{[1-acetylpiperidin-4-yloxy]carbonyl}- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3R)-5-oxopyrrolidin-3-yl]methyl]carbonyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-benzyl-3-[(3-methoxybenzyl)amino]-2-hydroxypropyl}- N^2 -[(benzyloxy)carbonyl]-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;
 N^2 -[(benzyloxy)carbonyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-2-hydroxy-3-[[2-(3-methoxyphenyl)ethyl]amino]propyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -{[(3S)-tetrahydrofuran-3-yloxy]carbonyl}-D-leucinamide trifluoroacetate;
 N^1 -{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}- N^2 -[(benzyloxy)carbonyl]-L-leucinamide;
 N^2 -[(benzyloxy)carbonyl]- N^1 -{(1S)-1-[(1R)-2-ethyl(isobutylsulfonyl)amino]-1-hydroxyethyl}-3-methylbutyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;
 N^2 -[(benzyloxy)carbonyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^5,N^5 -dipropyl-L-glutamamide trifluoroacetate;
 N^2 -[(benzyloxy)carbonyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^5,N^5 -dipropyl-D-glutamamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -[(1H-pyrazol-4-yl)carbonyl]-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;
 N^2 -[(6-chloropyridin-3-yl)carbonyl]- N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -[(pyridin-2-yl)carbonyl]-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -(2-methylbenzoyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -(3-methylbenzoyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;
 N^1 -{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}- N^2 -(4-methylbenzoyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N²-(3-chlorobenzoyl)-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N²-(4-methoxybenzoyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N²-(4-trifluoromethylbenzoyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N²-(cyclohexylcarbonyl)-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N²-(benzoyl)-N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N²-(phenylacetyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N¹-{(1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl}-N²-(3-phenylpropanoyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;

N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N²-(cyclopropylacetyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N²-[(methylsulfonyl)acetyl]-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide trifluoroacetate;

N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N²-[(methylthio)acetyl]-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N²-(4-hydroxy-4-oxobutanoyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N²-[4-(methylamino)-4-oxobutanoyl]-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-N²-(4-methoxy-4-oxobutanoyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N-(methylsulfonyl)glycyl-N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N²-acetyl-N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-3-(phenylsulfonyl)-D,L-alaninamide;

(2S)-2-(4-methoxy-4-oxobutanoyl)amino-N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-oxo-5-piperidin-1-ylpentanamide;

(2R)-2-[(benzyloxy)carbonyl]amino-N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-oxo-5-piperidin-1-ylpentanamide;

(2R)-2-(3-ethoxy-3-oxopropanoyl)amino-N¹-{(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl}-5-oxo-5-piperidin-1-ylpentanamide;

N¹-{(1S,2R)-1-benzyl-3-[(3-methoxybenzyl)amino]-2-hydroxypropyl}-N²-(4-methoxy-4-oxobutanoyl)-N⁵,N⁵-dipropyl-D-

glutamamide;

(2R)-2-(4-methoxy-4-oxobutanoyl)amino-N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-oxo-5-piperidin-1-ylpentanamide;

(2R)-2-(5-methoxy-5-oxopentanoyl)amino-N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-oxo-5-piperidin-1-ylpentanamide;

N²-[(5-chlorothiophen-2-yl)sulfonyl]-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-N²-(phenylsulfonyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

N²-[(benzylamino)carbonyl]-N¹-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-[(1-propylbutyl)sulfonyl]-D,L-alaninamide;

4-(((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)amino)-3-[(isopentylsulfonyl)methyl]-4-oxobutanoic acid;

methyl 4-(((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)amino)-3-[(isopentylsulfonyl)methyl]-4-oxobutanoate;

N¹-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-[(isopentylsulfonyl)methyl]succinamide;

N¹-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-[(isopentylsulfonyl)methyl]-N⁴-methylsuccinamide;

N¹-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-[(isopentylsulfonyl)methyl]-N⁴,N⁴-dimethylsuccinamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-3-(4,4-dimethyl-2,5-dioxoimidazolidin-1-yl)-2-[(1-propylbutyl)sulfonyl]methylpropanamide;

N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-(ethylsulfonyl)-2-[(isobutylsulfonyl)amino]methylpropanamide;

N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-3-(ethylthio)-2-[(isobutylsulfonyl)amino]methylpropanamide;

(2S)-N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-[(isopentylsulfonyl)amino]-4-(methylsulfonyl)butanamide;

N¹-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N²-(isopentylsulfonyl)-L-methioninamide;

S-3-(((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)amino)-2-[(isopentylsulfonyl)methyl]-3-oxopropyl ethanethioate;

N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-hydroxy-3-[(1-propylbutyl)sulfonyl]propanamide;

N-((1S,2R)-1-(3,5-difluorobenzyl)-3-[(3-ethylbenzyl)amino]-2-hydroxypropyl)-2-hydroxy-4-(phenylsulfonyl)butanamide;

N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-hydroxy-4-(isopentylsulfonyl)butanamide;
 N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-4-(isopentylsulfonyl)-2-phenoxybutanamide;
 N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-4-(isopentylsulfonyl)-2-(3-methoxyphenoxy)butanamide;
 3-[1-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino)carbonyl]-3-(isopentylsulfonyl)propoxy]benzoic acid trifluoroacetate;
 methyl 3-[1-[(1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl]amino)carbonyl]-3-(isopentylsulfonyl)propoxy]benzoate;
 N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-hydroxy-4-(phenylsulfonyl)butanamide;
 N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-hydroxy-4-(phenylthio)butanamide;
 N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-methoxy-4-(phenylsulfonyl)butanamide;
 N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-methoxy-4-(phenylthio)butanamide;
 N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-4-(phenylsulfonyl)-2-propoxybutanamide;
 N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-2-(benzyloxy)-4-(phenylsulfonyl)butanamide;
 N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N²-[(benzyloxy)carbonyl]-D,L-methioninamide;
 (2S)-2-amino-N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-oxo-5-piperidin-1-ylpentanamide;
 (2S)-2-(2-ethoxy-2-oxoethyl)amino-N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-oxo-5-piperidin-1-ylpentanamide;
 (2R)-2-amino-N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-oxo-5-piperidin-1-ylpentanamide;
 (2R)-2-(2-ethoxy-2-oxoethyl)amino-N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-oxo-5-piperidin-1-ylpentanamide;
 (2R)-2-(4-ethoxy-4-oxobutanyl)amino-N-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-5-oxo-5-piperidin-1-ylpentanamide ditrifluoroacetate;
 N¹-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N²-[(benzyloxy)carbonyl]-L-aspartamide;
 N¹-((1S,2R)-1-benzyl-2-hydroxy-3-[(3-methoxybenzyl)amino]propyl)-N²-[(tertbutyloxy)carbonyl]-L-aspartamide;
 or a pharmaceutically acceptable salt thereof.